

Index

Page numbers in **bold** refer to definitions of terms and algorithms.

Page numbers in *italics* refer to items in the bibliography.

Symbols

α (alpha) learning rate, 816
 α (alpha) normalization constant, 418
 \wedge (and), 235
 χ^2 (chi squared), 682
 \vdash (derives), 234
 \models (entailment), 232
 ε (epsilon)-ball, **691**
 \exists (there exists), 280
 \forall (for all), 279
 γ (gamma) discount factor, 632
 $_$ (gap) in sentence, 897
 $|$ (given), 407
 \Leftrightarrow (if and only if), 235
 \Rightarrow (implies), 235
 \sim (indifferent), 520
 λ (lambda)-expression, **277**
 ∇ (nabla) gradient, 138
 \neg (not), 235
 \vee (or), 235
 \succ (preferred), 520
 σ (sigma) standard deviation, 1079
 T (matrix transpose), 1077

A

$A(s)$ (actions in a state), 552
 A^* search, 103–108
Aaronson, S., 1035, *1085*
Aarts, E., 190, *1085*
Aarup, M., 402, *1085*
Abbas, A., 549, 550, *1085*
Abbeel, P., 80, 516, 551, 638, 737, 841, 868, 872, 873, 985, 986, 1055, *1085, 1091, 1095, 1097, 1099, 1102, 1103, 1112*
Abbott, L. F., 839, 873, *1092*
ABC computer, 32
Abdennadher, S., 191, *1095*
abd James Andrew Bagnell, B. D. Z., 868, *1101*
Abdolmaleki, A., 873, *1114*
Abelson, R. P., 41, *1111*
Abney, S., 889, *1085*
Aboian, M. S., 48, *1093*
Abramson, B., 222, 587, *1085*
Abreu, D., 637, *1085*
absolute independence, 416, 419
absorbing state, **850**
abstraction, **84**, 218, 612
abstraction hierarchy, **400**
ABSTRIPS (planning system), 400

Abu-Hanna, A., 428, *1104*
AC-3, **171**
accessibility relation, **345**
accountability, **729**
accusative case, 892
Acharya, A., 127, *1090*
Achlioptas, D., 267, *1085*
Ackerman, E., 47, *1085*
Ackerman, N., 667, *1085*
Ackley, D. H., 161, *1085*
acoustic model
 in disambiguation, 900
ACT (cognitive architecture), 310
acting rationally, 21
action, 54, **83**, 123
 egocentric, 85
 high-level, **375**
 irreversible, **154**, 850
 joint, **593**
 monitoring, 390, 391
 primitive, **375**
 rational, 25, 52
action-utility function, **535**, 558
action-utility learning, **841**
action cost function, **83**, 123
Action Description Language (ADL), 398
action exclusion axiom, **263**, 594
action monitoring, 390, 391
action schema, **363**
action sequence, 71, 84
activation function, **803**
active sensing, 988
actor, **591**
actor model, 636
actuator, **54**, 61, **936**
 electric, 936
AD-tree, 798
ADA BOOST, **720**
adaline, 39
Adams, A., 1067, *1104*
Adams, J., 343
Adams, M., 331, *1097*
Adams, R. P., 690, *1113*
adaptive control theory, 870
adaptive dynamic programming (ADP), **844**, 869
adaptive perception, 945
ADASYN (data generation system), 725, 1046
add-one smoothing, 878
additive decomposition (of value functions), **861**
add list, **363**
Adida, B., 357, 1085
adjustment formula, **471**
ADL (Action Description Language), 398
admissibility, 104
admissible heuristic, **104**, 371
Adolph, K.E., 852, *1085*
Adorf, H.-M., 402, *1100*
ADP (adaptive dynamic programming), **844**, 869
adversarial example, **821**, 838
adversarial search, **192**
adversarial training, 975
adversary argument, **154**
Advice Taker, 37
AFSM (augmented finite state machine), 976
Agarwal, P., 974, 986, 1041, *1105, 1112*
agent, **21**, 54, 78
 active learning, 848
 architecture of, **65**, 1069
 autonomous, 228
 benevolent, 589
 components, 1063–1069
 decision-theoretic, 406, 518
 function, **54**, 55, 65, 554
 goal-based, 71–72, 78, 79
 greedy, **848**
 hybrid, **259**
 impatient, 632
 intelligent, 52
 knowledge-based, 31, 226–228
 learning, 74–76, 80
 logical, 255–264, 297
 model-based, **70**, 69–71
 online planning, 397
 personal, **1066**
 problem-solving, **81**, 81–84
 program, **55**, **65**, 66, 78
 rational, **22**, 21–24, 54, **57**, 57–58, 73, 78, 79, 547
 reflex, **67**, 67–69, 78, 554, 841
 situated, 1033
 software agent, **61**
 taxi-driving, 75, 1070
 utility-based, 72–74, 78
 vacuum, 57
 wumpus, 230, 288, 988
Agerbeck, C., 189, *1085*

- Aggarwal, A., 838, *1110*
 Aggarwal, G., 627, *1085*
 aggregate querying, **1042**
 aggregation, **394**
 Agha, G., 636, *1085*
 AGI (artificial general intelligence), **50**
 Agichtein, E., 906, *1085*
 Agmon, S., 836, *1085*
 Agostinelli, F., 124, *1085*
 Agrawal, P., 986, *1085*
 Agrawal, R., 1060, *1086*
 Agre, P. E., 401, *1085*
 Ai, D., 48, *1104*
 AI2 ARC (science test questions), 901
 AI4People, 1059
 AI FAIRNESS, 378, 1047
 AI for Humanitarian Action, 1037
 AI for Social Good, 1037
 AI Habitat (simulated environment), 873
 AI Index, **45**
 Aila, T., 831, *1101*
 AI Now Institute, 1046, 1059
 Airborne Collision Avoidance System X (ACAS X), 588
 aircraft carrier scheduling, 401
 airport, driving to, 403
 airport siting, 530, 535
 AI safety, 1061
 AI Safety Gridworlds, 873
 AISB (Society for Artificial Intelligence and Simulation of Behaviour), 53
 Aitken, S., 799, *1092*
 AI winter, 42, 45
 Aizerman, M., 735, *1085*
 Akametalu, A. K., 872, *1085*
 Akgun, B., 986, *1085*
 al-Khwarizmi, M., 27
 Alami, R., 986, *1113*
 Albantakis, L., 1058, *1108*
 Alberti, C., 904, *1085*
 Alberti, L., 1027
 Aldous, D., 160, *1085*
 ALE (Arcade Learning Environment), 873
 Alemi, A. A., 330, *1085*
 Alexandria, 33
 AlexNet (neural network system), 833
 Algol-58, 903
 algorithm, **27**
 algorithmic complexity, 734
 Algorithmic Justice League, 1046
 Alhazen, 1027
 Alibaba, 1068
 Allais, M., 528, 550, *1085*
 Allais paradox, 528, 550
 Allan, J., 901, *1085*
Alldiff constraint, 168
 Allen, B., 401, *1095*
 Allen, C., 550, *1091*
 Allen, J. F., 342, 358, 401, 402, *1085*
 Allen, P., 1061, *1085*
 Allen-Zhu, Z., 837, *1085*
 Alleva, F., 47, *1117*
 alliance (in multiplayer games), **197**
 Almulla, M., 126, *1108*
 Alperin Resnick, L., 350, *1088*
 alpha-beta pruning, **198**
 alpha-beta search, 198–201, 220, 221
 ALPHA-BETA-SEARCH, 200
 ALPHAGO (Go program), 37, 45, 48, 222, 223, 867
 ALPHASTAR (game-playing program), 218, 225
 ALPHAZERO (game-playing program), 48, 218, 220, 223
 Alshawi, H., 891, *1113*
 Alterman, R., 400, *1085*
 alternating offers bargaining model, **631**
 Altman, A., 225, *1085*
 altruism, 405
 Alvey report, 41
 ALVINN (autonomous vehicle), 974
 Amarel, S., 162, 356, *1085*
 Amazon, 47, 1068
 ambient light, **993**
 ambiguity, 270, **898**
 lexical, **898**
 semantic, **898**
 syntactic, **898**, 904
 ambiguity aversion, **529**, 550
 Amir, E., 267, 668, *1085*, *1092*
 Amit, Y., 736, *1085*
 Amodei, D., 33, 930, 1061, 1069, *1085*, *1110*
 analogical reasoning, **768**
 ANALOGY, 38
 analysis of algorithms, **1074**
 Analytical Engine, 33
 analytical generalization, **768**
 Anantharaman, T. S., 222, *1099*
 Anbulagan, 266, *1103*
 anchor box, 1007
 anchoring effect, **529**
 And-Elimination, **241**
 AND-OR-SEARCH, **143**
 AND-OR graph, 248
 AND-OR tree, **141**
 Andersen, S. K., 473, 474, *1085*
 Anderson, C. R., 401, *1116*
 Anderson, J. A., 836, *1098*
 Anderson, J.R., 32, 310, 476, *1085*, *1109*
 Anderson, K., 126, 873, *1085*, *1087*
 Andersson, M., 638, *1111*
 AND node, **141**
 Andoni, A., 735, *1085*
 Andor, D., 904, *1085*
 Andre, D., 161, 586, 871, 873, *1085*, *1092*, *1102*
 Andreea, P., 873, *1085*
 Andrew, G., 1060, *1106*
 Andrieu, C., 517, *1085*
 Andrychowicz, M., 966, 986, *1085*
 Aneja, J., 1016, *1085*
 Angeli, G., 931, *1088*
 ANGELIC-SEARCH, **382**
 angelic semantics, 397
 animatronics, **980**
 Anisenia, A., 474, *1112*
 answer set programming, 330
 antecedent, 235
 anthropomorphic robot, **933**, 937
 Antonoglou, I., 45, 48, 201, 220, 223, 224, 835, 841, 871, 873, *1106*, *1112*
 anytime algorithm, **1070**
 Aoki, M., 587, *1085*
 aperture, **990**
 apparent motion, 1000
 Appel, K., 188, *1085*
 Appelt, D., 905, *1085*
 Apple, 1059
 applicable, **83**, 363
 apprenticeship learning, **864**, 1054, 1067
 approval voting, **630**
 approximate near-neighbors, **707**
 Apps, C., 48, 225, *1115*
 Apt, K. R., 189, 191, *1085*
 Apté, C., 903, *1085*
 Arbuthnot, J., 426, *1085*
 Arcade Learning Environment (ALE), 873
 arc consistency, **170**
 Archibald, C., 225, *1085*
 Architecture
 agent, **65**, 1069
 AI, 1069
 cognitive, 52, **310**
 computer, 670
 for speech recognition, 43
 network, 819, 821, 838, 1029
 reflective, **1070**
 RNN, 912
 rule-based, 310
 subsumption, 976
 transformer, 919, 931
 Arentoft, M. M., 402, *1085*
 Arfaee, S.J., 127, *1085*, *1103*
 Argall, B. D., 986, *1085*
 argmax, 1077
 argument
 from disability, 1033–1034
 from informality, 1032–1033
 Ariely, D., 528, 550, *1085*
 ARISTO (question-answering system), 926, 927, 931
 Aristotle, ix, 21, 24, 25, 29, 78, 79, 265, 296, 356, 357, 359, 733, 1027, 983

- arity, **275**, 306
 Arkin, R., 987, 1040, *1085*
 Armando, A., 268, *1085*
 Armstrong, S., 1053, *1085*
 Arnauld, A., 25, 28, 547, *1085*
 Arnaud, S., 820, *1097*
 Arora, J. S., 137, *1105*
 Arora, N. S., 653, 667, *1085*
 Arora, S., 125, *1085*
 Arous, G. B., 837, *1090*
 Arpit, D., 734, *1086*
 Arrow's theorem, **630**, 639
 Arrow, K. J., 630, 639, *1086*
 artificial flight, 20
 artificial general intelligence (AGI), **50**
 artificial intelligence, 1–1073
 applications of, 45–48
 conferences, 53
 ethics, 1037–1052
 foundations, 23–35, 870
 future of, 49–52, 1063–1073
 goals of, 1071–1072
 history of, 35–45
 journals, 53
 philosophy of, 1032–1062
 possibility of, 1032–1035
 programming language, 37
 provably beneficial, **23**
 real-time, **1070**
 risks, 49–52, 1038–1047
 safety, 1052–1056
 societies, 53
 strong, **1032**, 1056, 1057
 weak, **1032**, 1056, 1057
 artificial intelligence (AI), **1**
 artificial life, 161
 artificial superintelligence (ASI), **51**
 Arulampalam, M. S., 517, *1086*
 Arulkumaran, K., 871, *1086*
 Arunachalam, R., 639, *1086*
 arXiv.org, 45, 839, 1069
 Asada, M., 983, *1101*
 asbestos removal, 523
 Ashburner, M., 334, *1113*
 Ashby, W. R., 34, *1086*
 Asimov, I., 982, 1058, *1086*
 ASKMSR (question-answering system), 901
 Aspuru-Guzik, A., 1027, *1111*
 assertion (logical), **283**
 assertion (probabilistic), 406
 assignment (in a CSP), **165**
 assistance, **551**
 assistance game, *see* game, assistance
 assumption, **355**
 Astrom, K. J., 162, 587, *1086*
 asymmetry, 911
 asymptotic analysis, **1075**, 1074–1075
 Atanasoff, J., 32
 Atari video game, 867
 Athalye, A., 838, *1090*
 Atkeson, C.G., 586, 871, 986, *1086*, *1107*
 Atkin, L. R., 125, *1113*
 Atlas (robot), 47atom, **278**
 atomic representation, **77**, 81
 atomic sentence, **235**, **278**, 278, 282
 attention (neural net), 916, **917**, 931
 attentional sequence-to-sequence model, **917**
 attribute, **77**
 attribute-based learning algorithm, 759, 760
 AUC (area under ROC curve), **728**
 auction, **624**
 ascending-bid, **624**
 English, **624**
 first-price, 626
 sealed-bid, **626**
 second-price, **626**
 truth-revealing, **625**
 Vickrey, **626**
 Audi, R., 1058, *1086*
 Auer, P., 587, *1086*
 Auer, S., 334, 357, *1088*, *1103*
 augmentation, 902
 augmented finite state machine (AFSM), **976**
 augmented grammar, **892**
 Aumann, R., 637, *1086*
 AURA (theorem prover), 327, 331
 Auray, J. P., 549, *1087*
 Austerweil, J. L., 872, *1099*
 Australia, 165, 166, 177
 author attribution, **877**
 AUTOCLASS (unsupervised learning algorithm), 799
 autoencoder, **829**
 variational, **829**
 automata, 1057
 automated machine learning (AutoML), **737**
 automated reasoning, 20
 automated taxi, 60, 61, 75, 228, 403, 1070
 automatic differentiation, **807**
 reverse mode, **807**
 Automatic Statistician, 737
 AutoML, 737
 automobile insurance, 529
 Auton, L. D., 267, *1091*
 autonomatronics, **980**
 autonomic computing, **79**
 autonomous underwater vehicle (AUV), 934
 autonomy, **60**, 1031, 978
 autoregressive model, **830**, 838
 deep, **830**
 AUV (autonomous underwater vehicle), 934
 average pooling, **914**
 average reward, **557**
 Awwal, I., 985, *1112*
 Axelrod, R., 637, *1086*
 axiom, **227**, 285
 action exclusion, **263**, 594
 decomposability, 521
 domain-specific, 334
 effect axiom, **257**
 frame axiom, **257**
 Kolmogorov's, 411
 of number theory, 286
 of probability, 412
 Peano, **286**, 296, 307
 precondition, 263
 of probability, 411, 1078
 of set theory, 287
 successor-state, **258**, 268
 of utility theory, 521
 wumpus world, 288
 axon, 30
-
- ## B
-
- b* (branching factor), 116
 B* search, 221
 Ba, J. L., 837, *1086*
 Baader, F., 330, 359, *1086*
 Babbage, C., 33, 221
 Babuschkin, I., 48, 225, *1115*
 Bacchiani, M., 900, *1090*
 Bacchus, F., 188, 191, 428, 474, 559, 665, *1086*
 Bach, F. R., 903, *1099*
 bachelor, 336
 Bachmann, L. M., 48, *1104*
 Bachmann, P. G. H., 1080, *1086*
 back-propagation, 40, 42, 208, 209, **806**, 817, 836
 through time, **825**
 backgammon, 210, 224, 855, 866
 background knowledge, **227**, 320
 backing up (in a search tree), **111**, 195
 backjumping, **179**, 189
 backmarking, 190
 backoff model, **878**
 BACKTRACK, **176**
 backtracking
 chronological, 179
 dependency-directed, **189**
 dynamic, 190
 intelligent, 179–181, 252
 BACKTRACKING-SEARCH, **176**
 backtracking search, 98, 179–181, 183, 187
 Backus, J. W., 903, *1086*
 Backus-Naur form (BNF), **1081**
 backward chaining, **248**, 249–250, 265, 311–316, 329
 backward induction, **604**

- backward message, 487
backward search for planning, 368–369
Bacon, D., 1043, 1102
Bacon, F., 24, 49, 1086
Baeza-Yates, R., 901, 1086
bag-of-words model, **875**, 877, 883, 902
Bagdasaryan, E., 1060, 1086
bagging, **715**, 736
Bagnell, D., 986, 1111
Bagnell, J. A., 868, 958, 970, 973, 985, 986, 1086, 1101, 1110, 1118
Bahdanau, D., 931, 1086
Bahubalendruni, M. R., 125, 1086
Bai, A., 873, 1086
Bai, H., 588, 1086
Bai, Y., 725, 985, 1046, 1088, 1098
Baidu, 901, 1031
Baird, L. C. I., 586, 1116
Bajcsy, A., 974, 1086
Baker, B., 966, 986, 1085
Baker, C. L., 872, 1086
Baker, J., 903, 905, 1086
Baker, L., 45, 48, 1112
Bakkes, S., 222, 1090
Balaskas, K., 48, 1104
Balch, T., 224, 1109
Baldi, P., 124, 516, 1085, 1086
Baldwin, J.M., 136, 161, 1086
Baldwin effect, **136**, 161
Ball, M., 399, 1116
Ballard, B. W., 221, 1086
Ballas, N., 734, 1086
Baluja, S., 161, 1029, 1086, 1111
BANANAS (neural net architecture search), 838
Bancilhon, F., 329, 1086
bandit
 Bernoulli, **574**
 one-armed, **572**
 problem, **571**, 587, 849
 superprocess (BSP), **576**
Banerjee, A., 986, 1041, 1090, 1114
bang-bang control, **867**
Bangera, R., 639, 1116
Banko, M., 44, 334, 357, 737, 901, 905, 906, 1086, 1094
Bansal, K., 327, 1086
Bapna, A., 901, 1090
Bar-Hillel, Y., 904, 1086
Bar-Shalom, Y., 79, 515, 667, 1086
Barber, D., 800, 1086
Bard, N., 48, 224, 1107
Barifajjo, E., 390, 1100
Barnes, P., 1046, 1106
Barr, A., 125, 1086
Barreiro, J., 47, 1086
Barreno, M., 1061, 1086
Barrett, S., 225, 1086
Barry, M., 473, 1099
Barták, R., 189, 191, 1086
Barthels, A., 666, 1100
Bartholdi, J. J., 639, 1086
Bartlett, F., 31
Bartlett, P., 872, 1086
Barto, A. G., 163, 587, 588, 871–873, 1086, 1114
Bartunov, S., 225, 873, 1115
Barwise, J., 297, 1086
baseline, 930, **1009**
base model, **714**
Basin, D. A., 222, 1095
Basturk, B., 160, 1101
Basye, K., 984, 1092
batch normalization, **819**, 1030
Bates, E., 905, 1094
Bates, M.A., 32, 221, 1115
Batra, D., 873, 1017, 1097, 1111
Bauer, G., 331, 1097
Baum, E., 134, 221, 1086
Baum, L. E., 515, 799, 1086
Baumert, L., 189, 1097
Baxter, J., 872, 1086
Bayardo, R. J., 190, 191, 266, 1060, 1086
Baydin, A. G., 475, 668, 1103
Bayen, A. M., 516, 1099
Bayerl, S., 330, 1103
Bayes' rule, 26, **417**, 417–418, 426
Bayes, T., 417, 428, 798, 1086
Bayes-Nash equilibrium, **613**
Bayesian, 427
Bayesian classifier, 420
Bayesian learning, 719, **773**, 773–774, 797
Bayesian network, 43, **430**, 430–478, 799
 continuous-time, 516
 dynamic, **503**
 hybrid, **440**, 472
 inference in, 445–453
 learning hidden variables in, 796–797
 learning in, 785–786
 multi-entity, 667
 semantics, 432
Bayesian optimization, **690**
Bayesian reinforcement learning, **851**
BDD (binary decision diagram), 400
Beal, J., 50, 1087
Beame, P., 474, 1111
beam search, **110**, 124, **133**, 205, 882, 887, 919
 local, **133**
Beardon, A. F., 548, 1087
Beattie, C., 48, 225, 871, 873, 1087, 1100, 1106
Beber, G., 1057, 1094
Bechhofer, R., 587, 1087
Beck, J. C., 190, 1087
Beckert, B., 330, 1087
beer factory scheduling, 401
Beerli, C., 190, 1087
beetle, dung, 59, 80, 392, 977
Beetz, M., 666, 1100
behavioral cloning, 872, **973**
behaviorism, **31**, 34
BEINGS (multiagent system), 636
Bekey, G., 987, 1087
belief, 344
 degree of, 403, **404**, 412
 desires and, 518–519
 propagation, **476**
 loopy, 476
 revision, **353**
 update, 353
belief network, *see* Bayesian network
belief state, **140**, 259, 383, 403, 406
 in game theory, 610
 probabilistic, 479, **483**
 wiggly, 261
Belkin, M., 734, 1087
Bell, C., 377, 401, 1087
Bell, D. A., 798, 1090
Bell, J. L., 297, 1087
Bell, T.C., 902, 903, 1117
Bellamy, E., 1087
Bellamy, R. K. E., 1047, 1060, 1087
BELLE (chess program), 222
Bellemare, M. G., 871–873, 1087, 1095, 1106, 1107
Bellman, R. E., 28, 124, 125, 222, 223, 558, 586, 735, 1087
Bellman equation, **558**
Bellman operator, 564
Bellman update, **563**
Ben-Tal, A., 161, 1087
benchmark, 42, 930, 1029, **1074**
Bendix, P. B., 330, 1101
benevolent agent assumption, **589**
Bengio, E., 734, 1086
Bengio, S., 48, 734, 838, 930, 1087, 1115, 1118
Bengio, Y., 35, 734, 736, 737, 837–839, 900, 929, 931, 1067, 1086, 1087, 1092, 1096, 1097, 1103, 1115, 1118
Benjamin, M., 1040, 1087
Bennett, B., 360, 1091
Bennett, F.H., 161, 1102
Bennett, J., 331, 1097
Bennett, K., 737, 1097
Bentham, J., 26, 548, 1087
Benzmüller, C., 331, 1087
Beresniak, A., 549, 1087
Berg, A. C., 837, 1111
Berger, H., 29
Berger, J. O., 475, 799, 1087, 1108
Berges, V., 873, 1100
Bergstra, J., 737, 1087
Berk, R., 1060, 1087

- Berkeley, 696
 Berkeley Parser, 904
 Berkson, J., 473, 1087
 Berleur, J., 1059, 1087
 Berlin, K., 735, 1087
 Berliner, H. J., 221, 224, 1087
 Bermúdez-Chacón, R., 737, 1087
 Bernardo, J. M., 782, 1087
 Berners-Lee, T., 357, 1087
 Bernoulli, D., 25, 28, 525, 547, 1087
 Bernoulli, J., 26, 427
 Bernstein, M., 837, 1111
 Bernstein, P. L., 429, 1087
 Berrada, L., 734, 1087
 Berrou, C., 476, 1087
 Berry, C., 32
 Berry, D. A., 587, 1087
 BERT (natural language system), 930, 1072
 Bertele, U., 474, 1087
 Bertoli, P., 400, 401, 1087
 Bertot, Y., 330, 1087
 Bertsekas, D., 79, 428, 588, 873, 1080, 1087
 Bertsimas, D., 88, 734, 1087
 Berzuini, C., 517, 1096
 Beschastnikh, I., 1060, 1095
 Bessen, J., 1051, 1087
 Bessière, C., 189, 1087
 Best, N., 666, 798, 1105
 BEST-FIRST-SEARCH, **91**
 best-first search, **91**, 123
 best-fit function, 672
 best possible prize, 523
 best response, **598**
 beta distribution, 505, **781**
 Betancourt, M., 476, 668, 798, 1090
 Bethge, M., 1034, 1096
 Betlem, H., 390, 1100
 Betlem, J., 390, 1100
 Betteridge, J., 901, 1106
 betting game, 412
 Beutel, A., 329, 1060, 1087, 1102
 bfloat16, 33
 Bhar, R., 516, 1087
 Bharath, A. A., 871, 1086
 Bhattacharya, P., 516, 1117
 bias
 societal, **1043**
 bias (statistical), **672**
 bias (unfairness in outcomes), 724, 1043–1047
 bias-variance tradeoff, **673**
 Bibel, W., 330, 331, 1087, 1103
 BIBF-SEARCH, **101**
 Bible, 883
 Bickford, M., 327, 1113
 biconditional, **235**
 bicycle, 1061
 bid, **623**
 bidder, **624**
 bidirectional RNN, **914**
 bidirectional search, **100**, 114–115, 127
 Bidlack, C., 983, 1091
 Bien, J., 737, 1087
 Biere, A., 267, 1087
 Bies, A., 903, 1087
 big computation, 1029
 big data, **44**, 1029, 1066
 BigDog, 47
 Bigelow, J., 34, 1110
 Bigham, J., 905, 1108
 billiards, 225
 Billings, D., 637, 1087
 Billingsley, P., 429, 1087
 Bilmes, J., 516, 1104
 Bimbo, J., 1027, 1105
 binary CSP, **168**
 binary decision diagram (BDD), 400
 binary resolution, **318**
 Binder, J., 515, 516, 799, 1087, 1111
 binding list, **284**
 Bingham, E., 667, 1087
 Binmore, K., 637, 1087
 binocular stereopsis, **1009**, 1009–1010, 1028
 binomial nomenclature, 357
 bioinformatics, 903
 biological naturalism, **1036**
 Biran, O., 1060, 1088
 Birattari, M., 160, 1093
 Birbeck, M., 357, 1085
 Bischof, J., 1060, 1087
 Bishop, C. M., 160, 473, 735, 738, 799, 838, 1088, 1115
 Bishop, M., 1058, 1109
 Bishop, R.H., 79, 1093
 Bisson, T., 1036, 1088
 Bistarelli, S., 188, 1088
 Biswal, B.B., 125, 1086
 Bitner, J. R., 189, 1088
 Bizer, C., 334, 357, 1088, 1103
 Bjerager, P., 475, 1101
 Bjornsson, Y., 223, 1111
 BKG (backgammon program), 224
 Black, M., 1014, 1101
 BLACKBOX (planning system), 399
 Blake, A., 516, 1100
 Blankespoor, K., 47, 1110
 Blau, H. M., 48, 1094
 Blazewicz, J., 402, 1088
 Blei, D. M., 667, 903, 1088, 1099, 1115
 Bliss, C. I., 473, 1088
 Blizzard, 873
 Block, H.D., 39, 1088
 Block, N., 1058, 1088
 block sampling, **465**
 blocks world, **38**, 360, 364
 BLOG (probabilistic programming language), 667
 Blondel, M., 738, 1109
 bluff, **217**
 Blum, A. L., 399, 722, 736, 738, 906, 1088
 Blum, C., 160, 1093
 Blumer, A., 735, 1088
 BNF (Backus-Naur form), **1081**
 BO (bounded optimality), **1071**
 Bobick, A., 516, 1100
 Bobrow, D. G., 38, 1088
 Bod, R., 891, 1088
 Boddington, P., 1059, 1088
 Boddy, M., 162, 400, 1070, 1092, 1097
 Boden, M. A., 1058, 1088
 body (of Horn clause), **248**
 Bojanowski, P., 903, 1100
 Bokeh (data analysis software), 727
 Bolognesi, A., 222, 1088
 Bolton, A., 45, 48, 873, 1087, 1112
 Bolton, R. J., 1041, 1088
 Boltzmann machine, **839**
 Boltzmann rationality, **865**
 Bonawitz, K., 667, 1043, 1088, 1097
 Bond, A. H., 636, 1088
 Boneh, D., 134, 1086
 Bonet, B., 162, 398–401, 588, 1088, 1098
 Bongard, J., 1057, 1109
 Boole, G., 26, 265, 427, 1088
 Boolean classification, 675
 boosting, **717**
 Booth, T. L., 903, 1088
 bootstrap, 715
 Borda count, **630**
 Bordes, A., 837, 1096
 Borel, E., 637, 1088
 Borenstein, J., 984, 985, 1088
 Borgida, A., 350, 1088
 Borgström, J., 667, 668, 1091, 1097
 Borochowitz, Z. U., 474, 1112
 Boroditsky, L., 271, 1088
 Borrajo, D., 399, 1115
 Boser, B., 736, 1029, 1088, 1103
 BOSS (autonomous vehicle), 979, 980, 984
 Bosse, M., 984, 1088
 Boston Dynamics, ix
 Bostrom, N., 51, 1061, 1088
 Botea, A., 399, 1098
 Bottou, L., 44, 735, 837, 1029, 1088, 1103
 Boué, L., 734, 1088
 bounded-cost search, **110**
 bounded optimality (BO), **1071**
 bounded suboptimal search, **110**
 bounding box, **1006**
 bounds-consistent, **173**
 bounds propagation, **173**

- Bousmalis, K., 985, *1088*
 Bousquet, O., 735, 837, *1088*
 Boutilier, C., 473, 549, 551, 587, 636, *1088*
 Bouzy, B., 223, *1088*
 Bowden, B. V., 32, 221, *1115*
 Bower, G. H., 870, *1098*
 Bowling, M., 48, 224, 637, 638, 873, *1087, 1088, 1107, 1116, 1118*
 Bowman, D., 1036
 Bowman, S., 928, 930, 931, *1088, 1097, 1116*
 Bowman, S. R., 931, *1116*
 Bowyer, K. W., 725, 1046, *1090*
 Box, G. E. P., 161, 515, 798, 838, *1088*
 BOXES (reinforcement learning algorithm), 867
 Boyan, J. A., 160, *1088*
 Boyce, M., 47, *1086*
 Boyd, D., 1060, *1090*
 Boyd, S., 161, *1088*
 Boyden, E., 29, *1098*
 Boyen, X., 517, *1088*
 Boyen-Koller algorithm, 517
 Boyer, R.S., 327, 330, 331, *1088*
 Boyer-Moore theorem prover, 330, 331
 Boyko, A.S., 48, *1104*
 Boyle, J., 331, *1117*
 Boys, D., 225
 Brachman, R. J., 350, 359, 361, *1088, 1103*
 Bradlow, H., 985, *1112*
 Bradt, R.N., 571, 587, *1088*
 Bradtke, S.J., 163, 587, 871, *1086*
 Brady, J. M., 516, *1107*
 Brafman, O., 550, *1088*
 Brafman, R., 550, *1088*
 Brafman, R.I., 400, 401, 549, 636, 871, *1087, 1099*
 Brahmagupta, 188
 brain, 35, 801
 computational power, 31
 electronic super, 27
 human, 29
 imaging, **186**
 brain-machine interface, **29**, 978
 Braitenberg, V., 986, *1088*
 Brakel, P., 900, *1118*
 branch-and-bound, **126**, 395, 587
 branching factor, **94**
 effective, **116**, 125, 201
 Brandenburger, A., 637, *1086*
 Brandt, F., 639, *1088*
 Brants, T., 903, 931, *1088, 1095*
 Bratko, I., 127, 330, *1088*
 Bratman, M. E., 79, *1089*
 Braverman, E., 735, *1085*
 BREADTH-FIRST-SEARCH, **95**
 breadth-first search, **94**, 94–95, 123, 376
 Breck, E., 731, 737, *1089*
 Breese, J.S., 80, 473, 549, 666, 668, 1070, *1089, 1099, 1116*
 Breiman, L., 716, 698, 736, *1089*
 Brelaz, D., 189, *1089*
 Brendel, W., 838, *1090*
 Brent, R. P., 160, *1089*
 Bresnan, J., 904, *1089*
 Breuel, T., 930, *1104*
 Brevdo, E., 667, *1115*
 Brewka, G., 360, *1089*
 Brickley, D., 357, *1089*
 bridge (card game), 224
 BRIDGE BARON, 224
 Briggs, R., 356, *1089*
 brightness, 993
 Brill, E., 44, 737, 901, 903, 905, *1086, 1089*
 Brin, D., 906, *1089*
 Brin, S., 905, *1089*
 Bringsjord, S., 1057, *1089*
 Brioschi, F., 474, *1087*
 Britain, 40, 41
 Broadbent, D. E., 32, *1089*
 Broadhead, M., 901, 906, *1086*
 Broca, P., 29
 Brock, B., 330, *1099*
 Brockman, G., 873, *1089*
 Brokowski, M., 162, *1116*
 Brooks, M. J., 1030, *1099*
 Brooks, R. A., 45, 79, 267, 401, 976, 984, 986, 1057, 1061, *1089, 1109, 1114*
 Brooks, S., 476, *1089*
 Brouwer, P. S., 871, *1086*
 Brown, C., 191, *1089*
 Brown, E., 48, *1094*
 Brown, J. S., 360, *1092*
 Brown, K.C., 549, *1089*
 Brown, M., 516, *1102*
 Brown, N., 48, 224, 638, 841, *1089*
 Brown, P.F., 929, 931, *1089*
 Browne, C., 222, *1089*
 Browning, B., 986, *1085*
 Brownston, L., 329, *1089*
 Brubaker, M., 476, 668, 798, *1090*
 Bruce, V., 1031, *1089*
 Brüggmann, B., 223, 587, *1089*
 Bruna, J., 838, *1114*
 Brundage, M., 871, *1086*
 Brunelleschi, F., 1027
 Brunnstein, K., 1059, *1087*
 Brunot, A., 44, 837, 1029, *1103*
 Brunskill, E., 588, 872, *1110, 1114*
 Bruynseels, A., 48, *1104*
 Bryce, D., 162, 399, 401, *1089*
 Brynjolfsson, E., 45, 1049, 1056, 1062, *1087, 1114*
 Bryson, A. E., 40, 836, *1089*
 Bryson, J. J., 1048, 1058, *1089*
 BSP (bandit superprocess), 576
 Buchanan, B. G., 40, 41, 80, 356, 477, *1089, 1094, 1104*
 Buck, C., 903, *1089*
 Budden, D., 873, *1114*
 Buehler, M., 984, *1089*
 Buffet, O., 588, *1112*
 Buffon, G., 475, *1089*
 BUGS (probabilistic reasoning system), 476, 666
 Bui, P., 48, *1104*
 BUILD (planning system), 360
 Bulatov, Y., 820, *1097*
 Bulfin, R., 639, *1110*
 Bulitko, V., 163, *1114*
 bunch, **337**
 Bunt, H. C., 358, *1089*
 Buolamwini, J., 1046, *1089*
 Burch, N., 48, 223, 224, 637, *1087, 1088, 1107, 1111*
 Burgard, W., 79, 667, 984, 985, 987, *1089, 1090, 1095, 1112, 1115*
 Burget, L., 929, 930, *1106*
 burglar alarm, 431–432
 Burkov, A., 738, *1089*
 Burns, C., 473, *1107*
 Burns, E., 126, *1089*
 Buro, M., 205, 224, *1089*
 Burstein, J., 356, *1089*
 Burton, R., 550, *1089*
 Busbee, T. A., 1064, *1102*
 business process automation, **1050**
 Buss, D. M., 550, *1089*
 Butler, S., 51, 1061, *1089*
 Bylander, T., 402, *1089*
 Byrd, R. H., 735, *1089*
-
- C**
-
- c* (action cost), 83
 C-space, **946**
 C-space obstacle, **947**
 C4 (Colossal Clean Crawled Corpus), 928, 930
 C4.5 (decision tree learning algorithm), 733
 Cabeza, R., 29, *1089*
 Cabral, J., 357, *1105*
 caching, 126, **259**, 648
 Cafarella, M. J., 901, 906, *1086, 1089, 1094*
 CAFFE (machine learning software), 1072
 Cai, S., 588, 731, 737, *1086, 1089*
 Cain, A., 873, *1087*
 Cajal, S., 29
 Cakmak, M., 974, 986, *1085, 1112, 1114*
 calculus, 138, 696, 805
 calculus of variations, 160
 Calo, R., 45, *1114*

- Calvanese, D., 359, 1086, 1089
 Camacho, R., 872, 1089
 Cambefort, Y., 80, 1098
 Cambridge, 31
 camera
 for robots, 934
 stereo, 934
 surveillance, **1041**
 time-of-flight, **935**
 Campbell, D. E., 639, 1089
 Campbell, M. S., 222, 1089, 1099
 Campbell, W., 549, 1090
 Candea, J. C., 548, 1087
 candidate elimination algorithm, **744**
 Cannings, C., 474, 1089
 Canny, J., 985, 986, 1028, 1089
 Canny edge detection, 1028
 canonical distribution, **438**
 Cant, M., 873, 1087
 Cantor, C. R., 474, 1118
 Cantu-Paz, E., 161, 1109
 Cao, Y., 47, 834, 901, 916, 1117
 Čapek, K., 982, 1052
 Capen, E., 549, 1090
 Carbone, R., 268, 1085
 Carbonell, J. G., 400, 930, 1090, 1117
 Carbonnel, C., 191, 1090
 Cardano, G., 26, 224, 426, 1090
 card games, 217
 Carlin, J. B., 799, 1096
 Carlini, N., 838, 1090
 Carlson, A., 271, 901, 1106
 CARMEL (mobile robot), 983
 Carnap, R., 25, 412, 427, 428, 1090
 Carnegie Mellon University, 36
 Carpenter, B., 476, 668, 798, 1090
 Carpenter, M., 402, 1092
 Carroll, S., 161, 1090
 Carson, D., 330, 1117
 CART, **683**, 734
 cart-pole problem, **867**
 Casas, D. d. L., 873, 1114
 Casati, R., 358, 1090
 case
 accusative, 892
 dative, 892
 nominative, 892
 objective, 892
 subjective, 892
 case-based reasoning, **769**
 Cash, S. S., 271, 1111
 Cassandra, A. R., 586, 587, 1090, 1100, 1104
 Cassandras, C. G., 79, 1090
 Castaneda, A. G., 48, 225, 1100
 Casteran, P., 330, 1087
 Castro, R., 473, 1090
 catastrophic forgetting, **856**
 categorical distribution, **409**
 category, 317–340, **335**, 347
 Cauchy, A., 735, 1090
 causal network, 430, 467–471, 799
 causal probability, **417**
 causal rule, 436
 causation, 237, 419
 Cawley, G. C., 737, 1097
 Cazenave, T., 223, 1088
 Ceder, G., 923, 1115
 cell decomposition, **952**
 cell layout, 88
 center (in mechanism design), **622**
 Center for Human-Compatible AI, 1059
 Center for Humane Technology, 1059, 1066
 central limit theorem, **1079**
 Centre for the Study of Existential Risk, 1059
 cerebral cortex, 30
 Cerf, V., 1062, 1108
 Černocký, J., 929, 930, 1106
 certainty effect, **528**
 certainty equivalent, **525**
 certainty factor, 41, 477
 certification, **1047**
 Cesa-Bianchi, N., 587, 736, 1086, 1090
 CGP (Conformant Graphplan), 400
 CHAFF (logical reasoning system), 266
 chain rule
 for differentiation, **696**, 703, 805
 for probabilities, **434**
 Chajewska, U., 551, 1090
 Chakrabarti, P.P., 127, 163, 1090, 1092
 Chalkiadakis, G., 638, 1090
 Chalmers, D. J., 1058, 1090
 Chambers, R. A., 867, 1106
 chance node (decision network), **535**
 chance node (game tree), **211**
 chance of winning, 202
 Chandola, V., 1041, 1090
 Chandra, A.K., 329, 1090
 Chang, C.-L., 331, 1090
 Chang, H. S., 587, 1090
 Chang, K.-M., 271, 1106
 Chang, K. C., 475, 1095
 Chang, M.-W., 930, 1093
 channel (in neural networks), **815**
 channel routing, 88
 Chao, W.-L., 928, 1090
 Chapman, D., 398, 401, 1085, 1090
 Chapman, N., 124
 character-level model, **877**, 911
 characteristic function, **616**
 Charniak, E., 41, 329, 473, 515, 666, 839, 903, 904, 1090
 chart parser, **886**, 902
 Chaslot, G., 222, 1090
 chatbot, 1035
 Chater, N., 550, 1090
 Chatfield, C., 515, 1090
 Chatila, R., 984, 1107
 Chauvin, Y., 516, 1086
 Chavira, M., 474, 1090
 Chawla, N. V., 725, 1046, 1090
 checkers, 37, 80, 223, 870, 871
 checkmate, 215
 Cheeseman, P., 190, 472, 473, 799, 984, 1087, 1113
 Chekaluk, R., 984, 1092
 chemistry, 40, 356, 1034
 Chen, D., 33, 904, 927, 930, 1069, 1090, 1104, 1117
 Chen, J., 114, 126, 667, 1060, 1087, 1090, 1094
 Chen, K., 909, 929, 1106
 Chen, M. X., 901, 1090
 Chen, R., 516, 1104
 Chen, S. F., 903, 1090
 Chen, T., 736, 1090
 Chen, W., 904, 1118
 Chen, X., 399, 873, 1095, 1115
 Chen, Y., 45, 48, 1112
 Chen, Z., 47, 834, 900, 901, 916, 1090, 1117
 Cheng, J., 475, 798, 1090
 Cheng, J.-F., 476, 1106
 Cheng, Y., 33, 1069, 1117
 Chernova, S., 986, 1085
 Chervonenkis, A. Y., 735, 1115
 chess, 23, 32, 39, 48, 64, 125, 193, 201–204, 222
 Chess, D. M., 79, 1101
 CHESS 4.5, 125
 Cheung, V., 873, 1089
 Chi, E.H., 329, 1060, 1087, 1102
 χ^2 pruning, **682**
 Chickering, D. M., 221, 798, 1098, 1102
 Chien, S., 401, 1095
 Child, R., 930, 1110
 child node, **90**
 Chin, C.-S., 735, 1087
 Chinese room, **1036**, 1058
 CHINOOK (checkers program), 223
 Chintala, S., 828, 1069, 1110, 1115
 Chiu, C., 900, 1090
 Chklovski, T., 334, 1090
 Cho, K., 837, 931, 1086, 1092
 Chociej, M., 966, 986, 1085
 Choi, D. H., 48, 225, 1115
 Chollet, F., 330, 738, 1058, 1085, 1090
 Chomsky, C., 904, 1097
 Chomsky, N., 32, 34, 902, 903, 905, 906, 1090
 Chomsky Normal Form, **887**, 902
 Choromanska, A., 837, 1090
 Chorowski, J., 900, 1090
 Choset, H., 79, 985, 987, 1090
 Chouldechova, A., 1060, 1090

- Christian, B., 1057, *1090*
 Christiano, P., 1061, *1085*
 Christin, A., 1060, *1090*
 chronicle, 358
 chronological backtracking, 179
 Chrapa, L., 399, *1115*
 Chu-Carroll, J., 48, *1094*
 cHUGIN, 473
 Chung, J., 48, 225, *1115*
 Chung, K. L., 1080, *1090*
 Chung, S., 267, *1116*
 chunking, **768**
 Church, A., 27, 297, 300, 328, *1090*
 Church, K., 902–904, 906, *1090*
 Church-Turing thesis, 27
 Churchland, P. M., 1058, *1090*
 Ciancarini, P., 79, 222, *1088, 1091*
 Ciccolini, J., 1060, *1094*
 CIGOL program, 769
 Cimatti, A., 399–401, *1087, 1091*
 circuit, 88, 161, 289
 Boolean, 67, 70, 802
 domain, 291–295
 integrated, 128
 verification, 266, **294**
 circumscription, **351**, 356, 359
 prioritized, **352**
 CiteSeer, 652, 653
 city-block distance, 116
 Claessen, K., 331, *1114*
 clairvoyance, 217
 Clamp, S. E., 428, *1092*
 Clapp, R., 549, *1090*
 Clapp, T., 517, *1086*
 Claret, G., 668, *1091*
 Clark, A., 1033, *1057, 1091*
 Clark, C., 930, *1109*
 Clark, K. L., 360, *1091*
 Clark, P., 901, 927, 931, *1091*
 Clark, S., 904, 984, *1091, 1093*
 Clark completion, 360
 Clarke, A. C., 472, *1091*
 Clarke, E., 399, *1091*
 CLASSIC (description logic), 350
 classical planning, **362**
 classification (in description logic), 349
 classification (in learning), **670**
 clause, **244**
 Clearwater, S. H., 639, *1091*
 Clerc, M., 160, *1093*
 Clevén, R., 667, *1106*
 Clocksin, W.F., 330, *1091*
 closed-loop, **82**, 958
 closed-world assumption, **282**, 315, 356,
 385, 643
 closed class, **886**
 closed list, 90
 CLP (constraint logic programming), **189**,
 316
 CLP(R) (constraint logic programming
 system), 330
 clustering (in Bayesian networks), **452**,
 452–453, 474
 clustering (unsupervised learning), 671,
 789
 clutter (in data association), **657**
 CNF (conjunctive normal form), **244**,
 244–245, 265, 317–318
 CNLP (conditional nonlinear planning),
 401
 CNN (convolutional neural network),
 811, 1003
 co-NP, **1076**
 co-NP-complete, 240, **1076**
 coalition, **616**
 coalition structure, **616**
 coalition structure graph, **621**
 coarse-to-fine search, **126**
 Coase, R. H., 639, *1091*
 coastal navigation, **964**
 Coates, A., 868, 872, 1055, *1091*
 Coates, M., 473, *1090*
 Cobham, A., 27, *1091*
 Cocke, A., 886
 Cocke, J., 931, *1089*
 COCO (image data set), 43, 832, 1016
 codes of ethics, 1059
 coercion, 384
 cognitive architecture, 52, **310**
 cognitive modeling, 20–21
 cognitive psychology, **31**, 874
 cognitive science, **21**, 667
 Cohen, B., 267, *1112*
 Cohen, C., 983, *1091*
 Cohen, P. R., 42, 636, *1091*
 Cohen, W., 901, *1106*
 Cohn, A. G., 360, *1091*
 COLBERT (robot control language), 987
 collaboration, 968, 971
 Collin, Z., 191, *1091*
 Collins, M., 736, 896, 904, 905, *1085*,
 1087, 1118
 collision checker, **953**
 collusion, **624**
 Colmerauer, A., 296, 329, *1091*
 Colombano, S.P., 161, *1104*
 color, 995
 Colossal Clean Crawled Corpus (C4),
 928, 930
 Colossus, 32
 Colton, S., 222, *1089*
 column player, **596**
 combinatorial auction, 628
 combinatorial explosion, 39
 commitment
 epistemological, **273**, 295, 404
 ontological, **272**, 295, 404
 Common Crawl, 903, 922
 common goal, **590**
 common sense, 426
 common value, 624
 communication, 595, 874
 commutativity (in search problems), **175**
 Compagna, L., 268, *1085*
 COMPAS (expert system), 1044, 1060
 competitive environment, 192
 competitive ratio, **153**
 complementary literals, **244**
 complete-state formulation, **129**
 complete assignment, **165**
 complete data, **775**
 completeness
 of a proof procedure, **234**, 240, 264
 of resolution, 244, 321–324
 of a search algorithm, **93**, 123
 completing the square, **499**
 completion (of a data base), **315**
 complexity, 1074–1076
 analysis, **1075**
 sample, **692**
 space, **93**, 123
 time, **93**, 123
 complex sentence, **235**, 278
 component (of mixture distribution), **790**
 composite decision process, 126
 composite object, **336**
 compositionality, **269**
 compositional semantics, **894**
 computability, **27**
 computational learning theory, 690, **691**
 computational linguistics, **34**, 904
 computation graph, **805**
 computed torque control, **961**
 computer engineering, 32–33
 computer vision, 30, 38, **186**, 188,
 989–1026
 concession, **634**
 conclusion (of an implication), **235**
 concurrency, **591**
 concurrent action constraint, **594**
 condensation, 516
 condition-action rule, 549
 conditional distribution, 409
 conditional distributions, 438–442
 conditional effect, **386**
 conditional Gaussian, **441**
 conditional independence, **419**, 424, 426,
 433, 436–445, 472, 487
 conditional plan, 128, **140**, 141, 580
 conditional probability, **407**, 414, 417,
 425, 434
 conditional probability table (CPT), **431**
 conditioning, **414**
 conditioning case, **432**
 Condon, J.H., 222, *1091*
 Condorcet's Paradox, **629**
 configuration space, **946**

- confirmation theory, **25**, 427
 conflict-directed backjumping, **180**, 187
 conflict clause learning, 252
 conflict deal, **631**
 conflict set, **179**
 conformant planning, 383, 385–388, 397, 400
 confusion matrix, **728**
 Congdon, C. B., 983, *1091*
 Conitzer, V., 639, *1088*
 conjugate prior, **782**
 conjunct, 235
 conjunction (logic), **235**
 conjunctive normal form (CNF), **244**, 244–245, 265, 317–318
 conjunct ordering, **308**
 Conlisk, J., 550, *1091*
 Conneau, A., 930, *1103*
 connected component, **183**
 connectionism, **42**, 836
 connective, logical, 35, 235, 264, 278
 Connell, J., 987, *1091*
 consciousness, 29, **1036**, 1058
 consequent, 235
 consequentialism, 26, **57**
 conservative approximation, **261**, 387
 consistency, **349**
 arc, **170**
 condition, 125
 of a CSP assignment, **165**
 of a heuristic, **106**
 path, **172**, 188
 consistent estimation, **455**
 consistent hypothesis, **671**
 conspiracy number, 221
 constant symbol, **275**, 277
 constrained optimization problem, 139, **169**
 constraint
 binary, 168
 global, **168**, 172
 nonlinear, **167**
 preference constraint, **169**
 propagation, **169**, 169–175, 178–179
 resource constraint, **173**
 symmetry-breaking, **187**
 unary, 168
 constraint-based generalization, **768**
 constraint graph, **165**, 184
 constraint hypergraph, **168**
 constraint learning, **180**, 187, **190**
 constraint logic programming, 316, 330
 constraint logic programming (CLP), **189**, **316**
 constraint satisfaction problem (CSP), 38, **164**, 164–169, 370
 finite-domain, **167**, 316
 constraint weighting, **182**
 constructive induction algorithms, **760**
 consumable resource, **393**
 context, 911
 context (in computer vision), **1006**
 context-free grammar, 884, 902, 903, 1081
 context-specific independence, 645
 Conti, E., 873, *1096*
 Conti-Cook, C., 1060, *1094*
 contingency planning, 383, 388–389, 397
 continuity (of preferences), **520**
 continuous domains, **167**
 continuous values, 440
 contour (of a state space), **107**
 contraction mapping, **564**
 contract net protocol, **622**
 contradiction, **241**
 control, **938**
 bang-bang, **867**
 lateral, 1024
 longitudinal, 1024
 control law, **959**
 controller, 22, 79, 833, 868, 959
 control theory, **34**, 33–34, 79, 160, 398, 836, 867, **957**
 adaptive, 870
 robust, **852**
 control uncertainty, 964
 convention, **595**
 conversion to normal form, 317–318
 convexity, 140
 convex optimization, **140**, 159
 CONVINCE (Bayesian expert system), 472
 convolution, **997**
 convolution (in neural networks), **811**
 convolutional neural network (CNN), **811**, 1003
 Conway, D., 738, *1091*
 Cook, P. J., 1051, *1095*
 Cook, S. A., 27, 266, 267, 1080, *1091*
 Cooper, G., 475, 798, *1091*
 Cooper, M. C., 191, *1090*
 cooperation, 594–595
 cooperative distributed problem solving, 636
 cooperative game, **591**, 635
 coordination problem, **590**, 598, 968
 Copeland, J., 358, 1058, *1091*
 Copeland, T. P., 48, *1093*
 COQ (theorem prover), 188, 330
 Coram, M., 48, *1097*
 Corbett-Davies, S., 1060, *1091*
 core, **617**, 635, 638
 Corkill, D. D., 636, *1103*
 Cormen, T. H., 125, 1080, *1091*
 Cornell, C. A., 475, *1101*
 corpus, **876**
 Corrado, G., 48, 909, 929, *1104*, *1106*
 correspondence problem, **975**
 Cortes, C., 44, 736, 837, 1029, *1091*, *1103*
 cost function, **34**
 cost optimality, 123
 cost to go, 962
 cotraining, 906
 Cotton, C., 1060, *1088*
 counterparts, **590**
 count noun, **340**
 Cournot, A., 637, *1091*
 Cournot competition, **612**
 Courville, A., 734, 838, 839, 900, *1086*, *1097*, *1118*
 covariance, **1080**
 covariance matrix, 1079, **1080**
 Cover, T., 738, *1091*
 Cowan, J. D., 38, 836, *1091*, *1117*
 Cowell, R., 549, 798, *1091*, *1113*
 Cowhey, I., 901, *1091*
 Cowling, P. I., 222, *1089*
 Cox, I., 667, 983, *1091*
 Cox, R. T., 412, 427, 428, *1091*
 Coz, D., 48, *1104*
 Cozmo (entertainment robot), 980
 CPCS (medical diagnosis system), 439, 473
 CPLAN (planning system), 399
 CPT (conditional probability table), **431**
 Craig, J., 985, *1091*
 Craik, K., 31, *1091*
 Crammer, K., 736, *1093*
 Cramton, P., 639, *1091*
 Crato, N., 190, *1097*
 Craven, M., 905, *1091*
 Crawford, J. M., 267, *1091*
 Crawford, K., 1046, *1096*, *1116*
 creativity, 34
 credible threat, **609**
 credit assignment, **858**
 Cremers, A. B., 667, 984, *1089*, *1112*
 Cresswell, M. J., 358, *1099*
 Crick, F., 29, 136, 1058, *1091*, *1116*
 Crisan, D., 517, *1091*
 Cristianini, N., 736, *1091*
 critic (in learning), **75**
 critical path, **394**
 Crockett, L., 267, *1091*
 Croft, W. B., 901, 905, 906, *1091*, *1109*
 Cross, S. E., 47, *1091*
 cross-entropy, **809**
 CROSS-VALIDATION, **685**
 cross-validation, **684**, 734
 crossover, 159
 crossover point, **134**
 crossword puzzle, 64
 crowdsourcing, 723
 Cruise, 1031
 Cruse, A., 904, *1091*
 cryptarithmic, **168**

- CSI, *see* independence, context-specific
 Csorba, M., 984, 1093
 CSP (constraint satisfaction problem), 38, 164, 164–169, 370
 CTRL (language model), 884
 Cuadros, J., 48, 1097
 Cuellar, J., 268, 1085
 Culberson, J., 127, 1091
 culling, 134
 cult of computationalism, 1033
 Cummins, D., 550, 1091
 Cummins, F., 838, 1096
 cumulative distribution, 531, 1078
 cumulative learning, 767
 Curie, M., 19
 curiosity, 850
 Curran, J. R., 904, 1091
 current-best-hypothesis approach, 768
 current-best-hypothesis search, 741–743
 curriculum learning, 891
 Currie, K. W., 402, 1095
 curse
 of dimensionality, 706, 735, 952
 optimizer's, 527, 549
 winner's, 549
 Curtis, F. E., 735, 1088
 Cushing, W., 402, 1091
 Cushman, F., 872, 1099
 Cusumano-Towner, M. F., 667, 668, 1091
 Cutler, A., 716
 cutoff test, 202
 cutset conditioning, 185, 188, 474
 Cybenko, G., 836, 1091
 CYBERLOVER (chatbot), 1035
 cybernetics, 34, 33–34
 cybersecurity, 50, 1041
 CYC (knowledge base), 334, 358
 cycle, 92
 cycle constraint, 1021
 cycle cutset, 185
 cycle of net negative cost, 83
 cyclic solution, 143
 Cyert, R., 551, 1091
 Cyganiak, R., 334, 357, 1088
 CYK-PARSE, 888
 CYK algorithm, 886, 902
 Czarnecki, W. M., 48, 225, 838, 1100, 1115
-
- D**
-
- D'Ambrosio, B., 474, 1112
 d-separation, 437
 Dafoe, A., 46, 1097
 DAG (directed acyclic graph), 430, 472
 Dagan, I., 931, 1091
 Daganzo, C., 473, 1091
 Dagdelen, J., 923, 1115
 DAGGER (imitation learning system), 974, 986
 Dagum, P., 475, 1092
 Dahiya, R., 1027, 1105
 Dahl, G., 48, 900, 905, 1099, 1104
 Dahy, S. A., 700, 702, 1101
 Dai, A. M., 930, 1092
 Dai, Z., 930, 1117
 Dalal, N., 1029, 1092
 Dalibard, V., 838, 1100
 Dalmao, S., 474, 1086
 Dalvi, B., 901, 1106
 Dalvi, N. N., 665, 1092
 Daly, R., 799, 1092
 Damasio, A. R., 1058, 1092
 Damerau, F., 903, 1085
 Danaher, J., 1057, 1092
 Dang, T. D., 331, 1097
 Danish, 877
 Dantzig, G. B., 161, 1092
 DARPA, 47, 1061
 DARPA Grand Challenge, 46, 979, 984, 1071
 DARPA Urban Challenge, 979
 Darrell, T., 841, 986, 1030, 1096, 1103
 Dartmouth workshop, 36
 Darwiche, A., 474, 475, 478, 1090, 1092, 1108
 Darwin, C., 136, 1092
 Dasgupta, P., 163, 639, 1092
 data-driven, 249
 data-oriented parsing, 891
 data association, 655, 942
 data augmentation, 725
 database, 77, 282
 probabilistic, 665
 database semantics, 283, 315, 363, 643
 data complexity, 308
 dataflow graph, 805
 Datalog, 305, 328, 329
 data matrix, 698
 data provenance, 724
 data science, 716, 717, 720, 738, 1066
 data set augmentation, 1005
 data sheet, 1046
 dative case, 892
 Daun, B., 402, 1092
 Dauphin, Y., 837, 1092
 Davidson, A., 637, 1087
 Davidson, D., 358, 875, 1092
 Davidson, M., 124, 1110
 Davis, A., 736, 1072, 1112
 Davis, E., 358–361, 1092
 Davis, G., 402, 1092
 Davis, M., 251, 266, 321, 328, 668, 1092
 Davis, T., 48, 224, 1107
 Davis-Putnam algorithm, 251
 Dawid, A. P., 474, 549, 798, 1091, 1103, 1113
 Dayan, P., 223, 839, 871–873, 1092, 1112
 da Silva, B. C., 872, 1114
 da Vinci, L., 24, 1027
 DBN (dynamic Bayesian network), 479, 503–516
 DBPEDIA (knowledge base), 334, 357
 DDN (dynamic decision network), 560, 585
 de-identification, 1042
 Deacon, T. W., 42, 1092
 dead end, 153
 Deale, M., 402, 1092
 Dean, J., 329, 670, 736, 838, 903, 909, 929, 931, 1069, 1072, 1088, 1092, 1102, 1106, 1109, 1112
 Dean, M. E., 268, 1108
 Dean, S., 1060, 1104
 Dean, T., 401, 473, 516, 586, 587, 984, 985, 1070, 1092
 Dearden, R., 587, 871, 1088, 1092
 Deb, S., 160, 1117
 Debevec, P., 1030, 1092
 de Borda, J-C., 630
 Debreu, G., 533, 1092
 debugging, 291
 DEC (Digital Equipment Corporation), 41, 310
 Dechter, A., 189, 1092
 Dechter, R., 125, 188–191, 474, 475, 478, 1091, 1092, 1100, 1105, 1109, 1112
 decision
 rational, 403, 518
 robust, 543
 sequential, 537, 552
 DECISION-LIST-LEARNING, 693
 decision analysis, 548
 decision boundary, 700
 decision list, 692
 decision maker, 548
 decision network, 472, 518, 534, 534–537, 547
 dynamic, 560, 585
 evaluation of, 536
 decision node, 535
 decision stump, 718
 decision theory, 28, 43, 405, 547
 decision tree, 675, 733
 expressiveness, 675
 pruning, 681
 declarative, 269
 declarative bias, 757
 declarativism, 228, 265
 decoder (in autoencoders), 829
 decoding, 918
 decoding (in MT), 918
 greedy, 918
 decomposability (of lotteries), 521
 DECOMPOSE, 382
 decomposition, 374
 DeCoste, D., 736, 1092

- Dedekind, R., 296, *1092*
 deduction theorem, **240**
 deductive database, **310**, 328, 329
 Deep Blue, 222
 Deep Blue (chess program), viii, 48, 222
 deepfake, **1022**
 DEEPHOL (theorem prover), 327
 deep learning, **44**, 716, 801–839
 for NLP, 907–931
 for robotics, 965–975
 for vision, 1001–1025
 DEEPMATH (theorem prover), 330
 DeepMind, 49, 225, 830, 835, 867, 873, 1059
 deep Q-network (DQN), 835, **867**, 873
 deep reinforcement learning, 857, 986
 Deep Space One, 373, 402
 DeepStack (poker program), 224, 612
 DEEP THOUGHT (chess program), 222
 Deerwester, S. C., 903, 929, *1093*
 default logic, **352**, 356, 359
 default reasoning, 351–353, 477
 default value, **349**
 definite clause, **247**, 304–305
 definition (logical), **285**
 degree heuristic, **177**, 189, 252
 degree of belief, 403, **404**, 411, 412
 degree of truth, **273**
 degree of usefulness, 405
 degrees of freedom (DOF), **947**
 DeGroot, M. H., 428, 799, *1093*
 Dehaene, S., 1058, *1093*
 Deisenroth, M. P., 871, *1086*
 Delarue, A., 88, *1087*
 delete list, **363**
 Delgrande, J., 359, *1093*
 deliberative, **975**
 Dellaert, F., 225, 984, *1095*, *1115*
 Della Pietra, S. A., 931, *1089*
 Della Pietra, V. J., 931, *1089*
 Delling, D., 126, *1093*
 delta rule, **855**
 Del Favero, B. A., 474, *1112*
 Del Moral, P., 517, *1093*
 demodulation, **325**, 330
 demographic parity, **1044**
 Dempster, A. P., 477, 515, 799, *1093*
 Dempster-Shafer theory, 477
 Denardo, E. V., 586, *1093*
 DENDRAL (expert system), 40, 41, 356
 dendrite, 30
 DeNero, J., 735, *1107*
 Deng, J., 44, 837, *1093*, *1111*
 Deng, L., 839, 900, 905, *1093*, *1099*, *1117*
 Deng, X., 162, 638, *1093*
 Denker, J., 44, 837, 838, 1029, *1103*
 Denney, E., 330, *1093*
 Denniston, A. K., 48, *1104*
 density estimation, **775**
 nonparametric, **787**
 DeOliveira, J., 357, *1105*
 deontological ethics, **26**
 dependency grammar, **889**
 D'Épenoux, F., 586, *1093*
 depth-first search, **96**, 96–98, 123, 376
 DEPTH-LIMITED-SEARCH, **99**
 depth limit, 204
 depth of field, **992**
 derivation, 234
 derivational analogy, **769**
 Dervovic, D., 1069, *1093*
 Descartes, R., 24, 1027, 1057, *1093*
 descendant (in Bayesian networks), **436**
 Descotte, Y., 401, *1093*
 description logic, 331–351, **347**, **349**, 355, 359
 descriptive theory, **528**
 Deshpande, A., 1016, *1085*
 Deshpande, I., 1023, *1093*
 Deslippe, J., 48, *1103*
 Desouza, P. V., 929, *1089*
 detailed balance, **462**
 detection failure (in data association), **657**
 deterministic environment, **63**
 deterministic node, **438**
 deterministic parser, **889**
 Dethridge, J., 124, *1110*
 detour index, **109**
 Deutscher, G., 296, *1093*
 development set, 684
 Deville, Y., 189, *1115*
 DEVISER (planning system), 401
 Devlin, J., 930, *1093*
 Devlin, K., 1057, *1093*
 Devol, G., 983
 Devroye, L., 799, *1093*
 Dewey Decimal system, 335
 Dey, A. K., 868, 970, 986, *1118*
 Dey, K., 1047, 1060, *1087*
 de Condorcet, M., 736, *1092*
 de Dombal, F. T., 428, *1092*
 de Farias, D. P., 586, *1092*
 de Finetti's theorem, 412
 de Finetti, B., 412, 427, *1092*
 de Freitas, J. F. G., 516, 517, *1092*, *1093*
 de Ghellinck, G., 586, *1092*
 de Groot, M., 551, *1091*
 De Kleer, J., 357, *1095*
 de Kleer, J., 190, 329, 360, *1092*, *1095*, *1116*
 de Marcken, C., 905, *1092*
 De Marneffe, M.-C., 890, *1108*
 De Morgan, A., 188, 296, *1092*
 De Morgan rules, 281
 de Oliveira Marinho, G., 48, *1104*
 De Raedt, L., 905, *1107*
 de Salvo Braz, R., 668, *1092*
 de Sarkar, S. C., 127, 163, *1090*, *1092*
 De Wever, A., 549, *1087*
 diabetic retinopathy, 716
 Diaconis, P., 528
 diagnosis, 404, 417, 418
 dental, 404
 medical, 41, 428, 436, 537
 diagnostic rule, 436
 dialysis, 524
 diameter (of a graph), **98**
 Dias, M. B., 160, *1093*
 Dickerson, S., 986, *1114*
 Dickinson, M. H., 1064, *1095*
 Dickmanns, E. D., 46, 1030, 984, *1093*
 dictionary, **879**
 Dieleman, S., 47, 830, 838, 900, 1027, *1094*, *1115*
 Dietterich, T., 873, *1093*
 Difference Engine, 33
 differentiable programming, **1067**
 differential equation, stochastic, 480
 differential GPS, **936**
 differential heuristic, **121**
 differential privacy, **1042**, 1060
 Digital Equipment Corporation (DEC), 41, 310
 Dijkstra's algorithm, 95, 125
 Dijkstra, E. W., 125, 1035, *1093*
 Dill, D. L., 268, *1108*
 Ding, Y., 48, *1093*
 Dinh, H., 125, *1093*
 Dionne, A., 127, *1114*
 Diophantine equations, **188**
 Diophantus, 188
 DiPasquo, D., 905, *1091*
 Diplomacy, 197
 direct collocation, 962
 directed acyclic graph (DAG), 430, 472
 directional arc consistency, **183**
 direct utility estimation, 869
 Dirichlet distribution, **782**
 Dirichlet process, **799**
 disambiguation, 897–900
 discontinuity (depth), 996
 discount factor, **555**, 586, 632, 843
 discovery systems, **769**
 discretization, **138**, **440**
 discriminative model, **779**, 883
 discriminator (in GANs), **831**
 disjoint sets, **336**
 disjunct, 235
 disjunction, **235**, 411
 disjunctive constraint, **167**
 disparity, **1009**
 Dissanayake, G., 984, *1093*
 distribute \vee over \wedge , 245, 300
 distributed constraint satisfaction, 191
 distributed representation, **78**
 distribution

- beta, 505, **781**
 categorical, 409
 conditional, nonparametric, **440**
 cumulative, 531, 1078
 heavy-tailed, **160**
 mixture, **790**
 Dittmer, S., 550, *1093*
 dividing a pie, 631
 Dix, J., 360, *1089*
 DLV (logic programming system), 360
 DNA, 134
 Do, M., 47, 399, *1086, 1093*
 Do, M. B., 401, *1093*
 do-calculus, **470**
 Doctorow, C., 30, 358, *1093*
 Dodd, L., 891, *1093*
 domain
 continuous, **167**
 element of, **274**
 infinite, **167**
 in first-order logic, **274**
 in knowledge representation, **283**
 domain closure, **282**, 643
 domain randomization, **967**
 dominance
 stochastic, **531**, 547
 strict, **530**
 dominant strategy, **597**, 625
 dominant strategy equilibrium, **597**
 dominated plan (in POMDP), **582**
 domination (of heuristics), **117**
 Domingos, P., 53, 428, 474, 666, 726,
 736, 738, 798, *1093, 1096, 1110*
 Domshlak, C., 399, 549, 636, *1088, 1099*
 Donahue, J., 838, 1030, *1096, 1100*
 Dong, W., 44, *1093*
 Dong, X., 334, *1093*
 Donti, P. L., 48, *1110*
 Doorenbos, R., 329, *1093*
 Doran, J., 125, 126, *1093*
 Dorf, R. C., 79, *1093*
 Dorigo, M., 160, *1093*
 Doron, Y., 873, *1114*
 Doshi, T., 1060, *1087*
 Doshi-Velez, F., 737, *1093*
 Dota 2, 46, 48
 do the right thing, 175, **22**, 26, 57, 519
 Doucet, A., 516, 517, *1085, 1091, 1093,*
 1108
 Downey, D., 906, *1094*
 Downs, L., 985, *1088*
 downsampling, **813**
 downward refinement property, **378**
 Dowty, D., 904, *1093*
 Doyle, J., 79, 190, 359, 360, 549, 550,
 1093, 1106, 1116, 1118
 DPLL, **252**, 266, 415
 DPLL-SATISFIABLE?, **252**
 DQN (deep Q-network), 835, **867**, 873
 Drabble, B., 402, *1093*
 Dragan, A. D., 80, 551, 638, 872, 971,
 974, 986, *1086, 1093, 1097, 1105,*
 1111
 DRAGON (speech recognition system),
 905
 Drake, J. P., 735, *1087*
 Draper, D., 401, *1094*
 Drebbel, C., 34
 Drechsler, R., 126, *1094*
 Dredze, M., 736, *1093*
 Dressel, J., 1044, 1060, *1093*
 Dreyfus, H. L., 267, 1032, 1033, *1093*
 Dreyfus, S. E., 125, 586, 836, 1033, *1087,*
 1093
 Driessens, K., 871, *1114*
 drilling rights, 537
 driver assist, **980**
 dropout (in neural networks), **823**, 838
 Droppo, J., 47, *1117*
 Drucker, H., 44, 837, 1029, *1103*
 Druzdzal, M. J., 475, *1090*
 DT-AGENT, **406**
 Du, J., 927, 930, *1104*
 Du, S. S., 837, *1093*
 dual graph, **168**
 dualism, **24**
 dual use, **1041**
 Dubois, D., 478, *1093*
 Dubois, O., 267, *1113*
 Dubourg, V., 738, *1109*
 Ducharme, R., 929, *1087*
 duck, mechanical, 983
 Duda, R. O., 428, 738, 798, 800, *1093,*
 1094
 Dudek, G., 987, *1094*
 Dudzik, A., 48, 225, *1115*
 Duffy, D., 331, *1094*
 Duffy, K., 736, *1091*
 Duffy, N., 137, 161, *1106*
 Dumais, S. T., 901, 903, 905, 929, *1086,*
 1093
 dummy player, **619**
 dung beetle, 59, 80, 392, 977
 Dunham, B., 39, *1095*
 Dunham, C., 329, *1114*
 Dunn, A., 923, *1115*
 Dunn, H. L., 666, *1094*
 Dunn, J., 734, *1087*
 Dunn, R. C., 48, *1104*
 Dunning, I., 48, 225, 838, *1100*
 DuPont, 41
 Dupont, D., 549, *1087*
 Durand, F., 1067, *1104*
 duration, **393**
 Dürer, A., 1027
 Durfee, E. H., 639, *1094*
 Durme, B. V., 906, *1094*
 Durrant-Whyte, H., 984, *1093, 1103*
 Duru, G., 549, *1087*
 Dwork, C., 1046, 1060, *1094, 1117*
 DYNA (reinforcement learning agent),
 871
 dynamical system, 515
 quadratic, 161
 dynamic backtracking, 190
 dynamic Bayesian network (DBN), 479,
 503, 503–516
 approximate inference in, 509
 exact inference in, 507
 dynamic decision network (DDN), **560**,
 585
 dynamic environment, **63**
 dynamic programming, 79, 119, 125, **315**,
 488, **553**, 586, 886
 adaptive (ADP), **844**, 844
 nonserial, **474**
 dynamics model, **958**
 dynamic state, **958**
 Dyson, F., 734, *1094*
 Dyson, G., 1061, *1094*
 dystopia, 1062, 1073
-
- E**
-
- E (theorem prover), 330, 331
 \mathcal{E}_0 (English fragment), 884
 Earley, J., 904, *1094*
 early payout termination, **210**
 early stopping, **682**
 earthquake, 431
 Ebendt, R., 126, *1094*
 EBL (explanation-based learning), 400
 Eck, D., 1027, *1094*
 Ecker, A. S., 1034, *1096*
 Ecker, K., 402, *1088*
 Eckerle, J., 114, 126, *1094*
 Eckert, J., 32
 Eckhouse, L., 1060, *1094*
 economics, 27–28, 79, 524
 economy, **192**
 Edelkamp, S., 127, 399, *1094*
 edge (in a scene), **996**
 edge detection, 996–999
 Edinburgh, 983
 Edmonds, D., 35
 Edmonds, J., 27, *1094*
 Edward (probabilistic programming
 language), 667
 Edwards, D. J., 221, *1098*
 Edwards, P., 1058, *1094*
 Edwards, W., 548, *1116*
 EEG, 29
 Een, N., 330, *1085*
 effect, **363**
 missing, **390**
 effective depth, **116**
 effector, **932**
 efficient auction, **624**

- Efros, A., 44, 930, 1015, 1020–1022, 1030, *1095*, *1098–1101*, *1118*
- egalitarian social welfare, **600**
- egocentric action, 85
- Ehrenfeucht, A., 735, *1088*
- 8-puzzle, **86**, 115, 118, 124
- 8-queens problem, 128, 130, 134, 181
- Einstein, A., 1
- Eisner, J., 904, *1113*
- Eitelman, S., 329, *1114*
- Eiter, T., 360, *1094*
- Ekart, A., 161, *1110*
- EKF (extended Kalman filter), **501**, 942
- ELBO (evidence lower bound), **829**
- Elder, J. F., 736, *1112*
- Elementary Perceiver And Memorizer (EPAM), 733
- Elfes, A., 984, *1107*
- ELIMINATION-ASK, **450**
- Elio, R., 550, *1094*
- Eliot, T.S., 824
- Elisseeff, A., 737, *1097*
- elitism, **134**
- ELIZA (chatbot), 1035
- Elkan, C., 798, 1060, *1094*, *1100*
- Elkind, E., 638, *1090*
- Ellington, C., 1064, *1095*
- Elliott, G. L., 189, *1098*
- Elliott, P., 267, *1116*
- Ellsberg, D., 550, *1094*
- Ellsberg paradox, 528, 550
- Elman, J. L., 837, 905, *1094*
- ELMO (natural language system), 930
- Elo, A. E., 667, *1094*
- Elsken, T., 838, *1094*
- EM algorithm, 484, 788–797
structural, **797**
- embodied cognition, **1033**
- empirical gradient, **138**, 862
- empirical loss, **688**
- empiricism, **24**, 906
- Empson, W., 904, *1094*
- EMV (expected monetary value), **524**
- ENAS (Efficient Neural Architecture Search), 838
- encoder (in autoencoders), 829
- end-to-end learning, 967
- Enderston, H. B., 297, 328, *1094*
- Endriss, U., 639, *1088*
- Eng, C., 48, *1104*
- Engel, J., 1027, *1094*
- Engelbart, D., 32
- Engelberger, J., 983
- ENIAC, 32
- ensemble learning, **714**, 714–720
- ensemble model, **714**
- entailment, **232**, 264
- entailment constraints, **767**
- entropy (H), **679**, 680
- ENUMERATE-ALL, **447**
- ENUMERATION-ASK, **447**
- environment, **54**, 60–65
class, **65**
competitive, **63**
continuous, **64**
cooperative, **63**
deterministic, **63**
discrete, **64**
dynamic, **63**
episodic, 63
history, 553
known, **64**
multiagent, **62**, 589
nondeterministic, **63**, 128
observable, **61**
one-shot, **63**
partially observable, **61**
properties, 61
semidynamic, **64**
sequential, **63**
single-agent, **62**
static, **63**
stochastic, **63**, 552
taxi, 60, 61
unknown, **64**
unobservable, **62**
virtual, 61
- EPAM (Elementary Perceiver And Memorizer), 733
- Ephrati, E., 639, *1102*
- epistemological commitment, **273**, 295, 404
- epoch, **697**
- Epstein, R., 1057, *1094*
- EQP (theorem prover), 331
- equality (in logic), 282, 324
- equality symbol, **282**
- equality test, 683
- equilibrium, 217
Bayes-Nash, **613**
dominant strategy, **597**
maximin, **603**
Nash, **598**, 635
subgame perfect, **609**
- equivalence (logical), **240**
- Erdmann, M. A., 162, *1094*
- Erez, T., 873, 986, *1098*, *1104*, *1114*
- ergodic, **462**
- Erhan, D., 48, 838, 930, *1114*, *1115*
- ERNIE (NLP system), 930
- Ernst, G., 125, *1107*
- Ernst, H. A., 983, *1094*
- Ernst, M., 399, *1094*
- Erol, K., 400, *1094*
- Erol, Y., 517, *1094*
- error (of a hypothesis), **684**, 691
- error function, 1079
- error rate, **684**
- Escalante, H. J., 737, *1097*
- Escalera, S., 737, *1097*
- Essig, A., 428, *1097*
- Esteva, A., 48, *1094*
- Estrin, D., 1060, *1086*
- Etchemendy, J., 297, *1086*
- ethics, 1037–1056
- Etzioni, A., 1059, 1060, *1094*
- Etzioni, O., 45, 334, 357, 401, 901, 905, 906, 927, 931, 1059, 1071, *1086*, *1091*, *1094*, *1103*, *1114*, *1116*
- Euclid, 27, 1027
- Eugene Goostman, 1035
- Euler-Lagrange equation, **956**
- EUROPA (planning system), 47
- Europe, 41
- European Space Agency, 402
- evaluation function, **91**, 123, 192, 202–204, 854
linear, 122
- Evans, O., 46, 872, *1097*, *1111*
- Evans, T. G., 38, *1094*
- event, 340–343
exogenous, **390**
in probability, **407**, **445**
- event calculus, 340–342, **341**, 358, 897
- Everett, B., 984, *1088*
- Everitt, T., 873, 1054, *1103*
- evidence, **407**, 772
reversal, **516**
- evidence lower bound (ELBO), **829**
- evidence variable, 445
- evolution, 136
machine, **39**
of machines, **39**
- evolutionary algorithm, **133**, 159
- evolutionary psychology, **529**
- evolution strategies, **134**, 161
- Ewalds, T., 48, 225, 873, *1115*
- exception, 333, 349
- exclusive or, 237
- execution monitoring, 389–392, **390**, 401
- exhaustive decomposition, **336**
- existence uncertainty, **648**
- existential graph, **347**
- Existential Instantiation, **299**
- existential quantifier, **280**
- expansion (of nodes), **89**
- expectation, **1079**
- expectation maximization, 797
- expected monetary value (EMV), **524**
- expected utility, **73**, 80, 405, 518, **519**, 524
- expected value (in a game tree), **202**, 211
- expectiminimax, 212, 220, 221
complexity of, 213
value, **211**
- experience replay, **857**
- expert system, **41**, 356, 548

commercial, 41, 310
 medical, 477
 Prolog-based, 312
 expit model, **442**
 explainability, **729**
 explainable AI (XAI), 737, **1048**
 explanation, **354**
 most probable, **475**
 explanation-based learning (EBL), 400,
749, 767
 branching factor, **753**
 definition, 750
 efficiency, 752–754
 general rules, 751–752
 logic programming implementation,
 751
 memoization, **751**
 operationality, **754**
 prune, **752**
 exploitation, **207, 571, 849**
 exploration, 58, 59, 152–159, **207, 581,**
 842, 848, 849
 bonus, **575**
 function, **850, 853**
 safe, **154**
 exploratory data analysis, **671, 726**
 expressiveness, **77**
 extended Kalman filter (EKF), **501, 942**
 extension (of default theory), **353**
 extensive form, **607**
 externalities, **627, 1053**
 extremely randomized trees (ExtraTrees),
 716
 extrinsic property, **340**
 eyes, 988, 991, 992, 1027

F

Facebook, 47, 873, 1059
 fact, **248**
 factor (in variable elimination), **448**
 factored frontier, **517**
 factored representation, **77, 81, 164, 362,**
 408, 560, 670
 factoring, **244, 319**
 Faes, L., 48, *1104*
 Fagin, R., 190, 359, *1087, 1094*
 Fahlman, S. E., 38, 360, *1094*
 failure model, 506
 failure modes and effect analysis
 (FMEA), **1052**
 fair division, 618
 fairness, 724, 729, 1043–1047, 1060
 fall in love, 1033
 false alarm (in data association), **657**
 false positive, **728**
 Fan, J., 48, *1094*
 Farhadi, A., 931, *1112*
 Farid, H., 1044, 1060, *1093*
 FARMVILLE (video game), 1050

Farrell, R., 329, *1089*
 FASTDOWNWARD (planning system), 398
 Fast Downward Stone Soup, 399
 Faster RCNN (computer vision system),
 1007
 FASTFORWARD (planning system), 374
 FASTTEXT (word embedding), 908
 Fatica, M., 48, *1103*
 Faugeras, O., 1030, *1094*
 fault tree analysis (FTA), **1052**
 Favini, G. P., 222, *1091*
 Fawcett, T., 1041, *1094*
 FDSS (planning system), 399
 Fearing, R. S., 985, *1094*
 Featherstone, R., 985, *1094*
 feature (of a state), **122, 202**
 feature expectation, **865**
 feature extraction, 988
 feature map, **815**
 feature matching, **865**
 feature selection, **689, 876**
 federated learning, 724, **1043, 1060**
 feedback, 33, 669, **671**
 feedforward network, **802**
 Fei-Fei, L., 44, 837, 930, *1093, 1101,*
1111
 Feigenbaum, E. A., 35, 40, 41, 125, 356,
 733, *1086, 1089, 1094, 1104*
 Feiten, W., 984, *1088*
 Feldman, J., 80, 548, *1094*
 Feldman, M., 31, *1094*
 Fellbaum, C., 903, *1094*
 Fellegi, I., 666, *1094*
 Feller, A., 1060, *1091*
 Felner, A., 106, 126, 127, 399, *1094,*
1099, 1102, 1111
 Felzenszwalb, P., 162, *1094*
 Feng, L., 984, *1088*
 Feng, S., 930, *1114*
 Feng, T. K., 190, *1087*
 Fenton, N., 548, *1094*
 Fergus, R., 708, 838, *1114, 1115*
 Ferguson, T., 222, 587, 799, *1094*
 Fermat, P., 26, 426
 Fern, A., 551, *1094*
 Fernández, F., 872, *1096*
 Fernandez, J. M. F., 48, 225, *1094*
 Fernando, C., 838, *1100, 1104*
 FERPA, 1041
 Ferraris, P., 400, *1094*
 Ferriss, T., 1051, *1094*
 Ferrucci, D., 48, *1094*
 FF (planning system), 374, 398
 Fidjeland, A., 871, 873, *1106*
 FIFO queue, **92**
 15-puzzle, **86, 124**
 Fifth Generation project, 41
 figure of speech, 898, 899

Fikes, R.E., 79, 162, 296, 398, 400, 401,
 983, *1095*
 filtering, **150, 353, 484–485, 514, 578,**
 795, 938
 assumed-density, **517**
 Fine, S., 516, *1095*
 finite state machine, 604
 Fink, D., 137, 161, *1106*
 Finkelstein, L., 191, *1089*
 Finn, C., 737, 841, 986, *1095, 1103*
 Finney, D. J., 473, *1095*
 Firat, O., 901, *1090*
 Firby, R. J., 401, *1092*
 FIRE (theorem prover), 357
 Firoiu, V., 225, *1095*
 first-order logic, **269, 269–297**
 first mover, 632
 Firth, J., 907, *1095*
 Fisac, J. F., 648, 872, *1085, 1105*
 Fischer, A., 734, *1086*
 Fischer, B., 330, *1093*
 Fischer, P., 587, *1086*
 Fischer, R., 214
 Fisher, M. L., 551, *1107*
 Fisher, R. A., 27, 427, *1095*
 fitness landscape, 161
 Fix, E., 735, *1095*
 fixation, **1010**
 FIXED-LAG-SMOOTHING, **493**
 fixed-lag smoothing, **489**
 Flannery, B. P., 160, *1109*
 Floreano, D., 1064, *1095*
 Floyd, R. W., 125, *1095*
 fluent, **256, 265, 343**
 missing, **390**
 fly eyes, 1012, 1024
 FMEA (failure modes and effect
 analysis), **1052**
 focal length, **990**
 focal plane, **992**
 focal point (in game theory), **598**
 focus of expansion, **1011**
 Fogel, D.B., 162, *1095*
 Fogel, L. J., 161, *1095*
 fog of war, 214
 FOL-BC-AND, **311**
 FOL-BC-ASK, **311**
 FOL-BC-OR, **311**
 FOL-FC-ASK, **306**
 folk psychology, 361
 Fong, R., 986, *1085*
 FOPC, *see* logic, first-order
 Forbes, J., 588, *1095*
 FORBIN (planning system), 401, 402
 Forbus, K.D., 329, 357, 360, *1095*
 force sensor, **936**
 Ford, K. M., 1057, *1095*
 Ford, L. R., 125, *1095*
 Ford, M., 46, 53, 1062, *1095*

- foreshortening, 989
Forestier, J.-P., 873, 1095
forget gate (in LSTM), **826**
Forgy, C., 329, 1095
formal logic, **26**
Forrest, S., 161, 1106
Forster, E. M., 1062, 1095
Forsyth, D., 1021, 1023, 1031, 1093, 1095, 1101
Fortmann, T. E., 515, 667, 1086
Fortran, 807
forward-backward, **488**, 795
FORWARD-BACKWARD, **488**
forward chaining, **248**, 248–249, 265, 304–311, 329
forward checking, **178**, 178
forward kinematics, **947**
forward message, 487
forward pruning, **205**
forward search for planning, 366–368
Foster, G., 901, 1090
Fouhey, D., 1015, 1095
four-color map problem, 188, 1034
Fourier, J., 188, 1095
Fowlkes, C., 1028, 1105
Fox, C., 560, 1095
Fox, D., 667, 984, 987, 1089, 1095, 1112, 1115
Fox, M. S., 401, 1095
FPGA, 45
frame, **41**, 359
FrameNet (lexical database), 357
frame problem, **257**, 267, 268
 representational, **257**
framing effect, **529**
Francis, J., 549, 1101
Franco, J., 266, 1095
Francois-Lavet, V., 871, 1095
Francon, O., 137, 161, 1106
Frank, E., 738, 1117
Frank, I., 222, 1095
Frank, J., 47, 1086
Frank, R. H., 1051, 1095
Frankenstein, 1052
Frans, K., 873, 1095
Franz, A., 903, 1095
Frasconi, P., 837, 1087
FREDDY (robot), 125, 162, 983
Fredkin Prize, 222
Freeman, W., 476, 1116, 1117
Freer, C., 667, 1085
free space, **947**
free will, 24
Frege, G., 26, 266, 296, 328, 1095
Freitag, D., 905, 906, 1091, 1095
frequentism, **426**
Freuder, E. C., 189, 190, 1095, 1105, 1111
Freund, Y., 718, 736, 1095
Frey, B. J., 838, 1095
Frey, C. B., 1050, 1095
Friedberg, R. M., 39, 161, 1095
Friedman, G. J., 161, 1095
Friedman, J., 734, 736, 738, 800, 1089, 1095, 1098
Friedman, N., 473, 474, 478, 516, 517, 586, 798, 799, 871, 1085, 1088, 1092, 1095, 1102
Friendly AI, 1061
frisbee, 48, 1033
Fristedt, B., 587, 1087
front-to-end, **114**
front-to-front, **114**
frontier, **90**
Frost, D., 189, 191, 1092
Fruhwith, T., 191, 1095
FTA (fault tree analysis), **1052**
Fu, D. J., 48, 1104
Fu, J., 359, 1065, 1104
Fu, M. C., 587, 1090
Fuchs, J. J., 402, 1095
Fudenberg, D., 638, 1095
Fukunaga, A. S., 401, 1095
Fukushima, K., 837, 1029, 1095
Fuller, S. B., 1064, 1095
full joint distribution, 413, 415
fully connected (neural network), **805**
fully observable, 578
function, **272**
 total, **275**
functional, 956
functional magnetic resonance imaging (fMRI), 29, 271
function approximation, **854**
function symbol, **275**, 277
Fung, C., 1060, 1095
Fung, C. C., 1035, 1100
Fung, R., 475, 1095
Furcy, D., 163, 1102
Furnas, G. W., 903, 929, 1093
Furst, M., 399, 1088
futility pruning, **222**
Future of Humanity Institute, 1059
Future of Life Institute, 1059
future of work, 1049–1051, 1062
fuzzy control, 477
fuzzy logic, 232, 273, 477
fuzzy set, 477
-
- G**
-
- g (path cost), 91
Gabriele, S., 48, 1104
Gabrilovich, E., 334, 1093
Gaddum, J. H., 473, 1095
Gadepalli, K. K., 48, 1104
Gaffney, S., 873, 1087
Gaifman, H., 665, 666, 1095
gain factor, **959**
gait, 47, **976**, 1041
Gale, W.A., 902, 1090
Galfrin, E., 474, 1112
Galileo, G., 175, 75
Gallagher, G., 970, 986, 1118
Gallaire, H., 329, 1095
Gallegos, J., 48, 1104
Gallier, J. H., 297, 1095
Galperin, G. R., 222, 1114
Galstyan, A., 1060, 1106
Galton, F., 1095
Gamba, A., 836, 1096
Gamba perceptrons, 836
Gamberini, L., 836, 1096
gambling, 26, 521
game, 28
 assistance, **52**, 613, 866
 backgammon, 210, 224, 855, 866
 billiards, 225
 of chance, 212–214
 checkers, 37, 80, 223, 870, 871
 chess, 23, 32, 39, 48, 64, 125, 193, 201–204, 222
 cooperative, 616
 dice, 217
 Diplomacy, 197
 Go, 207
 of imperfect information, **192**
 incomplete information, 551
 inspection game, **596**
 Kriegspiel, **214**
 multiplayer, 197–198
 normal form, **595**
 optimal decisions in, 194–201
 Othello, 224
 partially observable, 214–218
 of perfect information, **193**
 physical, 225
 poker, 224, 638
 principal-agent, **638**
 repeated, 598, **604**
 Reversi, 224
 Scrabble, 225
 Settlers of Catan, 197
 stochastic, **210**
 Tetris, 562, 571
 Yahtzee, 214
 zero-sum, **193**, **600**
game playing, 192–221
game show, 524
game theory, 28, **590**, 635
 cooperative, 616
 non-cooperative, 595–615
Gammage, C., 48, 1113
GAN (generative adversarial network), **831**, 838, 1022
Ganchev, K., 904, 1085
Gandomi, A., 737, 1096
Ganguli, S., 837, 838, 1092, 1109

- Gannon, I., 474, *1112*
 Gao, J., 670, *1096*
 Gao, Q., 47, 834, 901, 916, *1117*
 Gao, Y., 873, *1100*
 Garcia, E. A., 725, 1046, *1098*
 García, J., 872, *1096*
 Gardner, M., 266, 901, 930, *1096, 1106, 1109*
 Garey, M. R., 1076, 1080, *1096*
 Garg, A., 516, *1108*
 GARI (planning system), 401
 Garrett, C., 134, *1086*
 Gaschnig, J., 125, 189, 190, *1096*
 Gašić, M., 588, *1117*
 Gasquet, A., 402, *1095*
 Gasser, L., 636, *1088*
 Gasser, R., 127, *1096*
 Gat, E., 986, *1096*
 gate (logic), 292
 Gates, B., 51
 gating unit (in LSTM), **826**
 Gatys, L. A., 1034, *1096*
 Gauci, J., 873, *1096*
 Gauss, C. F., 188, 515, 735, *1096*
 Gaussian distribution, **1078**
 multivariate, 497, 1079
 Gaussian error model, **505**
 Gaussian filter, **997**
 Gaussian noise, 497
 Gaussian process, 690, **799**
 Gazzaniga, M., 1058, *1096*
 GBM (gradient boosting machine), 719
 GBRT (gradient boosted regression tree), 719
 GDPR, 1041, 1048
 GDPR (General Data Protection Regulation), 730
 Gearhart, C., 587, *1097*
 Gebru, T., 1046, *1089, 1096, 1106*
 Gee, A. H., 516, *1092*
 Geffner, H., 162, 398, 400, 401, *1088, 1098, 1108*
 Geiger, D., 473, 474, 798, *1096, 1098, 1112*
 Gelatt, C. D., 160, 190, *1101*
 Gelb, A., 515, *1096*
 Gelder, A. V., 331, *1114*
 Gelernter, H., 37, 330, *1096*
 Gelfond, M., 330, 360, *1096*
 Gelman, A., 476, 668, 737, 798, 799, *1089, 1090, 1096*
 Geman, D., 475, 736, 1028, *1085, 1096*
 Geman, S., 475, 1028, *1096*
 Gemp, I., 871, *1104*
 generalization, **973**
 generalization loss, **688**
 generalizing fields, 1042
 General Problem Solver, 20, 25, 37, 398
 GENERATE-IMAGE, **660**
 GENERATE-LETTERS, **660**
 GENERATE-MARKOV-LETTERS, **662**
 generation (of nodes), **90**
 generative adversarial network (GAN), **831, 838, 1022**
 generative model, **778, 882**
 generator, **1082**
 generator network (in GANs), **831**
 Genesereth, M. R., 79, 162, 225, 296, 297, 316, 321, 329, 330, *1096, 1104, 1113*
 GENETIC-ALGORITHM, **137**
 genetic algorithm, **134, 133–137, 161–162**
 genetic programming, 39, **134, 161**
 Gene Ontology Consortium, The., 358, *1096*
 Gent, I., 191, *1096*
 Geometry Theorem Prover, 37
 Georgeson, M., 1031, *1089*
 Georgiev, P., 48, 225, 873, *1115*
 Gerbault, F., 799, *1096*
 Gerkin, R. C., 1027, *1111*
 Géron, A., 738, *1096*
 Gers, F. A., 838, *1096*
 Gesmundo, A., 737, *1117*
 Gestalt school, 1028
 Getoor, L., 668, *1096*
 Ghaheri, A., 161, *1096*
 Ghahramani, Z., 473, 516, 737, 799, 838, *1096, 1100, 1111, 1113*
 Ghallab, M., 362, 398, 401, 402, *1096*
 Gharbi, M., 1067, *1104*
 Ghavamzadeh, M., 871, *1104*
 Ghose, D., 160, *1102*
 Ghose, S., 127, *1090*
 GIB (bridge program), 224
 Gibbard-Satterthwaite Theorem, **631**
 Gibbs, R. W., 904, *1096*
 GIBBS-ASK, **461**
 Gibbs sampling, **460, 463, 475**
 Gibson, J. J., 1028, 1030, *1096*
 Gil, Y., 334, *1090*
 Gilks, W. R., 475, 476, 517, 666, 798, *1096*
 Gillies, D. B., 648, *1096*
 Gillula, J. H., 872, *1085*
 Gilmore, P. C., 328, *1096*
 Gilpin, A., 637, *1096*
 Gini coefficient, **600**
 Ginsberg, M. L., 224, 190, 329, 478, *1092, 1096, 1113*
 Ginter, F., 890, *1108*
 Gionis, A., 735, *1096*
 Girshick, R., 1030, *1096*
 Gittins, J. C., 587, *1096*
 Gittins index, **573**
 Giunchiglia, E., 400, *1094*
 Givan, R., 871, *1114*
 Gladman, A. S., 1064, *1102*
 Glanc, A., 982, *1096*
 Glass, J., 516, *1104*
 Glavieux, A., 476, *1087*
 Glickman, M. E., 667, *1096*
 Glickman, O., 931, *1091*
 GLIE (greedy in the limit of infinite exploration), **849**
 global constraint, **168, 172**
 Global Positioning System, **935**
 GLONASS (Russian GPS), 936
 Glorot, X., 837, *1096*
 GloVe (word embedding software), 908, 909, 923, 926
 Glover, F., 160, *1096*
 Glover, K., 550, *1118*
 GLUE (General Language Understanding Evaluation), 930
 Gluss, B., 560, *1096*
 Glymour, C., 296, 798, *1097, 1113*
 Go (game), 37, 45, 48, 207, 223, 835, 867
 goal, **71, 81, 363**
 clause, **248**
 common, 590
 formulation of, **81**
 inferential, 284
 monitoring, 390
 state, **83, 123**
 goal-based action selection, 71
 goal-based agent, 71–72, 78, 79
 goal-directed reasoning, **250**
 goal test
 early, **94**
 late, **94**
 God, existence of, 427
 Godefruid, P., 399, *1096, 1113*
 Gödel, K., 27, 328, 1034, *1096*
 Gödel number, 323
 Goebel, J., 799, *1096*
 Goel, A., 627, *1085*
 Goel, S., 1060, *1091*
 Goertzel, B., 51, *1096*
 GOFAT (Good Old-Fashioned AI), **1033**
 Gogate, V., 474, *1096*
 gold, 228
 Gold, E. M., 734, 905, *1096*
 Goldberg, A. V., 126, *1096*
 Goldberg, D. E., 161, *1109*
 Goldberg, K., 162, *1116*
 Goldberg, Y., 890, 900, 904, 929, *1096, 1103, 1108*
 Goldman, R., 162, 400, 666, *1090, 1097, 1116*
 Goldstein, T., 1060, *1097*
 Goldszmidt, M., 473, 478, 597, 798, *1088, 1095, 1097*
 Golgi, C., 29
 Golomb, S., 189, *1097*
 Golub, G., 734, *1097*

- Gomes, C., 160, 190, 266, 399, *1097*
 Gomez, A. N., 901, 919, 931, *1115*
 Gondek, D., 48, *1094*
 Gonina, K., 900, *1090*
 Gonnet, G. H., 737, *1087*
 Gonthier, G., 188, *1097*
 Good, I. J., 223, 427, 472, 473, 1055, *1097*
 Good-Turing smoothing, 902
 good and evil, 547
 Goodday, J. M., 360, *1091*
 Goodfellow, I., 820, 837–839, *1090*, *1096*, *1114*
 Goodman, J., 903, *1090*, *1097*
 Goodman, N., 358, *1097*, *1103*
 Goodman, N. D., 667, 668, *1087*, *1097*, *1105*, *1117*
 Good Old-Fashioned AI (GOFAD), **1033**
 Goodrich, B., 476, 668, 798, *1090*
 Google, 47, 49, 670, 814, 901, 903, 904, 1031, 1037, 1059, 1068
 Google Duplex, 47
 Google Knowledge Graph, 334
 Google Scholar, 652
 Gopnik, A., 296, *1097*
 Gordon, A. D., 667, 668, *1091*, *1097*
 Gordon, A. S., 359, *1097*
 Gordon, G., 516, 598, 986, *1109*, *1111*, *1115*
 Gordon, M. J., 296, *1097*
 Gordon, N., 516, 517, *1086*, *1093*, *1097*
 Gordon, S. A., 225, *1097*
 gorilla problem, **51**
 Gorry, G. A., 428, *1097*
 Gottlob, G., 191, *1097*
 Gotts, N., 360, *1091*
 Goyal, N., 927, 930, *1104*
 Goyal, Y., 1017, *1097*
 GP-CSP (planning system), 399
 GPT-2 (language model), 883, 884, 927, 930, 1072
 GPU (graphics processing unit), 33, 45
 Grace, K., 46, *1097*
 graceful degradation, 584
 gradient, **138**, 719
 empirical, **138**, 862
 exploding, **825**
 vanishing, **807**, 825
 gradient boosted regression tree (GBRT), 719
 gradient boosting, 716, **719**
 gradient boosting machine (GBM), 719
 gradient descent, 132, **695**
 batch, **697**
 stochastic, **697**, 816
 Graepel, T., 45, 48, 201, 220, 223, 224, 667, 871, *1097*, *1098*, *1112*
 Graham, S. L., 904, *1097*
 Gramfort, A., 738, *1109*
 grammar, 874, 883, 884, 1081
 augmented, **892**
 categorial, 904
 context-free, 884, 902, 903, **1081**
 lexicalized, **892**
 probabilistic, 833–886, **884**, 903
 dependency, 904
 induction of, 905
 lexical-functional (LFG), 904
 phrase structure, 902
 grand coalition, **616**
 graph, **83**
 coloring, 188
 Eulerian, **162**
 graphical model, 430, 478
 graphics processing unit (GPU), 33, 45
 Graphplan (planning system), 370, 399
 graph search, **92**
 grasping, 985
 Grassmann, H., 296, *1097*
 Graunt, J., 26
 Gravano, L., 906, *1085*
 Grave, E., 903, *1100*
 Graves, A., 830, 835, 838, 841, 871, 873, 900, *1106*, *1115*
 Grayson, C. J., 525, *1097*
 Greaves, M., 1061, *1085*
 Greece, 265, 358
 Green, B., 904, *1097*
 Green, C., 38, 296, 327, 329, *1097*
 Green, P., 1031, *1089*
 Green, S., 873, *1087*
 Green, T., 838, *1100*
 Greenbaum, S., 904, *1110*
 Greenspan, M., 225, *1103*
 Greiner, R., 798, *1090*
 Grenager, T., 638, *1112*
 Gribkoff, E., 668, *1097*
 grid search, **689**
 Griffiths, T. L., 136, 161, 296, 550, 588, *1097*, *1107*, *1110*, *1114*
 Grinstead, C., 428, *1097*
 Grisel, O., 738, *1109*
 GRL (robot control language), 987
 Grosz, B. J., 45, 627, 639, *1097*, *1099*
 grounding, **234**, **647**
 ground resolution theorem, **246**, 321
 ground term, **279**, 298
 ground truth, **671**
 Grove, A., 428, 549, *1086*
 Grove, W., 356, *1097*
 Gruber, T., 334, 358, *1097*
 Grumberg, O., 399, *1091*
 GSAT (satisfiability algorithm), 267
 Gu, J., 190, 266, *1097*, *1113*
 Guan, M. Y., 838, *1109*
 Guard, J., 331, *1097*
 Guestrin, C., 551, 587, 637, 736, 737, 873, *1090*, *1097*, *1102*, *1105*, *1110*
 Guez, A., 37, 45, 48, 201, 220, 222–224, 871, *1112*
 Gugger, S., 738, *1099*
 Guha, R. V., 334, 357, *1089*, *1103*
 Guibas, L.J., 475, 985, *1097*, *1115*
 guided missile, 1038
 Guiver, J., 667, *1097*
 Guizzo, E., 47, *1085*
 Gulcehre, C., 837, *1092*
 Gulshan, V., 48, *1097*
 Gunkel, D. J., 1062, *1097*
 Gunning, D., 1061, *1097*
 Guo, C., 1060, *1097*
 Guo, J., 476, 668, 798, *1090*
 Gupta, A., 561, 986, *1102*, *1109*
 Gupta, R., 928, *1110*
 Gupta, V., 48, *1104*
 Gururangan, S., 928, *1097*
 Gustafsson, F., 516, *1098*
 Guterres, A., 1039
 Guthrie, F., 188
 Guugu Yimithirr, 271
 Guyon, I., 44, 736, 737, 837, 1029, *1088*, *1097*, *1103*
-
- ## H
-
- \mathcal{H} (hypothesis space), 671
 H (entropy), **679**, 680
 h (heuristic function), 102
 h_{MAP} (MAP hypothesis), 774
 HACKER (planning system), 398
 Hacking, I., 429, *1097*
 Hadfield-Menell, D., 80, 551, 587, 638, 872, *1097*, *1105*
 Hager, G., 45, *1114*
 Hahn, M., 736, *1091*
 Hahnel, D., 984, *1089*
 Haider, M., 737, *1096*
 Hailperin, T., 665, *1097*
 Haimes, M., 668, *1106*
 Hajic, J., 890, *1108*
 Hajishirzi, H., 931, *1112*
 Haken, W., 188, *1085*
 HAL 9000 computer, 472, 1036, 1058
 Hald, A., 429, *1097*
 Hales, T., 331, *1097*
 Halevy, A., 44, 329, 358, 737, 901, 906, *1089*, *1097*
 Halgren, E., 271, *1111*
 Hall, L. O., 725, 1046, *1090*
 Halpern, J. Y., 296, 359, 428, 665, *1086*, *1094*, *1097*
 halting problem, 300
 Hamilton, A., 901
 Hamiltonian Monte Carlo, 668
 Hamm, F., 358, *1115*
 Hammersley, J. M., 872, *1098*
 Hamming distance, **706**

- Hamori, S., 516, *1087*
ham sandwich, 899
Han, J., 738, *1098*
Han, X., 29, *1098*
Hanan, S., 399, *1094*
Hand, D. J., 1041, *1088*
hand-tuning, **689**
Handschin, J. E., 516, *1098*
Handscorn, D.C., 872, *1098*
Hanks, S., 401, *1094*
Hannun, A., 1060, *1097*
Hans, A., 872, *1098*
Hansen, E., 127, 162, 389, 401, 587, *1098, 1118*
Hansen, M. O., 189, *1085*
Hansen, P., 266, *1098*
Hanski, I., 80, *1098*
Hansson, O., 127, *1098*
happy graph, 679
haptics, **985**
Harabagiu, S. M., 905, *1108*
Harada, D., 586, *1107*
Haralick, R. M., 189, *1098*
Hardin, G., 639, 1053, *1098*
Hardt, M., 734, 1060, *1094, 1098, 1104, 1118*
Harel, D., 329, *1090*
Harman, D., 901, *1085*
Harnish, R., 48, *1093*
HARPY (speech recognition system), 160
Harris, T., 1066, *1098*
Harris, Z., 902, *1098*
Harrison, J., 331, 549, *1097, 1098*
Harrison, M. A., 904, *1097*
Harrow, A. W., 1069, *1098*
Harsanyi, J., 551, 637, *1098*
Harshman, R. A., 903, 929, *1093*
Hart, P. E., 125, 162, 400, 401, 428, 738, 798, 800, *1093–1095, 1098*
Hart, T. P., 221, *1098*
Hartley, H., 799, *1098*
Hartley, R., 1030, 1031, *1098*
Harutyunyan, A., 872, *1107*
Harvard, 529
Harvey Mudd University, 1045
Hashimoto, K., 1072, *1098*
Haslum, P., 398, 399, 401, *1098*
Hassabis, D., 37, 45, 48, 49, 222–225, 871, 873, *1087, 1106, 1112, 1115*
Hassidim, A., 1069, *1098*
Hastie, T., 735, 736, 738, 800, *1095, 1098, 1100*
Hastings, W. K., 475, *1098*
Hatem, M., 126, *1089, 1098*
Haugeland, J., 1058, *1098*
Haussler, D., 516, 735, *1088, 1102*
Havelund, K., 327, *1098*
Havenstein, H., 44, *1098*
Hawking, S., 51
Hawkins, J., 836, *1098*
Hay, N., 587, 1070, *1098*
Hayes, P. J., 267, 358–360, 1057, *1095, 1098, 1105*
Hays, J., 44, *1098*
He, H., 725, 1046, *1098*
He, K., 837, *1098, 1117*
He, Y., 873, *1096*
head (in NLP), **892**
head (of Horn clause), **248**
Heafield, K., 903, *1089*
Hearst, M. A., 903, *1111*
Heath, M., 734, *1097*
Heath Robinson, 32
heavy-tailed distribution, **160**
Heawood, P. J., 1034, *1098*
Hebb, D. O., 35, 39, 870, *1098*
Hebbian learning, **35**
Hebert, M., 868, 970, 986, 1030, *1099, 1101, 1118*
Heckermer, D., 473, 477, 516, 798, *1089, 1098, 1099, 1113*
Hedau, V., 1021, *1101*
hedonic calculus, **548**
Heess, N., 986, *1098, 1104*
Heidari, H., 1060, *1087*
Heidegger, M., 1057, *1098*
Heinlein, R. A., 1071, *1098*
Heitz, G., 334, *1093*
Held, M., 127, *1098*
Hellmann, S., 357, *1103*
Helmert, M., 125, 398, 399, *1098, 1110, 1112*
Helmholtz, H., 30, 1027
Hempel, C., 25
Henaff, M., 837, *1090*
Hendeby, G., 516, *1098*
Henderson, P., 871, *1095*
Henderson, T. C., 189, *1106*
Hendler, J., 357, 400, 402, *1085, 1087, 1094, 1113*
Henrion, M., 80, 439, 473, 475, 549, *1098, 1099, 1109*
Henry, H., 873, *1100*
Henzinger, M., 905, *1113*
Henzinger, T. A., 79, *1098*
Hephaistos, 982
Herbrand's theorem, **322, 328**
Herbrand, J., 300, 322, 328, *1098*
Herbrand base, **322**
Herbrand universe, **321, 328**
Herbrich, R., 667, *1098*
Herbster, M., 1069, *1093*
Herden, G., 548, *1087*
Hernandez, D., 33, 1069, *1085*
Hernández-Orallo, J., 1058, *1098*
Herring, R., 516, *1099*
Herskovits, E., 798, *1091*
Hertz, J. A., 838, *1102*
Hess, C., 1061, *1098*
Hessian, **139**
Hestness, J., 906, *1090*
Heule, M., 267, *1087*
heuristic, 123
 admissible, **104, 371**
 composite, 118
 degree, **177, 189, 252**
 for planning, 371–374
 function, **102, 115–122**
 inadmissible, 107
 least-constraining-value, **177**
 Manhattan, **116**
 min-conflicts, **181**
 minimum remaining values, **177, 189, 308, 396**
 null move, **222**
 search, 125
 straight-line, 103
heuristic function, **102**
Heuristic Programming Project (HPP), 41
Hewitt, C., 329, 636, *1098*
hexapod robot, 975
Hezaveh, Y. D., 670, *1098*
hidden Markov model (HMM), 43, 479, **491, 491–496, 503, 515, 795, 881**
hidden variable, **443, 788**
HIERARCHICAL-SEARCH, **377**
hierarchical decomposition, **375**
hierarchical look-ahead, **383**
hierarchical reinforcement learning, **858, 1065**
hierarchical structure, 1065
hierarchical task network (HTN), **375, 397, 858**
Hierholzer, C., 162, *1098*
high-level action, **375**
higher-order logic, **273**
Hilbert, M., 737, *1098*
Hilgard, E. R., 870, *1098*
Hill, F., 930, 931, *1116*
HILL-CLIMBING, **129**
hill climbing, **129, 159**
 first-choice, **131**
 random-restart, **131**
 stochastic, **131**
Hind, M., 1046, 1047, 1060, 1061, *1087, 1098*
Hingorani, S. L., 667, *1091*
Hinrichs, T., 225, *1104*
Hinrichs, T. R., 357, *1095*
Hintikka, J., 358, *1098*
Hinton, G. E., 35, 44, 136, 161, 726, 836–839, 872, 900, 905, 1029, 1072, *1086, 1092, 1098, 1099, 1102, 1103, 1107, 1111–1113*
HIPAA, 1041
Hipp, J. D., 48, *1104, 1113*
Hirschberg, J., 45, *1114*

- Hirth, M., 1068, *1099*
Hitachi, 377
HMM (hidden Markov model), 43, 479, **491**, 491–496, 503, 515, 795, 881
Ho, J., 873, 985, *1095*, *1112*
Ho, M. K., 872, *1099*
Ho, T. K., 736, 737, *1097*, *1099*
Ho, Y.-C., 836, *1089*
Hoane, A. J., 222, *1089*
Hobbes, T., 24
Hobbs, J. R., 359, 361, 904, *1097*, *1099*
Hochreiter, S., 838, *1099*
Hodges, J. L., 735, *1095*
Hoff, M. E., 39, 870, *1116*
Hoffman, G., 986, *1114*
Hoffman, M., 476, 667, 668, 798, 903, *1090*, *1099*, *1115*
Hoffman, S. C., 1047, 1060, *1087*
Hoffmann, J., 372, 374, 398–401, *1099*
Hofleitner, A., 516, *1099*
Hofmann-Wellenhof, R., 48, *1104*
Hogan, N., 985, *1099*
Hoiem, D., 1021, 1030, *1099*, *1101*
Holenstein, R., 517, *1085*
Holland, J. H., 161, *1099*, *1106*
Hollerbach, J. M., 985, *1094*
Holte, R. C., 106, 114, 126, 127, 637, *1085*, *1087*, *1090*, *1094*, *1099*, *1103*
Holzmann, G. J., 327, *1099*
Homan, K. A., 1064, *1102*
homeostatic, **34**
Homo sapiens, 19, 874
Hood, A., 29, *1099*
Hooker, J., 191, *1099*
Hoos, H. H., 160, 190, 549, 737, *1088*, *1099*, *1115*
Hopcroft, J., 738, 984, *1088*, *1112*
Hopfield, J. J., 839, *1099*
Hopfield network, **839**
Hopkins Beast, 983
HORIZON (reinforcement learning platform), 873
horizon, 990
 infinite, 586
 horizon (in MDPs), **555**
 horizon effect, **204**
Horn, A., 266, *1099*
Horn, B. K. P., 1030, *1099*
Horn, K. V., 428, *1099*
Horn, W., 334, *1093*
Horn clause, **247**
Horn form, 265, 266
Horning, J. J., *1099*
Horowitz, M., 268, *1108*
Horrocks, J. C., 428, *1092*
Horsfall, P., 667, *1087*
Horswill, I., 987, *1099*
Horvitz, E. J., 80, 473, 516, 549, 1070, *1099*, *1108*
Hoseini, S. S., 161, *1096*
Hoßfeld, T., 1068, *1099*
Hotelling, H., 838, *1099*
Houde, S., 1047, 1060, *1087*
HOUDINI (chess program), 222
Houlsby, N., 737, *1117*
Houston, M., 48, *1103*
Hovel, D., 473, *1099*
Howard, J., 734, 738, 930, *1099*, *1105*
Howard, R. A., 534, 548–550, 586, *1099*, *1106*
Howe, A., 362, 398, *1096*
Howe, D., 331, *1099*
Howe, P., 737, 1061, *1106*
Howson, C., 665, *1099*
HPP (Heuristic Programming Project), 41
Hruschka, E., 901, *1106*
HSCP (planning system), 400
Hsiao, K., 588, *1099*
Hsieh, H.-P., 736, *1117*
HSP (Heuristic Search Planner), 398
Hsu, D., 588, 734, *1086*, *1087*
Hsu, F.-H., 222, *1089*, *1099*
Hsueh, C.-H., 222, *1116*
HTML, 891
HTN (hierarchical task network), **375**, 397, 858
Hu, H., 928, *1090*
Hu, J., 587, 638, *1090*, *1099*
Hu, Y.-T., 1023, *1093*
Hua, Y., 1060, *1086*
Huang, A., 37, 45, 48, 222, 223, *1112*
Huang, L., 896, 904, 905, *1096*, *1118*
Huang, S., 48, *1104*
Huang, T., 516, 666, 598, *1095*, *1099*
Huang, X., 47, *1117*
Huang, Y., 838, *1110*
Huang, Z., 837, *1111*
Hubble Space Telescope, 167, 181, 402
Hubel, D. H., 837, 1029, 1031, *1099*
Huber, M., 983, *1091*
Hubert, T., 45, 48, 201, 220, 223, 224, 871, *1112*
Huddleston, R. D., 904, *1099*
Huet, G., 330, *1087*
Huffman, D. A., 38, *1099*
Huffman, S., 983, *1091*
Hughes, B. D., 156, *1099*
Hughes, G. E., 358, *1099*
Hughes, M., 901, *1090*
HUGIN (Bayes net system), 474, 516
Huhns, M. N., 80, *1099*
Hui, F., 45, 48, *1112*
human-computer interaction, 32
human-robot interaction, 971, 986
human-level AI, **50**
human actions, 986
human judgment, 528
human performance, 19
Hume, D., 24, *1099*
Humphrys, M., 1035, *1099*
Hungarian algorithm, **658**
Hunkapiller, T., 516, *1086*
Hunsberger, L., 627, 639, *1099*
Hunt, J. J., 986, *1104*
Hunt, W., 330, *1099*
Hunter, L., 799, *1099*
Huq, A., 1060, *1091*
Hur, C.-K., 668, *1099*
Hurst, M., 906, *1099*
Hurst, S., 871, *1111*
Hurwicz, L., 639, *1099*
Hussein, A. I., 700, 702, *1101*
Hut, P., 48
Hutchinson, B., 1046, *1106*
Hutchinson, S., 79, 985, 987, *1090*
Huth, M., 297, *1099*
Huttenlocher, D., 1029, *1099*
Hutter, F., 399, 737, 838, *1094*, *1099*, *1112*, *1115*
Huygens, C., 426, 637, *1100*
Huyn, N., 125, *1100*
Huynh, V. A., 588, *1100*
Hwa, R., 904, *1100*
Hwang, C. H., 357, *1100*
Hyafil, L., 734, *1100*
HYBRID-WUMPUS-AGENT, **260**
hybrid A*, **953**
hyperbolic reward, **588**
hyperparameter, **684**, **781**
hypertext, 32
hypertree width, 191
hypothesis, 669, 671
 approximately correct, 691
 null, **681**
 prior, **773**
 space, **671**
Hyun, S., 984, *1092*
-
- I**
- i.i.d. (independent and identically distributed), **683**, 773
Iagnemma, K., 984, *1089*
Iatauro, M., 47, *1086*
IBAL (probabilistic programming language), 667
Ibarz, J., 820, 985, 986, *1088*, *1097*, *1103*
IBM, 37, 1059, 1068
identifiability, **794**
identification in the limit, 734
identity matrix (I), **1077**
identity uncertainty, **648**
idiot Bayes, 420
IEEE P7001, 1048
leong, S., 638, *1100*
ignorance, **404**

- ignore-delete-lists heuristic, **372**
 ignore-preconditions heuristic, **371**
 Iida, H., 222, *1111*
 III, H. D., 1046, *1096*
 IJCAI (International Joint Conference on AI), 53, 127
 ILOG (constraint logic programming system), 330
 ILQR (iterative LQR), **962**, 982, 985
 image, **989**
 formation, 989–995
 segmentation, 1001–1002
 image captioning, 48
 ImageNet, **723**
 ImageNet (image data set), 43, 44, 46, 1003, 1071
 image transformation, **1020**
 IMDB, 1042
 imitation learning, **864**, 973
 imperfect information, 220, 608, **609**
 implementation (of a high-level action), **375**
 implementation level, **228**
 implication, **235**
 implicative normal form, 317
 implicit model, **831**
 importance sampling, **457**
 adaptive, 475
 sequential, **509**
 imputation, **617**
 inadmissible heuristic, 107, **108**
 incentive, **591**
 incentive compatible, 625
 inclusion-exclusion principle, **411**
 Inclusive Images Competition, 1046
 income inequality, 1038, **1051**
 incomplete information game, **968**
 incompleteness, 314
 theorem, 27, 323, 1034
 incremental search, **159**
 independence, 415–417, **416**, 419, 425
 absolute, 416, 419
 conditional, **419**, 424, 426, 433, 436–445, 472, 487
 context-specific, **438**
 marginal, 416
 independent subproblems, **183**
 indexical, **897**
 indexing, **302**, 302–304
 India, 34, 188, 356
 indicator variable, **791**
 indifference, principle of, **427**
 individually rational offer, **633**
 individual rationality, **617**
 individuation, **339**
 induced width, 190
 induction, **24**, 670
 mathematical, 27
 inductive learning, 671–674, 733
 inductive logic programming (ILP), 428, 750, **767**
 attribute-based learning algorithm, 759, 760
 CHOOSE-LITERAL, 763
 constructive induction algorithms, **760**
 description, 758
 family tree, 760
 inverse entailment, **765**
 inverse resolution, **763**, 764–766
 Journal of Molecular Biology, **766**
 knowledge-based induction problem, 758
 linear resolution, **765**
 LINUS system, 765
 molecular biology experiments, 767
 NEW-LITERALS, 762–763
 positive and negative examples, 758, 759
 PROGOL system, 765, 766
 Prolog Horn-clause deduction, 765
 resolvent C, **763**
 three-dimensional configuration, 758
 top-down inductive learning methods, 761–763
 Induráin, E., 548, *1087*
 Indyk, P., 735, *1085*, *1096*
 inference, **227**
 probabilistic, **413**, 413–415, 430
 inference by enumeration, 445
 inference procedure, 291
 inference rule, **241**, 265
 inferential frame problem, **257**, 268
 infinite branching factor, 137
 infinite horizon, 586
 influence diagram, 472, 518, **534**, 534–537, 547
 INFORMATION-GATHERING-AGENT, 541
 information extraction, **901**
 information gain, **680**, 681, 964
 information gain ratio, 683
 information gathering, **59**, 963
 information retrieval (IR), **901**, 905
 information set, **610**
 information theory, 679–680, 733
 information value, **537**, 550
 informed search, 81, **102**, 102–123
 Ingerman, P. Z., 903, *1100*
 Ingham, M., 267, *1116*
 inheritance, **335**, 347
 multiple, **348**
 initial state, **83**, 86, 123, 193, 363
 initial state model, 482
 input gate (in LSTM), **826**
 input resolution, **326**
 inside–outside algorithm, 891
 instance (of a schema), **135**
 instance-based learning, **704**, 704–706
 instant runoff voting, **630**
 insurance premium, **525**
 integrated information theory, 1058
 intelligence, **19**, 54
 intelligence augmentation, **32**
 intelligent backtracking, 179–181, 252
 interior-point method, 161
 interleaved execution, **592**
 interleaving, 152, 178, 398
 internal state, **69**
 International Joint Conference on AI (IJCAI), 53, 127
 interpolation (of data), **686**
 interpolation smoothing, 902
 interpretability, **729**, 737
 interpretation, **276**, 295
 extended, **279**, 295
 intended, **276**
 interval, 342–343
 Intille, S., 516, *1100*
 intractability, 39
 intrinsic property, **340**
 introspection, **20**, 31
 invariance, temporal, 811
 inverse (of a matrix), **1077**
 inverse dynamics, **958**
 inverse kinematics, **947**
 inverse reinforcement learning, **864**, 1054, 1065
 inverted pendulum, **867**
 Ioffe, S., 837, *1100*
 IPL (programming language), 36
 IQ test, 38
 IR (information retrieval), **901**, 905
 Irpan, A., 835, 871, 985, *1088*, *1100*
 irrationality, 19, 521, **550**
 irreversible action, **154**, 850
 Irving, G., 330, *1085*, *1104*
 IS-A links, 359
 Isard, M., 516, *1100*
 Isbell, C., 359, 1065, *1104*
 ISBN, 648
 Isele, R., 357, *1103*
 ISIS (planning system), 401
 Islam, R., 871, *1095*
 Isola, P., 930, 1021, 1022, *1100*, *1118*
 iterated best response, 600
 iterated game, 604
 ITERATIVE-DEEPENING-SEARCH, **99**
 iterative deepening search, **98**, 98–100, 123, 125, 201, 204, 376
 iterative expansion, **126**
 iterative LQR (ILQR), **962**, 982, 985
 Ivanov, V., 1043, *1088*
 Iwasawa, S., 1057, *1109*
 iWeb (language corpus), 876
 IxTeT (planning system), 401
 Iyyer, M., 930, *1109*

J

Jaakkola, T., 476, 838, *1100, 1111*
 Jabbari, S., 1060, *1087*
 JACK (bridge program), 224
 Jackel, L., 44, 837, 1029, *1103*
 Jackson, C., 666, 798, *1105*
 Jacobi, C. G., 667
 Jacobs, D., 1014, *1101*
 Jacobson, D. H., 985, *1100*
 Jacquard, J., 33
 Jacquard loom, 33
 Jaderberg, M., 48, 225, 838, *1100*
 Jaffar, J., 330, *1100*
 Jaggi, M., 838, *1117*
 Jaguar, 401
 Jain, A., 48, 905, 923, *1104, 1108, 1115*
 Jain, B., 873, *1111*
 Jain, D., 666, *1100*
 Jaitly, N., 900, 905, *1090, 1099*
 Jakob, M., 357, *1103*
 James, G., 738, *1100*
 James, W., 31
 janitorial science, 57
 Jankowiak, M., 667, *1087*
 Janz, D., 737, *1113*
 Janzing, D., 476, *1109*
 Japan, 41, 983
 Jarrett, K., 837, *1100*
 Jasra, A., 517, *1093*
 Jastrzebski, S., 734, *1086*
 Jaumard, B., 266, *1098*
 Jauvin, C., 929, *1087*
 Jaynes, E. T., 412, 427–429, *1100*
 Jeffrey, R. C., 427, 548, *1100*
 Jeffrey, H., 902, *1100*
 Jelinek, F., 902, 906, 931, *1089, 1100*
 Jenkin, M., 987, *1094*
 Jenkins, G., 515, 838, *1088*
 Jenkins, N. W., 48, *1093*
 Jennings, H. S., 31, *1100*
 Jennings, N. R., 638, *1110*
 Jenniskens, P., 390, *1100*
 Jensen, F., 473, 474, 550, *1085, 1093, 1107*
 Jensen, F. V., 473, 474, 478, *1085, 1100*
 Jentzsch, A., 357, *1103*
 Jeopardy, 44, 48
 Jevons, W. S., 266
 Ji, Z., 1060, *1100*
 Jiang, H., 1045, *1100*
 Jiang, K., 986, *1085*
 Jiao, J., 838, *1118*
 Jie, K., 48
 Jimenez, P., 162, 401, *1100*
 Joachims, T., 736, 903, *1100*
 job, **393**, 1051
 Job, J., 1069, *1107*
 job-shop scheduling problem, **393**
 Johansen, A. M., 517, *1093*

Johanson, M., 48, 224, 637, *1088, 1107, 1118*
 Johnson, C. R., 80, *1089*
 Johnson, D. S., 1076, 1080, *1096*
 Johnson, I., 737, *1116*
 Johnson, J., 1069, *1115*
 Johnson, M., 901, 904, 905, 1057, *1090, 1094, 1100, 1103*
 Johnson, S. M., 571, 587, *1088*
 Johnson, W. W., 124, *1100*
 Johnston, M. D., 160, 190, 402, *1100, 1106*
 joint action, **593**
 joint agent, **971**
 joint probability distribution, **410**
 full, **411**, 425, 430, 432–436
 join tree, **452**
 Jonathan, P. J. Y., 1035, *1100*
 Jones, D. M., 587, *1096*
 Jones, G., 476, *1089*
 Jones, L., 901, 919, 931, *1090, 1115*
 Jones, M., 550, 1029, *1100, 1115*
 Jones, R., 906, *1100*
 Jones, R. M., 329, *1100, 1117*
 Jones, T., 79, *1100*
 Jonsson, A., 47, 401, *1100*
 Jordan, M., 872, *1112*
 Jordan, M. I., 476, 516, 517, 588, 779, 799, 837, 838, 863, 868, 872, 896, 903, 986, *1088, 1100, 1104, 1107, 1111–1113, 1116*
 Joseph, A. D., 1061, *1086*
 Joshi, M., 927, 930, *1104*
 Jouannaud, J.-P., 330, *1100*
 Joulin, A., 903, *1100*
 Jouppi, N. P., 1069, *1100*
 Joy, B., 1061, *1100*
 Jozefowicz, R., 838, 929, 966, 986, *1085, 1100*
 Juang, B.-H., 515, *1110*
 Judah, K., 551, *1094*
 Juels, A., 161, 1060, *1100, 1115*
 Julesz, B., 1028, *1100*
 Julian, K. D., 588, *1100*
 Juliani, A., 873, *1100*
 Jung, M. W., 873, *1103*
 Junker, U., 330, *1100*
 Jurafsky, D., 891, 900, 903, 906, *1100, 1113*
 Just, M. A., 271, *1106*
 justification (in a JTMS), **354**

K

k-anonymity, **1042**
 k-consistency, **172**
 k-DL (decision list), 693
 k-DT (decision tree), 693
 k-d tree, **706**
 k-fold cross-validation, **684**

Kaack, L. H., 48, *1110*
 Kadane, J. B., 551, 637, *1100*
 Kaden, Z., 873, *1096*
 Kadian, A., 873, *1111*
 Kaelbling, L. P., 267, 516, 586–588, 668, 984, *1090, 1092, 1099, 1100, 1104, 1106, 1112, 1114*
 Kager, R., 902, *1100*
 Kaggle, 716
 Kahn, H., 475, 872, *1100*
 Kahneman, D., 436, 528, 550, *1100, 1115*
 Kaindl, H., 127, *1100*
 Kaiser, L., 901, 919, 928, 930, 931, *1101, 1115*
 Kalakrishnan, M., 985, *1088*
 Kalchbrenner, N., 830, 838, 900, *1115*
 Kale, A. U., 48, *1104*
 Kaliszzyk, C., 330, 331, *1097, 1104*
 Kalman, R., 497, 515, *1101*
 Kalman filter, 479, **497**, 497–503, 515, 942
 extended (EKF), **501**, 942
 switching, **502**
 Kalman gain matrix, **501**
 Kalra, N., 160, *1093*
 Kalyanakrishnan, S., 45, *1114*
 Kalyanpur, A. A., 48, *1094*
 Kamar, E., 45, *1114*
 Kamber, M., 738, *1098*
 Kambhampati, S., 162, 399–402, *1089, 1091, 1093, 1101*
 Kameya, Y., 666, *1111*
 Kaminka, G., 639, *1114*
 Kan, A., 125, 395, 402, *1103*
 Kanada, K., 48, *1104*
 Kanade, T., 46, 1029, 1030, *1101, 1111, 1115*
 Kanal, E., 1041, *1101*
 Kanal, L. N., 126, *1102*
 Kanazawa, A., 1014, 1020, 1101
 Kanazawa, K., 516, 586, 588, 799, *1087, 1088, 1095, 1101, 1111*
 Kanefsky, B., 190, *1090*
 Kang, S. M., 1064, *1101*
 Kannan, A., 900, *1090*
 Kannan, K., 1047, 1060, 1087
 Kannan, R., 738, *1088*
 Kanodia, N., 587, *1097*
 Kanoui, H., 296, 329, *1091*
 Kanoulas, E., 901, *1085*
 Kant, E., 329, *1089*
 Kant, I., 26
 Kanter, J. M., 737, *1101*
 Kantor, G., 79, 985, 987, *1090*
 Kantorovich, L. V., 161, *1101*
 Kanwal, M. S., 734, *1086*
 Kaplan, D., 359, *1101*
 Kaplan, H., 126, *1096*
 Kaplow, R., 588, *1112*

- Karaboga, D., 160, *1101*
 Karafiát, M., 929, 930, *1106*
 Karaletsos, T., 667, *1087*
 Karamchandani, A., 475, *1101*
 Karlin, S., 571, 587, *1088*
 Karlsson, R., 516, *1098*
 Karmarkar, N., 161, *1101*
 Karmiloff-Smith, A., 905, *1094*
 Karp, R.M., 27, 125, 127, 1080, *1098*,
1101
 Karpas, E., 399, *1098*
 Karpathy, A., 837, 913, 930, *1101*, *1111*
 Karpatne, A., 738, *1114*
 Karras, T., 831, *1101*
 Karsch, K., 1021, *1101*
 Kartam, N. A., 401, *1101*
 Kasami, T., 886, 904, *1101*
 Kasif, S., 474, *1118*
 Kasparov, G., 48, 222
 Kassirer, J. P., 428, *1097*
 Kataoka, T., 837, *1106*
 Katehakis, M. N., 587, *1101*
 Katriel, I., 189, *1115*
 Katz, B., 901, *1101*
 Katz, S., 191, *1091*
 Kaufmann, M., 331, *1101*
 Kautz, D., 402, *1092*
 Kautz, H., 160, 190, 266, 267, 399, 474,
1097, *1101*, *1111*, *1112*
 Kautz, J., 930, *1104*
 Kavraki, L., 79, 985, 987, *1090*, *1101*
 Kavukcuoglu, K., 830, 835, 837, 838,
 841, 871, 873, 900, *1100*, *1104*,
1106, *1115*
 Kawczynski, M. G., 48, *1093*
 Kay, A.R., 29, *1108*
 Kaynama, S., 872, *1085*
 Kazemi, S. M., 668, *1101*
 KB (knowledge base), **227**, 264
 KB-AGENT, **227**
 Keane, M. A., 161, *1102*
 Keane, P. A., 48, *1104*
 Kearns, M., 587, 588, 735, 736, 738, 871,
 1060, *1087*, *1101*
 Kebeasy, R. M., 700, 702, *1101*
 Kedzier, D., 871, *1111*
 Keeney, R. L., 529, 534, 549, 550, *1101*
 keepaway, **859**
 Kegelmeyer, W. P., 725, 1046, *1090*
 Keil, F. C., 21, 1058, *1116*
 Kelcey, M., 985, *1088*
 Kelley, H. J., 40, 836, *1101*
 Kelly, J., 639, 798, 799, *1089*, *1090*
 Kelly, K., 1056
 Kembhavi, A., 931, *1112*
 Kemp, C., 550, *1097*
 Kemp, M., 1027, *1101*
 Kempe, A. B., 1034, *1101*
 Kenley, C. R., 473, *1112*
 Kephart, J. O., 79, *1101*
 Kepler, J., 1027
 Keras (machine learning software), 738,
 1072
 Kern, C., 48, *1104*
 kernel (in neural networks), **811**
 kernel (in regression), 709
 kernel function, **712**, 787
 kernelization, **714**
 kernel machine, 710–714, 735
 kernel trick, 710, **713**, 735
 Kernighan, B. W., 125, *1104*
 Kersting, K., 666, 668, *1101*, *1106*
 Keskar, N. S., 931, *1101*
 keyframe, **975**
 Keynes, J. M., 427, 1049, *1101*
 key vector (in transformers), **920**
 Khairy, K., 734, *1105*
 Khanna, R., 737, *1101*
 Khare, R., 357, *1101*
 Khatib, O., 985, 987, *1101*, *1110*, *1112*
 Khorsand, A., 127, *1100*
 Khosla, A., 837, *1111*
 Khot, T., 901, 927, 931, 1017, *1091*, *1097*
 Khudanpur, S., 929, 930, *1106*
 Kichkaylo, T., 47, *1086*
 killer move, **201**
 Kim, B., 737, *1093*, *1101*
 Kim, H. J., 868, 872, 986, *1107*
 Kim, J.-H., 1033, *1101*
 Kim, J. H., 472, *1101*
 Kim, T. W., 1061, *1101*
 Kimmig, A., 668, *1101*
 Kinect, 935
 kinematic state, **958**
 kinesthetic teaching, **975**
 King, H., 871, 873, *1087*, *1106*
 Kingma, D. P., 838, *1101*
 King Midas problem, **51**, 1054
 Kingsbury, B., 900, 905, *1099*
 Kinsey, E., 124
 kinship domain, 284–286
 Kirchlechner, B., 666, *1100*
 Kirchner, C., 330, *1100*
 Kirk, D. E., 79, *1101*
 Kirk, J. T., 1058
 Kirkpatrick, S., 160, 190, *1101*
 Kirman, J., 587, *1092*
 Kiro, J. R., 837, *1086*
 Kirubarajan, T., 79, *1086*
 Kishimoto, A., 223, *1111*
 Kisiel, B., 901, *1106*
 Kisynski, J., 668, *1101*
 Kitaev, N., 904, 928, 930, *1101*
 Kitani, K. M., 868, *1101*
 Kitano, H., 983, *1101*
 Kitchin, D. E., 399, *1115*
 Kjaerulff, U., 516, *1101*
 Klarman, H. E., 549, *1101*
 Klein, D., 896, 903, 904, 928, *1101*,
1104, *1108*
 Kleinberg, J. M., 1045, 1060, *1101*
 Klemperer, P., 639, *1101*
 Klempner, G., 473, *1107*
 Kneser, R., 903, *1101*
 Knight, B., 39, *1088*
 Knoblock, C. A., 126, 362, 398, 400,
1090, *1096*, *1101*
 KNOWITALL (information extraction
 system), 906
 knowledge
 acquisition, 41, **290**
 and action, 25, 344–346
 autonomous learning agent, 748
 background, **227**, 320, 749
 base (KB), **227**, 264
 commonsense, 37
 cumulative learning process, 748
 diagnostic, 418
 engineering, **289**, 289–295, 433
 entailment constraint, **747**
 explanation-based learning, **749**
 inductive logic programming, 750
 inferential behavior, 748–749
 knowledge-based inductive learning,
 750
 level, **228**, 265
 model-based, 418
 prior, 58, 59, **670**
 relevance-based learning, **749**, **750**
 knowledge-based agents, **226**
 knowledge-based inductive learning
 (KBIL), **750**, **767**
 knowledge-based system, 40–42, 870
 knowledge compilation, **768**
 knowledge representation, **20**, 35, 37, 41,
 226, 269–274, 332–361
 for everything, 332
 language, **227**, 264, 269
 uncertain, 430–432
 knowledge state, 405
 Knuth, D. E., 86, 221, 267, 330, 985,
1097, *1101*
 Ko, J., 48, *1094*
 Kober, J., 986, *1101*
 Kobilarov, G., 334, 357, *1088*
 Koch, C., 1058, *1091*, *1101*
 Kochenderfer, M. J., 588, 873, *1100*, *1102*
 Kociemba, H., 124, *1110*
 Kocsis, L., 222, 587, *1102*
 Koditschek, D., 986, *1102*
 Koehn, P., 931, *1102*
 Koelsch, S., 1027, *1102*
 Koenderink, J. J., 1030, *1102*
 Koenig, S., 163, 399, 401, 586, 984,
1098, *1102*, *1113*
 Kohlberger, T., 48, *1104*
 Kohli, P., 668, *1102*

- Kolesky, D. B., 1064, *1102, 1107*
 Kollar, T., 986, *1114*
 Koller, D., 222, 428, 473, 478, 516, 517, 551, 587, 611, 637, 666–668, 798, 799, 903, 984, *1086–1088, 1090, 1095, 1097, 1099, 1101, 1102, 1106, 1108, 1109, 1111, 1114*
 Kolmogorov's axioms, **411**
 Kolmogorov, A. N., 427, 428, 515, 734, *1102*
 Kolmogorov complexity, **734**
 Kolobov, A., 588, 667, *1105, 1106*
 Kolter, J. Z., 868, *1102*
 Koltun, V., 873, *1111*
 KOMODO (chess program), 222
 Kondrak, G., 189–191, *1102*
 Konečný, J., 1043, *1102*
 Konolige, K., 190, 360, 636, 984, 985, 987, *1088, 1089, 1102*
 Kononova, O., 923, *1115*
 Kontokostas, D., 357, *1103*
 Koopmans, T. C., 586, *1102*
 Korb, K. B., 478, *1102*
 Koren, S., 735, *1087*
 Koren., Y., 985, *1088*
 Korf, R. E., 116, 124–127, 163, 221, 399, *1094, 1102, 1109*
 Kortenkamp, D., 983, *1091*
 Koss, F., 983, *1091*
 Kotthoff, L., 737, *1099*
 Koutsoupias, E., 160, 266, *1102*
 Kovacs, D. L., 398, *1102*
 Kowalski, R., 296, 312, 317, 329, 358, *1102, 1111*
 Kowalski form, 317
 Koyama, M., 837, *1106*
 Koyejo, O. O., 737, *1101*
 Koyejo, S., 1023, *1093*
 Koza, J. R., 161, *1102*
 Krakovna, V., 873, 1054, *1102, 1103*
 Kramer, S., 666, *1101*
 Kraska, T., 329, *1102*
 Kraus, S., 45, 639, 640, *1102, 1114*
 Kraus, W. F., 161, *1104*
 Krause, A., 551, *1102*
 Krause, J., 837, *1111*
 Krauss, P., 665, *1112*
 Krawiec, K., 161, *1113*
 Kreitmann, P., 1060, *1087*
 Kretch, K. S., 852, *1085*
 Kreuter, B., 1043, *1088*
 Kriegspiel, **214**
 Krikun, M., 47, 834, 901, 916, *1117*
 Kripke, S. A., 358, *1102*
 Krishna, V., 639, *1102*
 Krishnamurthy, V., 588, *1102*
 Krishnan, A., 516, *1104*
 Krishnan, T., 799, *1106*
 Krishnanand, K., 160, *1102*
 Krizhevsky, A., 44, 837, 838, 986, 1029, *1102, 1103, 1113*
 Krogh, A., 516, 838, *1102*
 Krueger, D., 734, *1086*
 Kruppa, E., 1028, *1102*
 Ktesibios of Alexandria, 33
 Kübler, S., 904, *1102*
 Kuffner, J. J., 985, *1102*
 Kuhlmann, G., 873, *1114*
 Kuhn, H. W., 658, 667, 637, *1102*
 Kuipers, B. J., 360, 984, *1102*
 Kulkarni, T., 668, *1102*
 Kullback-Leibler divergence, **809**
 Kumar, M. P., 734, *1087*
 Kumar, P. R., 79, *1102*
 Kumar, S., 33, 901, 1069, *1102, 1117*
 Kumar, V., 126, 738, 1041, *1090, 1102, 1114*
 Kumaran, D., 45, 48, 201, 220, 223, 871, 873, *1106, 1112*
 Kuniyoshi, Y., 983, *1101*
 Kuo, W.-C., 1015, *1095*
 Kuppuswamy, N., 1033, *1101*
 Kuprel, B., 48, *1094*
 Kurakin, A., 838, *1090*
 Kurien, J., 162, *1102*
 Kurth, T., 48, *1103*
 Kurzweil, R., 30, 1055, 1056, 1061, *1103*
 Küttler, H.,
 Kwok, C., 905, *1103*
-
- L**
- L-BFGS (optimization algorithm), 735
 label (in machine learning), **671**
 label (in plans), **143**
 Laborie, P., 402, *1103*
 Lacoste-Julien, S., 734, *1086*
 Ladkin, P., 358, *1103*
 Lafferty, J., 906, *1103*
 Lagoudakis, M. G., 637, *1097*
 Laguna, M., 160, *1096*
 Lahiri, S., 838, *1109*
 Lai, J. C., 929, *1089*
 Lai, M., 45, 48, 201, 220, 223, 871, *1112*
 Lai, T. L., 575, 587, *1103*
 Laine, S., 831, *1101*
 Laird, J., 310, 329, 400, *1100, 1103, 1117*
 Laird, N., 515, 799, *1093*
 Laird, P., 160, 190, *1106*
 Lake, B., 667, *1103*
 Lake, R., 223, *1111*
 Lakemeyer, G., 984, *1089*
 Lakoff, G., 357, 904, 1057, *1103*
 Lally, A., 48, *1094*
 Lam, J., 225, *1103*
 Lamarck, J. B., 136, *1103*
 Lample, G., 930, *1103*
 Lamure, M., 549, *1087*
 Lanctot, M., 45, 48, 201, 220, 223, 871, *1112*
 Landauer, T. K., 903, 929, *1093*
 Landhuis, E., 528, *1103*
 landmark (recognizable feature), **940**
 landmark point, **120**
 land mine, 1038
 Landolin, J. M., 735, *1087*
 landscape (in state space), **128**
 Lang, J., 639, *1088*
 Langdon, W., 162, *1103, 1109*
 Lange, D., 873, *1100*
 Langton, C., 161, *1103*
 language, 884
 formal, 874
 model, **875**, 911
 in disambiguation, 899
 masked, **925**
 natural, 22, 270, 874
 processing, 35, 874–931
 source, **915**
 target, **915**
 understanding, 38, 41
 language identification, **877**
 Lao, N., 334, *1093*
 LaPaugh, A. S., 125, *1103*
 Laplace, P., 26, 426, 427, 878, 902, *1103*
 Laplace smoothing, 878
 Larkey, P. D., 637, *1100*
 Larochelle, H., 690, 838, *1103, 1113*
 Larsen, B., 474, *1103*
 Larson, K., 638, *1111*
 Larson, S. C., 734, *1103*
 Laruelle, H., 401, *1096*
 Laskey, K. B., 667, 550, *1103*
 Lassez, J.-L., 330, *1100*
 Lassila, O., 357, *1087*
 late move reduction, **206**
 latent Dirichlet allocation, 903
 latent semantic indexing, 903
 latent variable, **788**
 Latham, D., 873, *1105*
 Latombe, J.-C., 402, 984–986, *1093, 1101, 1103, 1118*
 lattice theory, 331
 Laugherty, K., 904, *1097*
 Laurent, C., 900, *1118*
 Lauritzen, S., 473, 474, 548, 549, 798, 799, *1091, 1103, 1108, 1113*
 LaValle, S., 402, 985, 987, *1102, 1103*
 Lave, R. E., 588, *1111*
 Lavie, A., 904, *1111*
 Lawler, E. L., 125, 126, 395, 402, *1103*
 laws of robotics, 1058
 laws of thought, 21–22
 layer (in neural networks), **801**
 hidden, **805**
 input, 807
 mixture density, **810**
 output, **805**

- Lazanas, A., 986, *1103*
laziness, **404**
La Mettrie, J. O., 1052, 1057, *1103*
La Mura, P., 549, *1103*
LCF (Logic for Computable Functions), 296
Le, Q. V., 47, 736, 834, 838, 900, 901, 916, 930, 931, 1072, *1092*, *1109*, *1110*, *1112*, *1114*, *1117*, *1118*
Le, T. A., 475, 668, *1103*
Leacock, C., 356, *1089*
leak node, **439**
Leaper, D. J., 428, *1092*
LEARN-DECISION-TREE, **678**
learned index structures, 329
learning, **59**, 64, 78, 228, 235, 669, 874
 apprenticeship, 1054
 arch-learning program, 743
 assessing performance of, 683–684
 attributes, **739**
 Bayesian, 719, **773**, 773–774, 797
 Bayesian network, 785–786
 in the blocks world, 38
 boundary-set representation, **744**, 745–746
 candidate elimination algorithm, **744**
 in checkers, 37
 computational theory of, 690
 current-best-hypothesis search, 741–743
 decision list, 692–694
 decision tree, 675–679, 740
 declarative bias, **757**
 deep, **44**, 716, 801–839
 dropping conditions, **743**
 element, **74**
 ensemble, **714**, 714–720
 explanation-based learning
 branching factor, **753**
 definition, 750
 efficiency, 752–754
 general rules, 751–752
 logic programming implementation, 751
 memoization, **751**
 operationality, **754**
 prune, **752**
 extensions, **740**
 false negative, **740**
 false positive, **741**
 functional dependencies/
 determinations, 755
 in game playing, 866–867
 generalization, **741**, 742
 generalization hierarchy, **747**
 grammar, 905
 G-set, **744**, 745, 746
 heuristics, 122
 in hidden Markov models, 795
 hidden variables, 792–794
 inductive, 671–674, 733, 740, 741
 inductive logic programming
 attribute-based learning algorithm, 759, 760
 CHOOSE-LITERAL, 763
 constructive induction algorithms, **760**
 description, 758
 family tree, 760
 inverse entailment, **765**
 inverse resolution, **763**, 764–766
 Journal of Molecular Biology, **766**
 knowledge-based induction problem, 758
 linear resolution, **765**
 LINUS system, 765
 molecular biology experiments, 767
 NEW-LITERALS, 762–763
 positive and negative examples, 758, 759
 PROGOL system, 765, 766
 Prolog Horn-clause deduction, 765
 resolvent C, **763**
 three-dimensional configuration, 758
 top-down inductive learning
 methods, 761–763
 instance-based, **704**, 704–706
 knowledge
 autonomous learning agent, 748
 background knowledge, 749
 cumulative learning process, 748
 entailment constraint, **747**
 explanation-based learning, **749**
 inductive logic programming, 750
 inferential behavior, 748–749
 knowledge-based inductive learning, **750**
 relevance-based learning, **749**, **750**
 large-scale, **688**
 least-commitment search, 744–747
 MAP, 774–775
 maximum likelihood, 776–780
 Meta-DENDRAL system, **747**
 metalevel, **122**
 mixtures of Gaussians, 789–791
 naïve Bayes, 778
 neural network, 35
 noise in, 681–682
 nonparametric, 704
 online, **721**, 855
 PAC, 691, 735
 parameter, **775**, 781–783
 Patrons condition, 743
 prior knowledge, **739**
 Q, **841**, 853, 861, 932
 rate of, **696**, 846
 reinforcement, 28, 210, 585, **671**, **840**, 840–873, 986
 relational, **871**
 relevance information, 754–757
 in the restaurant problem, 674
 in search, 121–122, **121**
 to search, 121
 specialization, **741**, 742
 statistical, 772–775
 S-set, **744**, 745, 746
 unsupervised, **671**, 789–791
 version space, **744**
 VERSION-SPACE-LEARNING
 algorithm, 746–747
 weak, **718**
 learning curve, **679**
 Learning to Learn, 737
 least-constraining-value heuristic, **177**
 leave-one-out cross-validation (LOOCV), 684
 Lebedev, M.A., 29, *1103*
 Lecoutre, C., 191, *1103*
 LeCun, Y., 35, 44, 736, 837–839, 903, 1029, 1067, 1069, *1087*, *1090*, *1100*, *1103*, *1115*, *1118*
 Lederberg, J., 40, 41, 356, *1094*, *1104*
 Ledsam, J. R., 48, *1104*
 Lee, A. X., 985, *1112*
 Lee, B. K., 1027, *1111*
 Lee, C.-H., 1033, *1101*
 Lee, D., 476, 668, 798, 873, *1090*, *1103*
 Lee, G. A., 29, *1118*
 Lee, J. D., 837, *1093*
 Lee, K., 48, 930, *1093*, *1104*, *1109*, *1110*
 Lee, K.-F., 19, 53, *1103*
 Lee, K.-H., 1033, *1101*
 Lee, K. C., 986, *1093*
 Lee, M. S., 798, *1107*
 Lee, R. C.-T., 331, *1090*
 Lee, S.-I., 737, *1104*
 Lee, S.-W., 516, *1114*
 Lee, T.-M., 29, *1108*
 Lee, W. S., 588, *1086*
 Leech, G., 903, 904, *1103*, *1110*
 LEELAZERO (game-playing program), 218
 Lefrancq, A., 873, 1054, *1087*, *1103*, *1114*
 Legendre, A. M., 735, *1103*
 Legg, S., 871, 873, 1054, *1087*, *1103*, *1106*
 Lehmann, D., 639, *1102*
 Lehmann, J., 334, 357, *1088*, *1103*
 Lehrer, J., 550, *1103*
 Lehtinen, J., 831, *1101*
 Leibniz, G. W., 24, 138, 265, 427, 637
 Leibo, J. Z., 873, *1087*
 Leighton, M. J., 126, *1089*
 Leike, J., 873, 1054, *1103*

- Leimer, H., 474, *1103*
 Leipzig, 30
 Leiserson, C. E., 125, 1080, *1091*
 Lelis, L., 127, *1103*
 Lenat, D. B., 334, 357, 636, *1103*
 lens, **991**
 Lenstra, J.K., 125, 190, 395, 402, *1085*,
1103
 Lenzerini, M., 359, *1089*
 Leonard, H. S., 358, *1103*
 Leonard, J., 984, *1088*, *1103*
 Leone, N., 191, 360, *1094*, *1097*
 Lepage, G. P., 475, *1103*
 Lerman, K., 1060, *1106*
 Lerner, U., 473, *1103*
 Lesh, N., 401, *1094*
 Leśniewski, S., 358, *1103*
 Lesser, V. R., 636, 639, *1094*, *1103*
 Letz, R., 330, *1103*
 Levasseur, L. P., 670, *1098*
 level of abstraction, **84**
 Lever, G., 48, 225, *1100*
 Levesque, H. J., 160, 267, 359, 361, 636,
1088, *1091*, *1103*, *1112*
 Leviathan, 24
 Levin, D. A., 515, *1103*
 Levine, S., 737, 841, 872, 985, 986, *1085*,
1088, *1095*, *1103*, *1111*, *1112*
 Levinstein, B., 1053, *1085*
 Levitt, R. E., 401, *1101*
 Levitt, T. S., 984, *1102*
 Levskaya, A., 928, 930, *1101*
 Levy, D., 224, 1033, 1057, *1103*
 Levy, O., 927–931, *1097*, *1103*, *1104*,
1116
 Lew, A. K., 667, 668, *1091*
 Lewis, A., 160, *1106*
 Lewis, J. A., 1064, *1102*, *1107*
 Lewis, M., 927, 930, *1104*
 lexical-functional grammar (LFG), 904
 lexical category, 880
 lexicalized PCFG, **892**, 904
 lexicon, **886**, 904
 Leyton-Brown, K., 638, 640, 737, *1103*,
1112, *1115*
 Le Truong, H., 331, *1097*
 LFG (lexical-functional grammar), 904
 Li, B., 900, *1090*
 Li, C. M., 266, *1103*
 Li, D., 901, *1085*
 Li, H., 222, 837, *1093*, *1116*
 Li, K., 44, 838, *1093*, *1103*
 Li, L., 517, 668, *1094*, *1117*
 Li, L.-J., 44, *1093*
 Li, M., 735, *1104*
 Li, P., 476, 516, 668, 798, *1090*, *1104*
 Li, S., 725, 1046, *1098*
 Li, T.-M., 1067, *1104*
 Li, W., 930, 985, *1104*, *1110*
 Li, X., 160, *1104*
 Li, X.-R., 79, *1086*
 Li, Y., 837, 873, 930, *1085*, *1114*
 Li, Z., 516, *1104*
 Liang, G., 473, *1090*
 Liang, J., 137, 161, *1106*
 Liang, P., 896, 931, *1104*, *1110*
 Liang, Y., 873, *1096*
 LIBBI (probabilistic programming
 language), 668
 Liberatore, P., 267, *1104*
 Libratus (poker program), 218, 224, 612
 lidar, 1024
 Lidar, D., 1069, *1107*
 Liebana, D. P., 222, *1089*
 Lifchits, A., 905, *1108*
 life, value of statistical, **523**
 life insurance, 529
 Lifschitz, V., 360, 361, *1096*, *1104*, *1115*
 lifting, 300–304, **301**, 668
 in probabilistic inference, 648
 lifting lemma, 321, **324**
 light, 993–995
 ambient, **993**
 Lighthill, J., 39, *1104*
 Lighthill report, 39, 41
 likelihood, **773**
 LIKELIHOOD-WEIGHTING, **458**
 likelihood weighting, **457**, 472, 509
 Likhachev, M., 163, *1102*
 Lillcrap, T., 45, 48, 224, 986, *1098*,
1104, *1112*
 Lim, G., 334, *1113*
 LIME (explainable machine learning
 system), 730, 737
 limited rationality, **22**, 346
 limit of means, **605**
 Lin, D., 905, *1108*
 Lin, J., 901, 905, *1086*
 Lin, S., 125, 639, *1104*, *1116*
 Lin, T., 334, *1113*
 Lin, Y., 516, *1117*
 Linares López, C., 399, *1115*
 Lindley, D. V., 550, *1104*
 Lindsay, R. K., 356, *1104*
 Lindsten, F., 517, *1104*
 linear-Gaussian, **440**, 473, 497, 656, 779
 linear algebra, 1076–1077
 linear constraint, **167**
 linear function, **694**
 linearization, **942**
 linear programming, **139**, 159, 161, 167,
 562, 603
 linear quadratic regulator (LQR), **962**,
 982
 linear regression, *see* regression (in
 machine learning)
 linear resolution, **326**
 linear separability, **700**
 linear separator, 712
 linear temporal logic, **346**
 line search, **139**
 linguistics, 34–35, 874
 Linnaeus, 357
 Lipton, Z. C., 1060, *1100*
 liquid (naive physics of), 360
 Lisp, **37**, 277, 362
 lists (logical axioms for), **287**
 Lisý, V., 48, 224, *1107*
 literal (sentence), **235**
 literal, watched, 266
 Littman, M. L., 161, 359, 401, 586, 587,
 638, 872, 873, 1065, *1085*, *1090*,
1099, *1100*, *1104*, *1105*
 Lituiev, D., 48, *1093*
 Liu, B., 871, *1104*
 Liu, H., 838, 1027, *1104*, *1105*
 Liu, J., 516, 517, 871, 873, *1104*, *1111*
 Liu, L. T., 1060, *1104*
 Liu, M.-Y., 930, *1104*
 Liu, P. J., 930, *1110*
 Liu, W., 798, *1090*
 Liu, X., 48, *1104*
 Liu, Y., 48, 927, 930, *1104*, *1113*
 Livescu, K., 516, *1104*
 Ljung, G. M., 515, 838, *1088*
 Lloyd, J., 737, *1113*
 Lloyd, S., 1069, 1071, *1098*, *1104*
 Lloyd, W. F., 639, *1104*
 Llull, R., 24, *1104*
 Lo, H.-Y., 736, *1117*
 LoBue, V., 852, *1085*
 local-sensing vacuum world, 148
 local beam search, **133**
 local consistency, **170**
 localist representation, **77**
 locality, **257**
 locality-sensitive hash (LSH), **707**
 localization, **151**, 494, **939**
 Markov, **984**
 locally structured system, **435**
 locally weighted regression, **709**
 local search, 128–137, 160, 190,
 253–254, 265, 266
 location sensor, **935**
 Locke, J., 24
 Lockhart, E., 224, *1112*
 Loebner Prize, 1057
 Loftus, E., 271, *1104*
 log-normal distribution discrete, **650**
 Logemann, G., 251, 266, *1092*
 logic, 21, 232–235
 atoms, 278
 default, **352**, 356, 359
 equality in, 282
 first-order, **269**, 269–297
 inference, 298–300
 semantics, 274

- syntax, 274
 first-order (FOL), 269
 fuzzy, 232, 273, 477
 higher-order, **273**
 inductive, 428
 interpretations in, 275–277
 model preference, **352**
 models, 274–275
 nonmonotonic, 243, **351**, 351–353, 359
 notation, 21
 propositional, 226, 235–240, 264, 269
 inference, 238–254
 semantics, 236–238
 syntax, 235–236
 quantifier, 278–282
 resolution, 243–247
 sampling, 475
 temporal, **273**
 terms, 277–278
 logical agent, 404
 logical connective, 35, 235, 264, 278
 logical inference, 233, 298–331
 logically exhaustive, 404
 logical minimization, **337**
 logical omniscience, **346**
 logical piano, 266
 logical positivism, **25**
 logical reasoning, 240–255
 logicism, **21**
 logic programming, 248, 296, 312–316
 constraint, 316, 330
 probabilistic, 665
 tabled, **315**
 Logic Theorist (LT), 36, 266
 LOGISTELLO (Othello program), 206
 logistic function, **442**, 735
 logistic regression, **703**, 735, 881
 logit model, inverse, **442**
 log likelihood, **776**
 Lohia, P., 1047, 1060, *1087*
 Lohn, J. D., 161, *1104*
 long-distance dependency, 897
 long-term memory, 310
 long short-term memory (LSTM), **826**,
 914
 long tail, **730**
 Longuet-Higgins, H. C., 1030, *1104*
 LOOCV (leave-one-out cross-validation),
 684
 “Look, Ma, no hands,” 36
 loopy belief propagation, *see* belief
 propagation, loopy
 Loos, S., 327, 330, *1086*, *1104*
 loosely coupled system, **593**
 Lopez, A. M., 873, *1110*
 Lopez, P., 737, *1098*
 Lopez de Segura, R., 23, *1104*
 Lopyrev, K., 931, *1110*
 Lorentz, R., 222, *1104*
 Losey, D. P., 974, *1086*
 loss function, **687**
 Lotem, A., 399, *1116*
 lottery, **520**
 standard, **523**
 Lou, J.-K., 736, *1117*
 love, 1033
 Love, B. C., 550, *1100*
 Love, N., 225, *1104*
 Lovejoy, W. S., 587, 588, *1104*
 Lovelace, A., 33, *1104*
 Loveland, D., 251, 266, 330, *1092*, *1104*
 low-dimensional embedding, **944**
 Lowe, D., 1029, *1104*
 Löwenheim, L., 296, *1104*
 Lowerre, B. T., 160, *1104*
 lowest path cost, 83
 low impact, **1053**
 Lowrance, J. D., 477, *1111*
 Lowry, M., 327, 330, *1098*, *1104*
 Loyd, S., 124, *1104*
 Lozano-Perez, T., 588, 984–986, *1089*,
 1099, *1104*, *1116*
 LQR (linear quadratic regulator), **962**,
 982
 LRTA*-AGENT, **158**
 LRTA*-COST, **158**
 LRTA*, 157, 163, 383, 570
 LSH (locality-sensitive hash), **707**
 LSTM (long short-term memory), **826**,
 914
 LSVRC, 46
 LT (Logic Theorist), 36, 266
 Lu, C., 872, *1117*
 Lu, F., 984, *1104*
 Lu, P., 223, 735, *1089*, *1111*
 Lu, Y., 737, *1117*
 Luan, D., 930, *1110*
 Lubberts, A., 223, *1104*
 Luby, M., 132, 475, *1092*, *1104*
 Lucas, J. R., 1034, *1104*
 Lucas, P., 428, *1104*
 Lucas, S. M., 222, *1089*
 Luce, D. R., 28, 637, *1104*
 Luddite, 1049
 Luehr, N., 48, *1103*
 Lugosi, G., 736, *1090*
 Lukaszewicz, T., 665, *1104*
 Lum, K., 1060, *1094*
 LUNAR (question-answering system),
 905
 Lundberg, S. M., 737, *1104*
 Lunn, D., 666, 798, *1105*
 Luo, S., 1027, *1105*
 Luong, Q.-T., 1030, *1094*
 Lusk, E., 331, *1117*
 Luu, C., 1060, *1087*
 Lygeros, J., 79, *1090*
 Lyman, P., 737, *1105*
 LYNA (medical diagnosis system), 48
 Lynch, K., 79, 985, 987, *1090*, *1105*
-
- M**
- MA* search, **113**, 113, 127
 Ma, S., 734, 837, *1087*, *1111*
 Maas, A. L., 868, *1118*
 MacDonald, R., 48, *1113*
 MacGlashan, J., 359, 872, 1065, *1099*,
 1104
 Macherey, K., 47, 834, 901, 916, *1117*
 Macherey, W., 47, 834, 901, 916, *1090*,
 1117
 Machina, M., 550, *1105*
 machine evolution, **39**
 machine learning, **20**, 22, 53, 220, **669**,
 669–987
 machine translation (MT), 900, **915**, 931
 unsupervised, **831**
 Machover, M., 297, *1087*
 Macià, N., 737, *1097*
 MacKay, D. J. C., 476, 738, *1105*, *1106*
 MacKenzie, D., 331, *1105*
 Mackworth, A.K., 79, 171, 188–190,
 1105, *1109*
 Macready, W. G., 733, *1117*
 macrop (macro operator), **400**, **768**
 madaline, 836
 Madams, T., 48, *1097*
 Maddison, C.J., 37, 45, 222, 223, *1112*
 Madhavan, R., 986, *1105*
 Madigan, C. F., 190, 266, *1107*
 Madry, A., 838, *1090*
 magic set, **310**, 329
 Magnini, B., 931, *1091*
 Magron, V., 331, *1097*
 Mahadevan, S., 871, *1104*
 Mahalanobis distance, **706**
 Maharaj, T., 734, *1086*
 Mahaviracarya, 426
 Mahendiran, T., 48, *1104*
 Mahesh, A., 48, *1103*
 Maheswaran, R., 191, *1108*
 Mahlmann, T., 48, 225, *1094*
 Maier, D., 190, 329, *1086*, *1087*
 Mailath, G., 637, *1105*
 Majercik, S. M., 401, *1105*
 makespan, **393**
 Makov, U. E., 799, *1115*
 Maksymets, O., 873, *1111*
 Malave, V. L., 271, *1106*
 Malhotra, P., 1041, *1105*
 Malik, D., 638, *1105*
 Malik, J., 516, 838, 873, 986, 1001, 1014,
 1015, 1020, 1028, 1030, *1085*,
 1092, *1095*, *1096*, *1099*, *1101*,
 1103, *1105*, *1111*, *1112*
 Malik, S., 190, 266, *1107*
 Malone, T. W., 1062, *1105*

- MAML (Model-Agnostic Meta-Learning), 737
- manager (of tasks), 623
- Manchak, D., 358, 1115
- Mandal, S., 734, 1087
- Mané, D., 1061, 1085
- Maneva, E., 267, 1105
- Manhattan distance, 118
- Manhattan heuristic, **116**
- manipulator, **933**
- Manna, Z., 296, 297, 1105
- Manne, A. S., 586, 1105
- Manning, C., 890, 901, 903–905, 923, 929, 931, 1088, 1090, 1101, 1105, 1108, 1109
- Mannion, M., 296, 1105
- Manolios, P., 331, 1101
- Mansinghka, V. K., 667, 668, 1091, 1097, 1102, 1105, 1111
- Mansour, Y., 587, 588, 872, 873, 1101, 1114
- map, 726
- MAP (maximum a posteriori), **774**, 797, 822
- mapping problem, **153**
- Marais, H., 905, 1113
- Marbach, P., 872, 1105
- Marcedone, A., 1043, 1088
- March, J. G., 549, 1098
- Marcinkiewicz, M. A., 880, 903, 1105
- Marcot, B., 474, 1109
- Marcus, G., 550, 1105
- Marcus, M. P., 880, 903, 1105
- Marcus, S. I., 587, 1090
- margin, **711**
- marginal contribution, **618**
- marginal contribution net, **620**
- marginalization, **414**
- Marin-Urias, L. F., 986, 1113
- Marinescu, R., 475, 1105
- Mari Aparici, C., 48, 1093
- Markov, A., 481, 515, 902, 1105
- Markov assumption, **481**, 515, 824
- Markov blanket, **437**, 460, 461
- Markov chain, **460**, 481, 877
- Markov chain Monte Carlo (MCMC), **459**, 459–466, 472, 475, 509, 668, 783
decayed, **517**
- Markov decision process (MDP), 28, **553**, 585, 587, 840
factored, **587**
partially observable (POMDP), **578**, 578–585, 587
relational, **587**
structural estimation of, 872
- Markov game, 638
- Markov network, 474
- Markov process, **481**
second-order, 481
time-homogeneous, 481–483, 514
- Markov property, 489, 514, 553
- Markov reward process, **571**
- Marler, R.T., 137, 1105
- Maron, M. E., 428, 1105
- Márquez, L., 903, 1105
- Marr, D., 837, 1031, 1105
- Marriott, K., 189, 1105
- Marris, L., 48, 225, 1100
- Mars Exploration Rover, Marshall, A.W., 872, 1100
- Marshall, P. J., 670, 1098
- Marsland, S., 738, 1105
- Martelli, A., 125, 162, 1105
- Marthi, B., 400, 517, 653, 666, 667, 873, 1105, 1106, 1108
- Martic, M., 873, 1054, 1103
- Martin, D., 1028, 1105
- Martin, F. G., 1051, 1105
- Martin, J. H., 900, 903, 904, 906, 1100, 1105
- Martin, N., 329, 1089
- Martin, S., 88, 1087
- Martino, J., 1047, 1060, 1087
- Marx, G., 898
- masked language model (MLM), **925**
- Maskell, S., 517, 1086
- Maskin, E., 639, 1092
- Mason, M., 162, 400, 985–987, 1094, 1104, 1105
- Mason, R. A., 271, 1106
- mass noun, **340**
- mass spectrometer, 40
- Mataric, M. J., 987, 1105
- matching pennies, **599**
- Mateescu, R., 191, 474, 1092
- Mateis, C., 360, 1094
- Matena, M., 930, 1110
- materialism, 24
- material science, 923
- material value, **203**
- Materzynska, J., 873, 1110
- Mates, B., 265, 1105
- mathematical induction schema, 323
- mathematics, history of, 26–27
- Matheson, J. E., 534, 548, 550, 1099, 1106
- Matheson, M., 48, 1103
- Mathieu, M., 48, 225, 837, 1069, 1090, 1115
- matrix, **1077**
- matrix form, 492
- Matsubara, H., 222, 1095
- Mattar, M., 873, 1100
- Matuszek, C., 357, 1105
- Mauchly, J., 32
- Mausam., 402, 588, 1091, 1105
- MAVEN (Scrabble program), 225
- MAX-VALUE, **196**, **200**
- maximin, **601**
- maximin equilibrium, **603**
- maximum
global, **129**
local, **130**
- maximum a posteriori (MAP), **774**, 797, 822
- maximum expected utility (MEU), **405**, 519, 565
- maximum likelihood, **775**, 776–780, 797
- maximum margin separator, 710, **711**
- maximum mean discrepancy, 737
- max norm, **564**
- Maxwell, J., 34, 426, 1027, 1105
- Mayer, A., 127, 1098
- Mayer, J., 734, 1105
- Mayne, D. Q., 516, 985, 1098, 1100
- Mayor, A., 1057, 1105
- Maziarz, K., 736, 1072, 1112
- MBP (planning system), 401
- McAfee, A., 1062, 1089
- McAlear, S., 124, 1085
- McAllester, D. A., 43, 162, 221, 190, 360, 398, 399, 667, 872, 873, 889, 1085, 1094, 1101, 1102, 1105, 1114
- McArthur, N., 1057, 1092
- MCC (Microelectronics and Computer Technology Corporation), 41
- McCallum, A., 668, 905, 906, 1091, 1095, 1100, 1103, 1105, 1109, 1114
- McCann, B., 931, 1101
- McCarthy, J., 35, 36, 50, 78, 265, 267, 296, 335, 359, 399, 1105
- McCawley, J. D., 904, 1105
- McClelland, J. L., 42, 836, 1111
- McClure, M., 516, 1086
- McCorduck, P., 1058, 1105
- McCulloch, W. S., 34, 35, 38, 267, 801, 836, 1105
- McCune, W., 326, 331, 1105
- McDermott, D., 162, 329, 347, 358, 359, 362, 398, 401, 1090, 1096, 1105, 1106
- McDermott, J., 41, 310, 329, 1106
- McDonald, R., 272, 890, 904, 1102, 1108
- McEliece, R. J., 476, 1106
- McGregor, J. J., 189, 1106
- McGrew, B., 966, 986, 1085
- McGuinness, D., 350, 357, 359, 1086, 1088, 1113
- McIlraith, S., 296, 1106
- McKenzie, D., 476, 1108
- McKinney, W., 738, 1106
- McLachlan, G. J., 799, 1106
- McLaughlin, S., 331, 1097
- McMahan, B., 551, 1102

- McMahan, H. B., 1043, 1060, *1088*,
1102, *1106*
- MCMC (Markov chain Monte Carlo),
459, 459–466, 472, 475, 509, 668,
783
- McMillan, K. L., 399, *1106*
- McPhee, N., 162, *1109*
- MCTS (Monte Carlo tree search), **207**
- McWhorter, J. H., 296, *1106*
- MDL (minimum description length), **689**,
734, 775
- MDP (Markov decision process), 28, **553**,
585, 587, 840
- mean-field approximation, **476**
- measure, **337**
- measurement, 337–339
- mechanism
strategy-proof, **625**
- mechanism design, **590**, 622
- Medea, 982
- medical diagnosis, 41, 428, 436, 537
- Medina-Lara, A., 549, *1087*
- Meehan, J., 329, *1090*
- Meehl, P., 356, *1097*, *1106*
- Meek, C., 474, *1116*
- Meet* (interval relation), 342
- meganode, **453**
- Megarian school, 265
- megavariable, 491
- Meggido, N., 611, 637, *1102*
- Mehrabi, N., 1060, *1106*
- Mehta, G. B., 548, *1087*
- Mehta, S., 1046, 1047, 1060, 1061, *1087*,
1098
- Mellish, C. S., 330, *1091*
- Melo, F. S., 225, *1112*
- memoization, 328
- memorization (of data), 686
- memory (in neural networks), **824**
- memory cell (in LSTMs), **826**
- memory requirements, 95, 98
- MEMS (micro-electromechanical
system), 1064
- MENACE (learning algorithm), 223
- Mendel, G., 136, *1106*
- Mendes, P. N., 357, *1103*
- Meng, X.-L., 476, *1089*
- Mengüç, Y., 1064, *1107*
- meningitis, 417
- mental model, in disambiguation, 899
- mental object, 344–346
- Mercer's theorem, **713**
- Mercer, J., 713, *1106*
- Mercer, R. L., 902, 929, 931, *1089*, *1100*
- Merel, J., 873, *1114*
- mereology, **358**
- Merkhofer, M. M., 548, *1106*
- Merleau-Ponty, M., 1057, *1106*
- Mertz, C., 970, 986, *1118*
- Meshulam, R., 127, *1094*
- Meta-DENDRAL system, **747**
- metalearning, 737, 967, 986
- metalevel reasoning system (MRS), 316
- metalevel state space, **121**
- metaphor, **899**, 904
- metareasoning, **219**
decision-theoretic, **1070**
- metarule, **316**
- meteorite, 390, 403
- metonymy, **898**
- Metropolis, N., 160, 222, 475, *1106*
- Metropolis-Hastings, **460**
- Metropolis algorithm, 160, 475
- Metz, L., 828, *1110*
- Metzen, J. H., 838, *1094*
- Metzler, D., 901, 905, *1091*
et al., 48, 225, *1093*, *1100*
- MEU (maximum expected utility), **405**,
519, 565
- Meyerson, E., 137, 161, *1106*
- Mézar, M., 160, *1106*
- MGONZ (chatbot), 1035
- MGSS*, 221
- MGU (most general unifier), **302**, 304,
324
- MHT (multiple hypothesis tracker), 667
- Mian, I. S., 516, *1102*, *1107*
- Michael, J., 930, 931, *1116*
- Michalak, T. P., 638, *1110*
- Michaylov, S., 330, *1100*
- Michel, V., 738, *1109*
- Michie, D., 125, 126, 162, 221, 223, 867,
871, 872, 983, *1089*, *1093*, *1106*,
1111
- micro-electromechanical system
(MEMS), 1064
- microarray gene expression, 716
- Microelectronics and Computer
Technology Corporation
(MCC), 41
- micromort, **523**, 549
- Microsoft, 473, 1037, 1059, 1068
- microworld, **38**, 39
- Middleton, B., 439, 473, *1109*
- Miesenböck, G., 29, *1118*
- Miikkulainen, R., 137, 161, 223, *1104*,
1106
- Mikolov, T., 903, 909, 929, 930, *1100*,
1106
- Milch, B., 653, 666–668, *1105*, *1106*,
1108, *1109*
- milestone, **953**
- Milgrom, P., 639, *1106*
- Milios, E., 984, *1104*
- Mill, J. S., 26, *1106*
- Miller, A. C., 548, *1106*
- Miller, D., 401, *1092*
- Miller, T., 737, 1061, *1106*
- million-queens problem, 181
- MILLIONAIRE (mechanical calculator),
27
- Millstein, T., 399, *1094*
- Milner, A. J., 296, *1097*
- MIN-CONFLICTS, **182**
- min-conflicts heuristic, 181, 190
- MIN-VALUE, **196**, **200**
- Minami, R., 1064, *1117*
- mind
dualistic view, 1057
as physical system, 24
theory of, 20
- minibatch, **697**
- minimal model, **352**
- MINIMAX-SEARCH, **196**
- minimax algorithm, 195–196, 220, 221,
601
- minimax decision, **195**
- minimax search, **194**, 194–198
- minimax value, **194**
- minimum
global, **129**
local, **130**
- minimum-remaining-values, **177**, 308
- minimum description length (MDL), **689**,
734, 775
- minimum slack, **396**
- minimum spanning tree (MST), 127
- Minka, T., 667, 798, *1098*, *1106*
- Minker, J., 329, 361, *1095*, *1106*
- Minkowski distance, **705**
- Minsky, M. L., 35, 37, 40, 41, 50, 359,
472, 636, 836, 1056, 1058, 1061,
1106
- Minton, S., 160, 190, 400, *1090*, *1106*
- Miranker, D. P., 190, *1086*
- Mirhoseini, A., 736, 1072, *1112*
- Mirjalili, S. M., 160, *1106*
- Mirza, M., 838, *1097*
- Misak, C., 296, *1106*
- Mishra, B. D., 927, 931, *1091*
- missing attribute values, **682**
- missing fluent, **390**
- missionaries and cannibals, 356
- MIT, 32, 36, 37, 41, 1028, 983
- Mitchell, D., 160, 267, *1091*, *1112*
- Mitchell, M., 53, 161, 162, 1046, *1106*
- Mitchell, T. M., 80, 271, 901, 905, 906,
1088, *1089*, *1091*, *1106*
- MITSUKU (chatbot), 1058
- Mittelstadt, B., 1038, *1106*
- Mitten, L. G., 550, *1106*
- mixed strategy, **596**
- mixing number, 134
- mixing rate, **464**
- mixing time, **486**
- mixture distribution, **790**
- mixture of Gaussians, **790**, 792, 793

- Miyake, S., 837, 1095
Miyato, T., 837, 1106
Mnih, V., 835, 841, 871, 873, 1106
MNIST, 43, 686, 1004
mobile robot, **934**
Mobileye, 1025, 1031
modal logic, 345
modal operators, **345**
model
 causal, 418
 class, **671**
 counting, 452
 weighted, **452**
 selection, **684**, 797
 sensor, 492, 499, 514
 transition, **70**, **83**, 123, 140, **193**, 256, 479, 482, 510, 514, 553, 585, 939
model (abstract description of reality), 84
 small-scale, 31
model (in logic), **232**, 364, 272, 295, 345
model (in machine learning), 669, 671
model (in probability theory), **407**
model-based
 reflex agents, 78
 reinforcement learning, **841**, 966
 vision, 988
MODEL-BASED-REFLEX-AGENT, **71**
model-free agent, **74**
Model-free reinforcement learning, **841**
MODEL-SELECTION, **685**
model checking, **233**, 265
model predictive control (MPC), **963**, 971
model theory (in logic), 296
Modus Ponens, **241**, 265, 326, 328
 Generalized, **300**, 300–301
Moffat, A., 903, 1117
Mohamed, A. R., 900, 905, 1099
Mohamed, S., 838, 1110
Mohr, R., 189, 1029, 1106, 1112
Mohtashamian, A., 48, 1104
Moir, T. J., 1027, 1112
Mojsilovic, A., 1046, 1047, 1060, 1061, 1087, 1098
momentum (in optimization), **817**
monitoring (in machine learning), **730**
monitoring (state estimation), **150**
monotone condition, 125
monotonic concession protocol, **634**
monotonicity
 of a logical system, **243**, 351
 of path costs, **107**
 of preferences, **520**
Monro, S., 735, 1110
Montague, P. R., 873, 1112
Montague, R., 358, 359, 904, 1101, 1106
Montanari, U., 162, 188, 1088, 1105, 1106
MONTE-CARLO-LOCALIZATION, **941**
MONTE-CARLO-TREE-SEARCH, **209**
Monte Carlo algorithm, **453**
 sequential, **517**
Monte Carlo localization, **941**
Monte Carlo search, pure, **207**
Monte Carlo tree search (MCTS), **207**
Montemerlo, M., 984, 1106
Montezuma's Revenge, 867
Mooney, R., 905, 1106, 1117
Moore's law, **32**
Moore, A. M., 798, 1107
Moore, A. W., 160, 586, 798, 871, 986, 1086, 1088, 1107
Moore, E. F., 125, 1107
Moore, J. D., 1060, 1107
Moore, J. S., 327, 330, 331, 1088, 1101
Moore, R. C., 359, 361, 735, 1099, 1107
Moore machine, 637
Moraes, G., 48, 1104
Moravčik, M., 48, 224, 1107
Moravec, H. P., 983, 984, 1061, 1107
Morcos, A. S., 48, 225, 1100
More, T., 36
Morgan, C.L., 161, 1107
Morgan, J., 636, 1091
Morgan, T.J. H., 136, 161, 1107
Morgenstern, J., 1046, 1096
Morgenstern, L., 359, 361, 1092
Morgenstern, O., 28, 521, 548, 638, 1116
Moricz, M., 905, 1113
Moritz, P., 872, 986, 1112
Morjaria, M. A., 473, 1107
Morrill, D., 48, 224, 1107
Morris, P., 47, 401, 1086, 1100
Morrison, E., 221, 1107
Morrison, P., 221, 1107
Morsey, M., 357, 1103
Morstatter, F., 1060, 1106
Moses, Y., 359, 1094
Moskewicz, M. W., 190, 266, 1107
Mossel, E., 267, 1105
most general unifier (MGU), **302**, 304, 324
most likely explanation, 514
most likely state, **963**
motion, 1011–1012
motion model, **939**
motion parallax, 1027
motion planning, 938, 945, **949**, 984
motion primitive, **967**
Mott, A., 1069, 1107
Mott, J., 903, 1087
Motwani, R., 627, 735, 1085, 1096
Motzkin, T. S., 836, 1107
Mountney, P., 1069, 1093
Moutarlier, P., 984, 1107
move, **193**
movies
 2001: A Space Odyssey, 472, 1036
 AI, 1033, 1051
 Centennial Man, 1051
 Her, 1033
 The Matrix, 1052
 Rogue One, 1022
 The Terminator, 933, 1052
 Wall-E, 1033
MPC (model predictive control), **963**, 971
MPE, *see* explanation, most probable
MPI (mutual preferential independence), 533
MRS (metalevel reasoning system), 316
MST (minimum spanning tree), 127
MT (machine translation), 900, **915**, 931
MUC (Message Understanding Conference), 905
Mudd, H. F., 1058
Mudigonda, M., 48, 1103
Mueller, E. T., 334, 358, 1107, 1113
Muggleton, S. H., 905, 1107
MUI (mutual utility independence), **534**
Muldal, A., 873, 1114
Mullainathan, S., 1045, 1060, 1101
Müller, M., 223, 1107, 1111
Muller, U., 44, 837, 1029, 1103
multi-query planning, **954**
multiagent environment, 73, 589–595
multiagent planning problem, **589**
multiagent system, 79, **589**
multiattribute utility theory, **530**, 549
multibody planning, **589**, 591–594
multiheaded attention, **920**
multiple hypothesis tracker (MHT), 667
multiplexer, **646**
multiply connected network, **451**
multitask learning, **833**
multivariable linear regression, **697**
Mumford, D., 1028, 1107
Mundy, J., 1030, 1107
MUNIN (medical diagnosis system), 473
Munos, R., 872, 1107
Murdock, J. W., 48, 1094
Murphy, K., 334, 515–517, 667, 738, 800, 838, 984, 1087, 1093, 1095, 1107, 1114, 1115
Murphy, R., 987, 1107
Murray, I., 838, 1103
Murray, L. M., 668, 1107
Murray, R. M., 985, 1064, 1095, 1107
Murray-Rust, P., 358, 1107
Murthy, C., 331, 1107
Musat, C., 838, 1117
Muscettola, N., 47, 401, 402, 1100, 1107
Musk, E., 51
Muslea, I., 905, 1107
mutation, 39, 159
mutation rate, **134**
Muth, J. T., 1064, 1107
mutual preferential independence (MPI), 533

- mutual utility independence (MUI), 534
 MUZERO (game-playing program), 224
 MYCIN (expert system), 41, 477
 Myers, R. H., 429, 1116
 Myers, S.L., 429, 1116
 Myerson, R., 638, 639, 1107
 myopic best response, 600
 myopic policy, 540
-
- N**
-
- n*-armed bandit, 571
n-gram model, 830, 877, 883, 902, 903, 907
 Nachum, O., 1045, 1100
 Naddaf, Y., 873, 1087
 Naderan, M., 161, 1096
 Nagar, S., 1047, 1060, 1087
 Naim, P., 474, 1109
 Nair, A. V., 986, 1085
 Nair, R., 1046, 1061, 1098
 Nair, V., 837, 1107
 naive Bayes, 420, 426, 428, 778, 792, 793, 797, 875
 naked triples, 175
 Nalwa, V. S., 30, 1107
 Nangia, N., 931, 1116
 Narang, S., 930, 1110
 Narayanan, A., 1042, 1060, 1107
 Narayanan, V., 873, 1096
 Narayanaswamy, A., 48, 1097
 Nardi, D., 359, 1086, 1089
 NAS (neural architecture search), 821, 838
 NASA, 47, 360, 373, 402, 473
 Nash's theorem, 599
 Nash, J., 598, 637, 1107
 Nash, P., 587, 1107
 Nash equilibrium, 598, 635
 Nash folk theorems, 607
 NATACHATA (chatbot), 1035
 Natarajan, S., 551, 1094
 Natarajan, V., 48, 1104
 naturalism, 24
 natural kind, 338
 natural language inference, 931
 natural language processing (NLP), 20, 874, 874–931
 natural numbers, 286
 natural stupidity, 347
 Nau, D. S., 222, 224, 399, 400, 402, 1094, 1096, 1108, 1113, 1116
 Navruzyan, A., 137, 161, 1106
 Nayak, P., 162, 360, 402, 1102, 1107
 NBS (search algorithm), 126
 nearest-neighbor filter, 658
 nearest-neighbors, 705, 735, 787
 nearest-neighbors regression, 709
 neat vs. scruffy, 42
 Nebel, B., 398, 1099
 Neches, R., 1060, 1107
 needle in a haystack, 234
 negation, 235
 negative example, 675
 negative literal, 235
 negative side effects, 1038
 negotiation set, 631
 Neil, M., 548, 1094
 Neiswanger, W., 838, 1116
 NELL (Never-Ending Language Learning), 901
 Nelson, B., 1061, 1086
 Nelson, G., 47, 1110
 Nelson, P. Q., 48, 1104
 Nemhauser, G. L., 551, 1107
 Nemirovski, A., 161, 1087, 1107
 Nesterov, Y., 161, 1107
 Netflix Prize, 1042
 network tomography, 473
 Neumann, M., 930, 1109
 neural architecture search (NAS), 821, 838
 neural network, 35, 38, 42, 801, 750–839
 convolutional, 44
 expressiveness, 35
 feedforward, 802
 hardware, 35
 learning, 35
 multilayer, 40
 recurrent, 802, 823–826, 911–915
 NeurIPS, 45, 53, 478, 668, 738, 800, 839, 873, 1031, 1046
 neurobiology, 1031
 NEUROGAMMON (backgammon program), 866
 neuron, 29, 35, 801
 neuroscience, 29, 29
 Newborn, M., 126, 1108
 Newcomb, S., 1032
 Newell, A., 20, 36, 37, 79, 124, 125, 265, 266, 310, 329, 398, 400, 1103, 1107, 1113
 Newman, P., 984, 1088, 1093
 Newton, I., 19, 67, 138, 160, 483, 735, 1107
 Newton-Raphson method, 139
 NEXTKB (knowledge base), 357
 Ney, H., 515, 903, 931, 1101, 1108
 Ng, A. Y., 586–588, 735, 736, 779, 863, 868, 872, 903, 986, 1055, 1085, 1088, 1091, 1101, 1102, 1107
 Ng, M., 29, 1118
 Nguyen, P., 900, 905, 1090, 1099
 Nguyen, T. T., 331, 1097
 Nicholson, A., 478, 516, 587, 1092, 1102, 1107
 Nicolelis, M. A., 29, 1103
 Nielsen, E., 731, 737, 1089
 Nielsen, M. A., 738, 1107
 Nielsen, P. E., 329, 1100
 Nielsen, T., 550, 1107
 Niemelä, I., 360, 1107
 Nigam, K., 905, 906, 1091, 1100
 Nikolaidis, S., 986, 1107
 Niles, I., 357, 1107, 1109
 Nilsson, D., 548, 1108
 Nilsson, N. J., 50, 53, 79, 124, 125, 162, 296, 297, 321, 330, 398, 400, 401, 665, 666, 836, 983, 1095, 1096, 1098, 1108
 Niranjana, M., 516, 871, 1092, 1111
 Nisan, N., 638, 639, 1108
 Niv, Y., 873, 1092, 1108
 Nivre, J., 890, 904, 1102, 1108
 Nixon, R., 352
 Nixon diamond, 352
 Niyogi, S., 296, 1114
 NLP (natural language processing), 20, 874, 874–931
 no-good, 180
 no-regret learning, 722
 NOAH (planning system), 398, 400
 Nobel Prize, 28, 29, 40
 Nocedal, J., 735, 1088, 1089
 Noda, I., 983, 1101
 node (in search trees), 89, 91
 node consistency, 170
 Nodelman, U., 516, 1108
 Noe, A., 1057, 1108
 noise, 688
 noise (in images), 996
 noise (in training data), 677, 681–682, 772
 noisy-OR, 438
 nominative case, 892
 non-cooperative game, 591, 635
 nondeterminism
 angelic, 379
 demonic, 379
 nondeterministic environment, 63, 128
 NONLIN (planning system), 398
 NONLIN+ (planning system), 401
 nonlinear constraints, 167
 nonlinear dynamical system, 501
 nonmonotonicity, 351
 nonmonotonic logic, 243, 351, 351–353, 359
 Nono, 305
 nonstationary environment, 638, 730
 nonstationary policy, 555
 nonterminal symbol, 1081
 Nordfors, D., 1062, 1108
 Nori, A. V., 668, 1091, 1099
 Normal-Wishart, 782
 normal distribution, 1078
 standard, 1079
 normal equation, 698
 normal form game, 595

- normalization (of a probability distribution), 414, 418
normalization (of attribute ranges), **706**
normative theory, **528**
Norouzi, M., 47, 48, 834, 901, 916, 1027, 1094, 1104, 1117
North, O.
North, T., 39, 1095
Norvig, P., 44, 329, 339, 358, 515, 737, 902, 904, 1097, 1108, 1111
notation
 infix, **286**
 logical, 21
 prefix, **286**
noughts and crosses, 193, 223
Nourbakhsh, I., 162, 1096
Novoa, R. A., 48, 1094
Nowak, R., 473, 1090
Nowatzky, A., 222, 1099
Nowick, S. M., 268, 1108
Nowlan, S. J., 136, 161, 1098
NP (hard problems), 1075–1076
NP-complete, 27, 124, 241, 266, 359, 452, 734, **1075**, 1076
NP-hard, **1076**
NQTHM (theorem prover), 330
number statement, **649**
number variable, **650**
NumPy, 738
NUPRL (theorem prover), 331
Nuro, 1031
Nvidia, 1031
Nyberg, E., 48, 1094
Nyberg, L., 19, 1089
-
- O**
-
- O() notation, 1075
O'Malley, K., 639, 1116
O'Malley, M. K., 974, 1086
O'Neil, C., 736, 1060, 1108
O'Reilly, T., 1066
O'Reilly, U.-M., 161, 1108
O-PLAN (planning system), 377, 401, 402
Oaksford, M., 550, 1090
Obermeyer, F., 667, 1087
object, 272, 277
 composite, **336**
 object-level state space, **121**
 object-oriented programming, 33, 348
 objective case, 892
 objective function, **128**
 objectivism, **426**
 object model, 988
 observable environment, 62
 observation model, 481
 observation sentence, 25
 occupancy grid, **984**
 occur check, **302**, 313
 Och, F. J., 515, 903, 931, 1088, 1108, 1118
 Ockham's razor, 673, 733, 734, 775
 Ockham, W., 673, 733
 odometry, **936**
 off-switch problem, 613
 Office Assistant, 473
 offline search, **152**
 Ogasawara, G., 516, 1099
 Ogawa, S., 29, 1108
 Oglesby, F., 331, 1097
 Oh, M.-S., 475, 1108
 Oh, S., 667, 1108
 Ohashi, T., 225, 1115
 Oizumi, M., 1058, 1108
 Olah, C., 1061, 1085
 Olalainty, B., 402, 1095
 Olesen, K. G., 473, 474, 1085, 1108
 Oliver, N., 516, 1108
 Oliver, R. M., 548, 1108
 Olshen, R. A., 734, 1089
 Olson, N., 48, 1104
 Olteanu, A., 1046, 1061, 1098
 Olum, P., 1028, 1096
 omniscience, **58**
 Omohundro, S., 51, 1061, 1108
 one-hot encoding, **725**, 808, 908
 One Hundred Year Study on AI, 45
 Ong, D., 667, 1106
 Ong, J., 47, 1086
 ONLINE-DFS-AGENT, **155**
 online gradient descent, **697**
 online learning, **721**, 855
 online planning, 383
 online replanning, **963**
 online search, **152**, 152–159, 162–163
 ontological commitment, **272**, 295, 404
 ontological engineering, **332**, 332–334
 ontology, **290**, 293
 general, 335–346
 upper, 355
 open-loop, **82**, 958
 open-world assumption, 385
 OpenAI, 1059
 OpenAI Gym (simulated environment), 873
 open class, **886**
 OPENCYC (knowledge base), 357
 open list, *see* frontier
 OPENMIND (knowledge base), 334
 open universe probability model (OUPM), **649**
 operations research, **28**, 79, 125, 126
 Oppacher, F., 161, 1108
 OPS-5 (logical reasoning system), 310, 329
 optical flow, **1000**, 1028
 optimal brain damage, 838
 optimal control theory, 160
 optimality (of a search algorithm), **93**
 optimality theory (in linguistics), 902
 optimally efficient algorithm, **108**
 optimal solution, **83**
 optimism under uncertainty, **157**
 optimistic description (of an action), **380**
 optimistic prior, 849
 optimization, **684**
 convex, **140**, 159
 optimizer's curse, **527**, 549
 OPTIMUM-AIV (planning and scheduling system), 402
 optogenetics, **19**
 order-of-magnitude distribution, **650**
 orderability, **520**
 order statistic, **526**
 ordinal utility, **522**
 Organon (Aristotle), 265, 357
 origin function, **649**
 OR node, **141**
 Orseau, L., 873, 1054, 1103
 Ortega, P. A., 873, 1054, 1103
 Osawa, E., 983, 1101
 Osborne, M. A., 1050, 1095
 Osborne, M. J., 638, 1108
 Osherson, D. N., 734, 1108
 Osindero, S., 837, 838, 1099, 1100
 Osman, I., 126, 1110
 Ostland, M., 666, 667, 1108
 Ostrom, E., 639, 1061, 1098, 1108
 Ostrovski, G., 871, 873, 1106
 Othello, 224
 Ott, M., 927, 930, 1104
 Otten, L., 474, 1112
 OTTER (theorem prover), 331
 out-of-bag error, **716**
 out-of-vocabulary word, **878**
 outcome, **405**, 596, 616
 outlier, **725**
 output gate (in LSTM), **826**
 overhypotheses, **768**
 over-sample, **725**
 Overbeek, R., 331, 1117
 overfitting, **673**, 681–682, 698, 772, 774
 overgeneration, **886**
 Overmars, M., 985, 1101
 overriding, **349**
 Owen, M. P., 588, 1100
 Owens, A. J., 161, 1095
 OWL (description logic), 357
 Ozair, S., 838, 1097
-
- P**
-
- P** (probability vector), 409, 410
 $P(s'|s, a)$ (transition model), 553, 842
PAC (probably approximately correct), **691**, 693, 735
pace of change, **1050**
Pachocki, J., 966, 986, 1085

- Padgham, L., 79, 1108
 Page, L., 905, 1089
 Paige, B., 516, 668, 1108
 Palacios, H., 400, 1108
 Palaniappan, M., 638, 1105
 Paleo, B. W., 331, 1087
 Palmer, J., 271, 1104
 Palmer, S., 1031, 1108
 Palmieri, G., 836, 1096
 Pan, X., 872, 1117
 Pandas, 738
 Pandas (data analysis software), 727
 Panini, 34, 903
 Papadimitriou, C. H., 160, 162, 266, 586, 588, 638, 1080, 1093, 1102, 1108
 Papadopoulou, T., 1030, 1094
 Papavassiliou, V., 871, 1108
 paperclip game, 614
 Papernot, N., 838, 1090
 Papert, S., 40, 836, 1106
 paradox, 359, 529
 Allais, 528, 550
 Condorcet, 629
 Ellsberg, 528, 550
 Girard, 331
 St. Petersburg, 547
 Zeno, 83
 parallel distributed processing (PDP), 836
 parallel jaw gripper, 936
 parallel lines, 990
 parameter, 430, 776
 parameter independence, 783
 parametric model, 704
 paramodulation, 325, 330
 parent node, 90
 Pareto optimality, 599
 Parikh, D., 873, 1017, 1097, 1111
 Parisi, D., 905, 1094
 Parisi, G., 160, 476, 1106, 1108
 Parisi, M. M. G., 267, 1108
 Park, F. C., 987, 1105
 Park, J. D., 475, 1108
 Park, S., 327, 1098
 Park, T., 930, 1022, 1118
 Parker, A., 222, 1108
 Parker, D. B., 836, 1108
 Parker, L. E., 987, 1108
 Parmar, N., 901, 919, 931, 1090, 1115
 Parr, R., 551, 586, 587, 637, 873, 1085, 1090, 1097, 1102, 1108
 Parrod, Y., 402, 1085
 Parsey McParseface, 904
 parsing, 886, 886–891
 part-of-speech tagging, 881
 Partee, B. H., 904, 1109
 partial-order planning, 370
 partial assignment, 165
 partial bracketing, 891
 partial evaluation method, 768
 partial observability, 128, 214, 578
 partial program, 859
 partial solution, 165
 PARTICLE-FILTERING, 510
 particle filtering, 510, 515
 Rao-Blackwellized, 514, 516, 984
 particle MCMC, 517
 partition, 336, 616
 Partnership on AI, 53, 1059
 part of speech (POS), 880
 Parzen, E., 799, 1108
 Parzen window, 799
 Pasca, M., 905, 906, 1094, 1108
 Pasca's wager, 427
 Pascal, B., 24, 26, 426
 PASCAL Challenge, 931
 PASCAL VOC (image data set), 1029
 Pascanu, R., 837, 1092
 Pasero, R., 296, 329, 1091
 Paskin, M., 666, 1108
 PASSIVE-ADP-LEARNER, 845
 PASSIVE-TD-LEARNER, 846
 passive learning agent, 842
 passive sensing, 988
 Pastor, P., 985, 986, 1088, 1103
 Pasula, H., 517, 653, 666, 667, 1105, 1108
 Patel, S., 1043, 1088
 Patel-Schneider, P., 357, 359, 1086, 1108
 path, 83, 123, 394, 945, 949
 loopy, 92
 redundant, 92, 92–93
 path consistency, 172, 188
 PATHFINDER (medical diagnosis system), 473
 path integral, 956
 Patil, N., 1069, 1100
 Patil, R., 904, 1090
 Patrick, B. G., 126, 1108
 pattern database, 119, 127, 374
 disjoint, 119
 pattern matching, 308
 Patterson, D.A., 670, 1069, 1092, 1100
 Paul, R. P., 985, 1108
 Paulin-Mohring, C., 330, 1087
 Paull, M., 266, 1095
 Pauls, A., 904, 1108
 Pavlovic, V., 474, 1118
 payoff function, 193, 595
 payoff matrix, 595
 payoff vector, 616
 Paz, A., 473, 1115
 Pazzani, M., 428, 798, 1093
 PBT (population-based training), 690
 PCA (principal components analysis), 828
 PCFG, 884, 884–886, 903
 lexicalized, 892, 904
 P controller, 959
 PD controller, 960
 PDDL (Planing Domain Definition Language), 362
 PDP (parallel distributed processing), 836
 Peano, G., 296, 1108
 Peano axioms, 286, 296, 307
 Pearce, J., 191, 1108
 Pearl, J., 35, 43, 82, 108, 125, 127, 160, 190, 221, 222, 431, 472–478, 798, 799, 1092, 1096, 1097, 1100, 1101, 1108, 1115
 Pearlmuter, B. A., 1067, 1113
 Pearson, K., 798, 838, 1108
 PEAS description, 60, 62
 Pease, A., 357, 1107, 1109
 Pecheur, C., 327, 1098
 pedigree analysis, 473
 Pednault, E. P. D., 398, 636, 1109
 Pedregosa, F., 738, 1109
 Peek, M. Y., 1064, 1095
 PEGASUS (reinforcement learning algorithm), 868
 Pei, J., 738, 1098
 Peirce, C. S., 188, 296, 347, 359, 1109
 Peleg, B., 638, 1109
 Pelikan, M., 161, 1109
 Pell, B., 402, 1107
 Pemberton, J. C., 163, 1109
 penalty, 75
 Penberthy, J. S., 398, 1109
 Peng, J., 871, 1109
 Peng, L., 48, 1097, 1104, 1113
 Penix, J., 327, 1098
 Pennachin, C., 51, 1096
 Pennington, J., 923, 929, 1109
 Pennsylvania, Univ. of, 32
 Penn Treebank, 880, 890, 928
 Penrose, R., 1034, 1109
 Pentagon Papers, 550
 people prediction, 938
 Peot, M., 401, 475, 1109, 1112
 percept, 54
 possible, 148
 perception, 54, 288, 988–1026
 perceptron, 39, 836
 convergence theorem, 39
 learning rule, 701
 representational power, 40
 percept schema, 384
 percept sequence, 54, 58, 59
 Pereira, F., 44, 312, 358, 736, 737, 889, 891, 906, 928, 1085, 1093, 1097, 1103, 1109, 1110
 Peres, Y., 515, 517, 1103, 1105
 perfect information, 193, 608
 perfect recall, 609
 performance element, 74
 performance measure, 57, 58, 60, 78, 403, 519

- Perkins, T., 334, *1113*
 Perov, Y., 668, *1105*
 perplexity, **930**
 Perrault, C. R., 636, *1091*
 persistence arc, **507**
 persistent failure model, **506**
 persistent variable, 1082
 personal agent, **1066**
 perspective, 1027
 perspective projection, **990**
 Persson, K. A., 923, *1115*
 Pesch, E., 402, *1088*
 Peshkin, M., 162, *1116*
 pessimistic description (of an action), **380**
 Peters, J., 476, 986, *1101, 1109*
 Peters, M. E., 930, *1109, 1111*
 Peters, S., 904, *1093*
 Petersen, S., 871, 873, *1087, 1106*
 Peterson, C., 476, *1109*
 Peterson, K., 970, 986, *1118*
 Petosa, N., 224, *1109*
 Petrie, K., 191, *1096*
 Petrie, T., 515, 799, *1086*
 Petrik, M., 871, *1104*
 Petron, A., 966, 986, *1085*
 Petrov, S., 890, 904, 1040, *1085, 1108*
 Pettersson, L., 873, *1089*
 Pezeshki, M., 900, *1118*
 Pfeffer, A., 222, 643, 666–668, 637, *1102, 1109*
 Pfeifer, G., 360, *1094*
 Pfeifer, R., 1057, *1109*
 Pham, H., 838, *1109*
 phase transition, 267
 Phillips, A. B., 160, 190, *1106*
 Phillippy, A. M., 735, *1087*
 Phillips, E. H., 48, *1103*
 Philo of Megara, 265
 philosophy, 24–26, 79, 1032–1062
 moral, 57
 photogrammetry, 1028
 photometry, 993–995
 photosensitive spot, 1024
 phrase structure, **884**
 physical game, 225
 physicalism, 24
 physical symbol system, **37**
 piano mover's problem, **949**
 Piantino, S., 1069, *1115*
 Piccione, C., 637, *1118*
 PICTURE (probabilistic programming language), 668
 PID controller, **960**
 Pieper, G., 331, *1117*
 Pierson, E., 1060, *1091*
 Pietra, V. J. D., 929, *1089*
 pigeons, 31
 Pineau, J., 588, 871, 986, *1095, 1109, 1112*
 Pinedo, M., 402, *1109*
 ping-pong, 225
 pinhole camera, **990**, 989–991
 Pinkas, G., 190, *1109*
 Pinker, S., 270, 271, 296, 905, *1109, 1111*
 Pinto, D., 906, *1109*
 Pinto, L., 986, *1109*
 Pisa, tower of, 75
 pit, bottomless, 228
 Pitassi, T., 474, 1046, 1060, *1086, 1094, 1117*
 Pitts, W., 34, 35, 38, 267, 801, 836, *1105*
 pixel, **989**
 PL-FC-ENTAILS?, **249**
 PL-RESOLUTION, **246**
 PLAN-ERS1 (planning and scheduling system), 402
 PLAN-ROUTE, **260**
 PLANEX (planning agent), 401
 Plankalkül, 32
 plan monitoring, 390
 PLANNER (logic programming language), 41, 329, 636
 planning, 220, 362–402
 and acting, 383–385
 as refinement, 370
 as satisfiability, 369
 blocks world, 38
 case-based, **400**
 classical, **362**
 conformant, 383, 385–388, 397, **400**
 contingency, 383, 388–389, 397
 decentralized, **589**
 hierarchical, 374–383, 397
 hierarchical task network, 375
 history of, 398
 linear, **398**
 Monte Carlo, **562**
 multibody, **589**, 591–594
 multieffector, **589**
 online, 383
 reactive, **401**, 975
 regression, 368–369
 route, 47
 search space, 366–374
 sensorless, 383, 385–388
 planning graph, **370**
 plan recognition, **595**
 PlanSAT, 402
 bounded, 402
 Plappert, M., 966, 986, *1085*
 plateau (in local search), **131**
 Plato, 265, 358
 Platt, J., 736, *1109*
 player (in a game), **595**
 playout, **207**
 playout policy, **207**
 Playter, R., 47, *1110*
 Plotkin, G., 330, *1109*
 Plummer, M., 798, *1109*
 Plunkett, K., 905, *1094*
 plurality voting, **630**
 Pluribus (poker program), 224, 612
 ply, **194**
 Pnueli, A., 359, *1109*
 poetry, 19
 Poggio, T., 837, *1105*
 Pohl, I., 125, 126, *1109*
 pointwise product, **448**
 Poisson distribution, **650**
 poker, 224, 638
Poland, 358
 Poli, R., 162, *1103, 1109*
 policy, 206, **554**, 585
 dominating, **577**
 evaluation, **566**, 842
 gradient, **862**
 improvement, **566**
 iteration, 562, **566**, 566–568, 586
 asynchronous, **568**
 modified, **568**
 loss, **565**
 optimal, **554**
 proper, **556**
 search, **841, 861**, 861–863
 stochastic, **862**
 value, **862**
 POLICY-ITERATION, **567**
 polite convention, **1036**
 Pollack, M. E., 636, *1091*
 Polosukhin, I., 901, 919, 931, *1115*
 polysemy, 924
 polytree, **451**, 452, 472, 488
 Polyzotis, N., 329, *1102*
 POMCP, **584**
 POMDP (partially observable MDP), **578**, 578–585
 POMDP-VALUE-ITERATION, **583**
 Pomerleau, D. A., 1030, 984, *1109*
 Ponce, J., 1031, *1095*
 Ponte, J., 931, *1118*
 Poole, B., 838, *1109*
 Poole, D., 79, 474, 666, 668, 549, *1088, 1101, 1109, 1118*
 pooling (in neural networks), **813**
 Popat, A. C., 903, 931, *1088*
 Popescu, A.-M., 906, *1094*
 Poppe, R., 1064, *1109*
 Popper, K. R., 427, 734, *1109*
 population-based training (PBT), **690**
 Porphyry, 359
 Port-Royal Logic, 547
 Porter, B., 361, *1115*
 portfolio, **397**
 Portner, P., 904, *1109*
 POS (part of speech), **880**
 pose, **1012**, 946
 Posegga, J., 330, *1087*

- position, **193**
 positive example, **675**
 positive literal, **235**
 positivism, logical, **25**
 possibility theory, **478**
 possible percept, **148**
 possible world, **232**, 264, 295, **345**, 406, 642
 Post, E. L., 266, *1109*
 post-decision disappointment, **549**
 POS tagging, 903
 posterior probability, *see* probability, conditional
 potential (in MDPs), 560
 Potts, C., 896, 931, *1088*, *1104*
 Pouget-Abadie, J., 838, *1097*
 Poulton, C., 1064, *1109*
 Poundstone, W., 637, *1109*
 Pourret, O., 474, *1109*
 Poverty of the Stimulus, 905
 Powell, G., 966, 986, *1085*
 Powell, R., 48, 225, *1115*
 Powers, R., 638, *1112*
 Powley, E. J., 222, *1089*
 PPCA (probabilistic principal components analysis), **827**
 Prabhat., 48, *1103*
 Prabhavalkar, R., 900, *1090*
 Prade, H., 478, *1093*
 Pradhan, M., 439, 473, *1109*
 Pradhan, N., 667, *1087*
 Praet, J.-C., 549, *1087*
 Prager, J., 48, *1094*
 pragmatics, 897
 Pratt, L., 737, *1115*
 Prawitz, D., 328, *1109*
 precedence constraint, **166**
 precomputation, **120**
 precondition, **363**
 missing, **390**
 precondition axiom, 263
 predicate indexing, **302**
 predicate symbol, **275**, 894
 prediction, 148, 485–486, 514
 predictive learning, **1068**
 preference, **405**, 520
 monotonic, **524**
 unknown, 543–546
 preference elicitation, **523**
 preference independence, **533**
 preference learning, **938**
 preferred action, **373**
 premise, **235**
 president, 343
 Presley, E.,
 Press, W. H., 160, *1109*
 Presta, A., 904, *1085*
 Preston, J., 1058, *1109*
 pretraining, 908, **922**
 Prettenhofer, P., 738, *1109*
 Price, B., 587, *1088*
 Price, E., 1060, *1098*
 Price Waterhouse, 401
 Prieditis, A. E., 118, 127, *1109*
 Prince, A., 902, *1113*
 principal components analysis (PCA), 828
Principia Mathematica, 36
 principle of insufficient reason, **427**
 PRIOR-SAMPLE, **454**
 prioritized sweeping, 586, **847**, 871
 priority queue, **92**
 prior knowledge, 58, 59, **670**
 prior probability, **407**, 425
 prismatic joint, **936**
 prisoner's dilemma, **596**
 Pritzel, A., 986, *1104*
 privacy, 729, 1060
 private value, 624
 probabilistic agent, 404
 probabilistically complete, **954**
 probabilistic context-free grammar (PCFG), 902
 probabilistic principal components analysis (PPCA), **827**
 probabilistic roadmap (PRM), **953**
 probability, 21, **26**, 43, 403–478, 1078–1079
 axioms of, 411
 conditional, **407**, 414, 417, 425, 434
 conjunctive, 434
 density function, **409**, 1078
 distribution, **409**, 445
 history of, 429
 judgments, 436
 marginal, **413**
 model, **407**, 1078
 open-universe (OUPM), **649**
 prior, **407**, 425
 uninformative, **784**
 theory, 274, **404**, 547
 probability logic, **665**
 probability notation, 409
 probably approximately correct (PAC), **691**, 693, 735
 PROBCUT (game-tree search algorithm), 205
 probit, **442**, 473
 problem, **83**, 123
 assembly sequencing, 88, 125
 bandit, **571**, 587, 849
 conformant, **144**
 constrained optimization, 139, **169**
 8-puzzle, 115, 118
 formulation, **82**, 84
 generator, **75**
 halting, 300
 inherently hard, 1075–1076
 million-queens, 181, 190
n-queens, 254
 optimization, **128**
 piano movers, 984
 real-world, **84**
 relaxed, **117**, 118, 371
 robot navigation, 88
 sensorless, **144**
 solving, 40
 standardized, **84**
 touring, **88**
 traveling salesperson, 125, 127
 underconstrained, **254**
 VLSI layout, 88, 133
 Procaccia, A. D., 639, *1088*
 procedural approach, **228**, 269
 procedural attachment, **349**
 PROCEED, **101**
 PRODIGY (planning system), 400
 production system, 68, **310**, 328, 329
 product rule, **408**, 417
 programming language, 269
 progression (in planning), 367, 397
 Prolog, 41, **312**, 329, 398, 765
 Prolog Technology Theorem Prover (PTTP), 330
 proof, **241**
 proper policy, **556**
 property (unary relation), **272**
 proposal distribution, **465**
 adaptive, **664**
 proposition
 probabilistic, 406–413
 symbol, **235**
 propositional attitude, **344**
 propositionalization, **299**, 327
 propositional logic, 226, 235–240, 264, 269
 proprioceptive sensor, **936**
 Prosser, P., 189, *1109*
 protein design, **88**
 provably beneficial, 613
 Provan, G. M., 439, 473, *1109*
 PROVER9, 331
 Provost, F., 1041, *1094*
 Pruksachatkun, Y., 931, *1116*
 pruning, **108**, **192**, 198, 681, 716
 forward, **205**
 futility, **222**
 in contingency problems, 213
 pseudocode, **1082**
 pseudoexperience, **847**
 pseudoinverse, **698**
 pseudoreward, **858**
 PSPACE, 402, 1076
 psychological experiment, **20**
 psychological reasoning, **361**
 psychology, 30–32
 experimental, 30

psychophysics, 1031
 PTTT (Prolog Technology Theorem Prover), 330
 public key encryption, 327
 Puget, J.-F., 191, 1096
 Pullum, G. K., 296, 904, 905, 1099, 1109
 Puma (robot arm), 983
 Purdom, P., 191, 1089
 pure strategy, **596**
 pure symbol, **251**
 Puterman, M. L., 79, 586, 588, 1109
 Putnam, H., 251, 266, 321, 328, 428, 668, 1092, 1109
 Pyro (probabilistic programming language), 667
 Pyrros, A., 1023, 1093
 PySC2 (machine learning software), 873
 Python, 277
 PyTorch (machine learning software), 667, 738, 1072

Q

$Q(s, a)$ (value of action in state), 853
 Q-function, 535, **558**, **841**
 Q-learning, **841**, 853, 861, 932
 Q-LEARNING-AGENT, **854**
 Q-VALUE, **559**
 QA3 (logical reasoning system), 296
 QALY (quality-adjusted life year), **524**, 549
 Qian, H., 1060, 1087
 QUACKLE (Scrabble program), 225
 quadratic programming, **711**
 Quake III, 46, 48
 qualia, **1036**
 qualification problem, **259**, 403, 1033
 qualitative physics, 339, **360**
 qualitative probabilistic network, 478, **532**
 quality-adjusted life year (QALY), **524**, 549
 quantification, 896
 quantifier, **278**, 296
 existential, 280
 in logic, 278–282
 nested, 281
 universal, 278–280, 298
 quantum computing, **33**
 quasi-logical form, **897**
 query (logical), 284
 query (probabilistic), **413**
 query variable, 445
 query vector (in transformers), **920**
 question answering, **901**, 931
 visual (VQA), 46, **1017**
 queue, **92**
 FIFO, **92**
 LIFO, **92**
 priority, **92**
 Quevedo, T., 221

quiescence, **204**
 Quigley, A., 1064, 1117
 Quillen, D., 986, 1103
 Quillian, M. R., 359, 1109
 Quine, W. V., 297, 338, 357, 358, 1109
 Quinlan, J. R., 733, 734, 1109
 Quinlan, S., 985, 1110
 Quirk, R., 904, 1110
 QXTRACT (information extraction system), 906

R

R (statistical software), 738
 R1 (expert system), 41, 310, 329
 Rabani, Y., 161, 1110
 Rabe, M. N., 327, 1086
 Rabideau, G., 401, 1095
 Rabiner, L. R., 515, 1110
 Rabinovich, Y., 161, 1110
 Rabinowitz, N. C., 48, 225, 1100
 radar, 28, **935**
 Radford, A., 828, 930, 1110
 Raedt, L. D., 666, 1101
 Raffel, C., 930, 1110
 Rafferty, A. N., 588, 1110
 Ragan-Kelley, J., 1067, 1104
 Raghavan, M., 1045, 1060, 1101
 Raghavan, P., 901, 905, 1105
 Raghu, M., 838, 1109
 Rahwan, T., 638, 1110
 Raibert, M., 47, 1110
 Raiffa, H., 28, 529, 549, 550, 637, 1101, 1104
 Rajamani, S. K., 668, 1091, 1099
 Rajan, K., 47, 401, 1100
 Raji, I. D., 1046, 1106
 Rajpurkar, P., 931, 1110
 Raju, B., 137, 161, 1106
 Ramage, D., 1043, 1088
 Ramamurthy, K. N., 1046, 1047, 1060, 1061, 1087, 1098
 Ramsey, F. P., 28, 427, 548, 1110
 Ramsundar, B., 517, 738, 1094, 1110
 RAND Corporation, 550, 586
 random-restart hill climbing, **131**
 random forest, **715**, **736**
 randomForest (machine learning software), 716
 randomization, 55, **69**
 randomized controlled trial, **471**
 randomized weighted majority algorithm, 721
 random restart, 252
 random search, **690**
 random variable, 408, 435
 basic, **644**
 continuous, 409, 440, 473
 indexed, **666**
 random walk, **156**, **498**

range (of a random variable), **408**
 range finder, **934**
 laser, 935
 range sensor array, 940
 Ranzato, M., 837, 1100
 Rao, A., 80, 1117
 Rao, B., 516, 1099
 Rao, D. A. S., 1049, 1110
 Rao, K., 900, 1090
 Rao-Blackwellization, **514**
 Raphael, B., 125, 329, 1097, 1098, 1110
 Raphson, J., 160, 735, 1110
 rapidly exploring random trees (RRT), **954**
 rapid prototyping, 312
 Raschka, S., 738, 1110
 Raschke, U., 983, 1091
 Rashevsky, N., 35, 836, 1110
 Rasmussen, C. E., 799, 1110
 Rassenti, S., 639, 1110
 rating, **646**
 Ratinov, L., 929, 1115
 Ratio Club, 34
 rational agent, **22**, 21–22, 54, **57**, 57–58, 73, 78, 79, 547
 rational decision, 405
 rationalism, 906
 rationality, **19**, 57–58
 Boltzmann, **865**
 individual, 617
 limited, **22**, 346
 perfect, 22
 rational thought, 21
 Ratliff, N., 958, 970, 973, 985, 986, 1110, 1118
 Ratnaparkhi, A., 903, 1110
 Ratner, D., 124, 1110
 rats, 31
 Rauber, J., 838, 1090
 Rauch, H. E., 515, 1110
 Rawal, A., 137, 161, 1106
 Ray, A., 966, 986, 1085
 Ray, B., 737, 1097
 Rayson, P., 903, 1103
 Rayward-Smith, V., 126, 1110
 Razavi, A., 838, 1100
 RBFS (recursive best-first search), 111–113, 123
 RDF (Resource Description Framework), 357
 Ré, C., 665, 1092
 reachable set, **379**
 reached (states in search), **90**
 reactive planning, **401**, 975
 Real, E., 838, 1110
 real-world problem, **84**
 realizability, **688**
 reasoning, 21, 37, **226**
 default, 351–353, 477

- logical, 240–255
- probabilistic, 413–415, 445–453
 - approximate, 453–467
- receiver operating characteristic (ROC)
 - curve, **728**
- receptive field, **813**
- Rechenberg, I., 161, *1110*
- Recht, B., 734, *1118*
- recombination, **133**
- recommendation, 643
- recurrent neural network (RNN), *see*
 - neural network, recurrent
- RECURSIVE-BEST-FIRST-SEARCH, **111**
- recursive best-first search (RBFS),
 - 111–113, 123
- recursive estimation, 484
- Reddy, R., 35
- reduction, **451**, 1080
- Rees, M., 51
- Reeves, C., 126, *1110*
- Reeves, D., 639, *1116*
- reference class, **427**
- reference count, **110**
- referential transparency, **345**
- refinement (in hierarchical planning), **375**
- reflectance, 1012
- reflection, **993**
- REFLEX-VACUUM-AGENT, **67**
- reflex agent, **67**, 67–69, 78, 554, 841
- Reformer (natural language software),
 - 928, 930
- refutation, **241**
- refutation completeness, 321
- Regan, N., 223, *1111*
- Regin, J., 189, *1110*
- region, **951**
- regional proposal network (RPN), **1007**
- region of interest, 1007
- regression (in machine learning), **670**
 - linear, **695**, 735, 780
 - Bayesian, 783–785
 - tree, **683**
- regression (in planning), **368**, 367–369, 397
- regression search, **368**
- regret, **722**
- regularization, **689**, 698, 720, 822, 1053
- regularization function, **689**
- Reid, D. B., 667, *1110*
- Reid, M., 116, 125, *1102*
- Reif, J., 984, 986, *1089*, *1110*
- reification, **335**
- REINFORCE (reinforcement learning
 - algorithm), 863
- reinforcement, 840
- reinforcement learning, 28, 210, 585, **671**,
 - 840**, 789–873, 986
 - active, **842**, 848–854
 - Bayesian, **851**
 - deep, **835**, **857**
 - distributed, 636
 - generalization in, 854–861
 - hierarchical, **858**, 1065
 - inverse, **52**
 - cooperative, 638
 - model-based, **841**
 - model-free, **841**
 - multiagent, 636
 - off-policy, **853**
 - on-policy, **853**
 - passive, **842**, 842–848
 - relational, 871
- Reingold, E. M., 189, *1088*
- Reingold, O., 1060, *1094*
- Reinsel, G., 515, 838, *1088*
- Reiter, M. K., 1060, *1115*
- Reiter, R., 268, 359, 399, 587, *1088*, *1110*
- REJECTION-SAMPLING, **456**
- rejection sampling, **455**
 - adaptive, 475
- relation (in CSPs), **164**
- relation (in logic), **272**
- relational probability model (RPM), **643**
- relaxed problem, **117**, 118, 371
- relevance, 237
- relevance-based learning (RBL), **749**,
 - 750**, **767**
- relevant action, **368**
- ReLU, **803**
- Remolina, E., 47, *1086*
- Remote Agent, 327, 373, 402
- Remote Agent (planning agent), 47
- Ren, S., 837, *1098*
- renaming, **305**
- RENDER-NOISY-IMAGE, **660**
- rendering model, 988
- Rényi, A., 428, *1110*
- repeated game, 598, **604**
- replanning, 383, 389–392, 401
- representation, *see* knowledge
 - representation
 - atomic, **77**
 - contextual, **924**
 - factored, **77**
 - structured, **77**
- representation theorem, **533**
- REPRODUCE, **137**
- resampling, 510
- reserve bid, 624
- residual (in neural networks), **815**
- residual network, **815**
- ResNet-50 model, 832
- Resnick, C., 1027, *1094*
- Resnick, P., 47, *1110*
- resolution, 37, 39, 243–247, **244**, 265,
 - 316–328
 - closure, **246**, 322
 - completeness proof for, 321
- input, **326**
 - linear, **326**
 - strategies, 326–327
- resolvent, **243**, 318
- resource constraint, **392**
- resources, 392–397
- response, 31
- restaurant hygiene inspector, 216
- result, 363
- Rete algorithm, **310**
- retiming, **958**
- retrograde, **207**
- reusable resource, **393**
- revelation principle, **625**
- revenue equivalence theorem, **626**
- Reversi, 224
- revolute joint, **936**
- reward, **75**, **553**, 585, 840
 - additive, **556**
 - discounted, **555**
 - function, 1065
 - hyperbolic, **588**
 - shaping, **858**
 - sparse, 841
- reward-to-go, **843**
- rewrite rule, 1081
- Rezende, D. J., 838, *1110*
- RGB (red, green, blue), **995**
- Riazanov, A., 330, 331, *1110*
- Ribeiro, F., 225, *1115*
- Ribeiro, M. T., 737, *1110*
- Ribeiro-Neto, B., 901, *1086*
- Riccati equation, **962**
- Rice, T. R., 548, *1106*
- Richards, J. T., 1047, 1060, *1087*
- Richardson, K., 927, 931, *1091*
- Richardson, M., 666, *1110*
- Richardson, S., 475, *1096*
- Richtárik, P., 1043, *1102*
- Richter, S., 399, *1110*
- Riddell, A., 476, 668, 798, *1090*
- ridge (in local search), **130**, 131
- Ridley, M., 161, *1110*
- Riedmiller, M. A., 835, 841, 871, 873,
 - 1106*
- Riesbeck, C., 41, 329, *1090*, *1111*
- Riley, J., 639, *1110*
- Riley, P., 737, *1110*
- Riloff, E., 906, *1100*, *1110*
- Ringgaard, M., 928, *1110*
- Rink, F. J., 473, *1107*
- Rintanen, J., 399–402, *1110*
- Ripley, B. D., 738, *1110*
- Rish, I., 474, *1092*
- risk aversion, **525**
- risk neutrality, **526**
- risk score, 1044
- risk seeking, **525**
- Rissanen, J., 734, *1110*

- Ristenpart, T., 1060, *1115*
 Ritov, Y., 666, 667, *1108*
 Rivest, R., 125, 734, 735, 1080, *1091*,
1100, *1110*
 Rivest, Shamir, and Adelman (RSA), 327
 RMS (root mean square), 1080
 RNN (recurrent neural network), *see*
 neural network, recurrent
 Robbins, H., 576, 587, 735, *1103*, *1110*
 Robbins algebra, **331**
 ROBERTA (natural language system),
 832, 926–928, 930
 Roberts, A., 930, 1027, *1094*, *1110*
 Roberts, G., 1057, *1094*
 Roberts, L. G., 1028, *1110*
 Robertson, N., 190, *1110*
 Robertson, S. E., 428, *1110*
 Robins, J., 476, *1110*
 Robinson, A., 297, 328, 331, *1110*
 Robinson, G., 330, *1117*
 Robinson, J. A., 37, 266, 296, 321, 329,
1059
 Robinson, S., 125, *1110*
 RoboCup, 983
 robocalypse, **1052**
 robot, **932**, 932–934, 982
 hexapod, 975
 mobile, 934
 navigation, 88
 rights, 1061–1062
 soccer, 192, 640
 robotics, **20**, 505, 932–987
 robotic soccer, 225
 robust control theory, **852**
 Roche, E., 905, *1110*
 Rochester, N., 36, 37
 Rock, D., 1049, *1089*
 Rock, I., 1031, *1110*
 Rodríguez, H., 903, *1105*
 Rodríguez, K., 1064, *1117*
 Röger, G., 125, 399, *1098*, *1112*
 Rogue One, 1022
 Rohlfschagen, P., 222, *1089*
 ROI pooling, **1007**
 Rokicki, T., 124, *1110*
 Rolf, D., 266, *1110*
 Rolf, E., 1060, *1104*
 Rolland, N., 667, *1097*
 rollout, **207**
 Rolnick, D., 48, 838, *1110*
 Romania, 81, 165
 Romanovskii, I., 637, *1110*
 Romero, J., 48, *1103*
 Rong, Z., 923, *1115*
 Roossin, P., 931, *1089*
 root mean square (RMS), 1080
 Ros, G., 873, *1110*
 Rosen, C., 983
 Rosenblat, A., 1060, *1090*
 Rosenblatt, F., 39, 735, 836, 1028, *1088*,
1096, *1110*
 Rosenblatt, M., 799, *1110*
 Rosenblitt, D., 398, *1105*
 Rosenbloom, P. S., 310, 329, 400, *1103*
 Rosenblueth, A., 34, *1110*
 Rosenbluth, A., 160, 475, *1106*
 Rosenbluth, M., 160, 475, *1106*
 Rosenschein, J. S., 639, 640, *1111*, *1114*
 Rosenschein, S. J., 79, 267, 268, *1100*,
1111
 Rosenthal, G. D., 549, *1101*
 Ross, G., 27, *1111*
 Ross, S., 428, 986, 1080, *1111*
 Rosse, C., 334, *1113*
 Rossi, F., 188, 189, 191, *1086*, *1088*, *1111*
 Roth, A., 1060, *1087*, *1090*, *1094*
 Roth, D., 475, 668, *1092*, *1111*
 Roughgarden, T., 638, *1108*
 Roussel, P., 296, 329, *1091*, *1111*
 route finding, 87
 rover, **934**
 Roveri, M., 399–401, *1087*, *1091*
 Rowat, P. F., 984, *1111*
 Roweis, S. T., 473, 516, *1111*
 Rowley, H., 1029, *1111*
 row player, **596**
 Roy, B. V., 586, *1092*
 Roy, D., 667, *1085*, *1097*
 Roy, N., 588, 986, *1100*, *1111*, *1114*
 Rozonoer, L., 735, *1085*
 RPM (relational probability model), **643**
 RRT (rapidly exploring random trees),
 954, 985
 RRT*, **955**
 RSA (Rivest, Shamir, and Adelman), 327
 Ruan, P., 587, *1113*
 Rubik's Cube, 116, 118, 124
 Rubin, D., 476, 515, 516, 799, *1093*,
1096, *1111*
 Rubin, J., 1060, *1115*
 Rubinstein, A., 588, 637, 638, 640, *1085*,
1108, *1111*
 Rubinstein, B. I., 1060, *1107*
 Ruder, S., 926, 930, *1099*, *1111*
 Ruderman, A., 48, 225, *1100*
 rule, **235**
 causal, 436
 condition-action, **68**
 default, **352**
 diagnostic, 436
 if-then, 50, 235
 implication, 235
 situation-action, 68
 rule-based system, 477
 Rumelhart, D. E., 42, 836, *1111*
 Ruml, W., 126, 127, *1089*, *1098*, *1114*,
1117
 Rummery, G. A., 871, *1111*
 Rush Hour (puzzle), 86
 Ruspini, E. H., 477, *1111*
 Russakovsky, O., 837, *1111*
 Russell, A., 125, *1093*
 Russell, B., 25, 35, 36, 328, *1116*
 Russell, J. G. B., 549, *1111*
 Russell, J. R., 331, *1107*
 Russell, S. J., 80, 126, 127, 162, 221, 222,
 267, 316, 339, 400, 515–517, 551,
 586–588, 637, 638, 653, 666–668,
 799, 871–873, 984, 1070, 1071,
1085–1087, *1092–1095*,
1097–1099, *1101*, *1105–1108*,
1111, *1113*, *1114*, *1117*, *1118*
 Russo, C., 667, *1097*
 Rustagi, J. S., 476, *1111*
 Rusu, A. A., 871, 873, *1106*
 Ruzzo, W. L., 904, *1097*
 Ryan, M., 297, *1099*
 Rzepa, H. S., 358, *1107*
-
- S**
-
- Saad, F., 667, 668, *1091*, *1111*
 Sabharwal, A., 266, 399, 901, *1091*,
1097, *1099*
 Sabin, D., 189, *1111*
 Sabri, K. E., 331, *1111*
 Sacerdoti, E. D., 398, 400, *1111*
 Sackinger, E., 44, 837, 1029, *1103*
 Sadeghi, F., 986, *1111*
 Sadeh, N. M., 639, *1086*
 Sadigh, D., 971, 986, *1111*
 Sadik, A., 871, 873, *1087*, *1106*
 Sadler, M., 223, *1111*
 Sadri, F., 358, *1111*
 Saeed, M., 737, *1097*
 safe exploration, 967
 safety engineering, **1052**
 Sagae, K., 904, *1111*
 Sagiv, Y., 329, *1086*
 Saha, D., 1047, 1060, *1087*
 Sahami, M., 903, *1102*, *1111*
 Sahin, N. T., 271, *1111*
 Sainath, T., 900, 905, *1090*, *1099*
 SAINT (mathematical problem solver),
 38, 162
 St. Petersburg paradox, 547
 Sakuta, M., 222, *1111*
 Salakhutdinov, R., 667, 838, 930, *1103*,
1113, *1117*
 Salesforce, 1068
 Salib, M., 731, 737, *1089*
 Salido, M. A., 189, 191, *1086*
 Salisbury, J., 985, *1105*
 Salmond, D. J., 516, *1097*
 Salomaa, A., 903, *1111*
 Salvatier, J., 46, *1097*
 Salzmann, M., 838, *1117*
 SAM (theorem prover), 331

- Samadi, M., 127, *1111*
 Samet, H., 735, *1111*
 Sammut, C., 871, *1111*
 Samothrakis, S., 222, *1089*
 sample complexity, **692**
 sample size disparity, **1046**
 sample space, **406**
 sampling, 453–459, **1080**
 adaptive, 475
 correlated, **863**, 872
 direct, 454
 rejection, 455
 Samsung, 1031
 Samuel, A., 35–37, 51, 80, 223, 733, 870, 871, *1111*
 Samuel, S., 668, *1099*
 Samuelson, L., 637, *1105*
 Samuelson, W., 639, *1110*
 Sanchez-Lengeling, B., 1027, *1111*
 Sanders, P., 126, *1093*
 Sandholm, T., 48, 224, 637–639, 841, *1089*, *1096*, *1111*
 Sang, T., 474, *1111*
 Sanna, R., 836, *1096*
 Sanskrit, 356, 903
 Santorini, B., 880, 903, *1105*
 SAPA (planning system), 401
 Sapir, E., 875, *1111*
 Sapir-Whorf hypothesis, 270
 Saraswat, V., 189, *1115*
 Sarawagi, S., 906, *1111*
 Sargent, T. J., 872, *1111*
 SARSA (state-action-reward-state-action), **853**
 Sartre, J.-P., 636, *1111*
 Sastry, G., 872, *1111*
 Sastry, S., 79, 667, 868, 872, 971, 986, *1098*, *1107*, *1108*, *1111*
 SAT, **241**
 Satheesh, S., 837, *1111*
 Satia, J. K., 588, *1111*
 satisfaction (in logic), **232**
 satisfiability, **240**, 266
 satisfiability threshold conjecture, **254**
 satisficing, **28**, 108
 SATMC (logical reasoning system), 268
 Sato, T., 329, 666, *1111*, *1114*
 SATPLAN, **262**
 Sattigeri, P., 1047, 1060, *1087*
 saturation, **322**
 SATZ (logical reasoning system), 266
 Saul, L. K., 476, 838, *1100*, *1111*
 Saund, E., 903, *1111*
 Saunders, W., 872, *1111*
 Saurous, R. A., 667, *1115*
 Savage, L. J., 412, 427, 548, *1111*
 Savani, Y., 838, *1116*
 Savva, M., 873, *1111*
 Saxe, A. M., 837, *1097*
 Saxe, R., 872, *1086*
 Saxena, N., 1060, *1106*
 Sayre, K., 1033, *1111*
 scaled orthographic projection, **992**
 scanning lidar, **935**
 Scarcello, F., 191, 360, *1094*, *1097*
 scene, **989**
 Scha, R., 891, *1088*
 Schaal, S., 986, *1086*, *1109*
 Schabes, Y., 891, 905, *1109*, *1110*
 Schaeffer, J., 106, 126, 127, 223, 637, *1085*, *1087*, *1091*, *1094*, *1111*
 Schäfer, A. M., 872, *1098*
 Schank, R. C., 41, *1111*
 Schapire, R. E., 718, 736, 903, *1095*, *1111*, *1112*
 Scharir, M., 984, *1112*
 Scharre, P., 1059, *1112*
 Schaub, T., 359, *1093*
 Schauenberg, T., 637, *1087*
 scheduling, **392**, 392–396, **394**
 Scheines, R., 798, *1113*
 schema (in a genetic algorithm), **135**
 schema acquisition, **768**
 Schervish, M. J., 428, *1093*
 Schickard, W., 24
 Schlaefel, N., 48, *1094*
 Schlenoff, C. I., 986, *1105*
 Schmid, C., 1029, *1112*
 Schmid, M., 48, 224, *1104*, *1107*
 Schmidhuber, J., 838, 839, *1096*, *1099*, *1112*
 Schmidt, G., 402, *1088*
 Schmitt, S., 224, *1112*
 Schneegaß, D., 872, *1098*
 Schneider, J., 868, 873, 986, *1085*, *1086*, *1089*
 Schnitzius, D., 402, *1092*
 Schnizlein, D., 638, *1116*
 Schoenberg, I. J., 836, *1107*
 Schoenick, C., 901, *1091*
 Schofield, M., 222, *1112*
 Schölkopf, B., 476, 736, *1091*, *1092*, *1108*, *1112*
 Schomer, D., 271, *1111*
 Schön, T. B., 517, *1104*
 Schöning, T., 266, *1112*
 Schoppers, M. J., 401, *1112*
 Schrag, R. C., 191, 266, *1086*
 Schraudolph, N. N., 223, *1112*
 Schrauwen, B., 47, *1115*
 Schrittwieser, J., 45, 48, 201, 220, 223, 224, 871, 873, *1087*, *1112*
 Schröder, E., 266, *1112*
 Schrödl, S., 127, *1094*
 Schubert, L. K., 357, *1100*
 Schulman, J., 872, 873, 985, 986, 1061, *1085*, *1089*, *1095*, *1112*
 Schultes, D., 126, *1093*
 Schultz, K., 668, *1105*
 Schultz, W., 873, *1112*
 Schulz, D., 667, 984, *1089*, *1112*
 Schulz, S., 330, 331, *1112*, *1114*
 Schumann, J., 330, *1093*, *1103*
 Schuster, M., 47, 834, 901, 916, 929, *1090*, *1100*, *1117*
 Schutt, R., 736, *1108*
 Schütze, H., 901, 903, 905, *1105*, *1112*
 Schwartz, J. T., 984, *1112*
 Schwartz, R., 928, *1097*
 Schwartz, S. P., 357, *1112*
 Schwartz, W. B., 428, *1097*
 Schwing, A., 1016, 1023, *1085*, *1093*
 scientific discovery, 734
 Scikit-Learn (machine learning software), 738, 1072
 SCIPY (scientific software), 1072
 Sciuto, C., 838, *1117*
 Scott, D., 665, *1112*
 Scrabble, 225
 scruffy vs. neat, 42
 Sculley, D., 731, 737, *1089*
 search, 40, 71
 A*, 103–108
 algorithm, **89**
 alpha-beta, 198–201, 220, 221
 B*, 221
 backtracking, 98, 179–181, 183, 187
 beam, **110**, 124, **133**, 205, 882, 887, 919
 local, **133**
 stochastic, **133**
 best-first, **91**, 123
 bidirectional, **100**, 114–115, 127
 breadth-first, **94**, 94–95, 123, 376
 conformant, 144–145
 continuous space, 137–140, 160
 cutting off, 204–206
 depth-first, **96**, 96–98, 123, 376
 depth-limited, **98**, 98
 greedy best-first, **103**, 103
 heuristic, 125
 hill-climbing, 129–132, 156
 in a CSP, 175–183
 incremental belief-state, **147**
 informed, 81, **102**, **102**–123
 iterative deepening, **98**, 98–100, 123, 125, 201, 204, 376
 iterative deepening A*, 126
 learning to, 121
 local, 128–137, 160, 190, 253–254, 265, 266
 greedy, **130**
 local, for CSPs, 181–183
 local beam, 133
 memory-bounded, 110–113, 126
 memory-bounded A*, **113**, 113, 127
 minimax, **194**, 194–198

- nondeterministic, **140**–143
 online, **152**, 152–159, 162–163
 partially observable, 144–152
 policy, **841**, **861**, 861–863
 problem, 949
 quiescence, **204**
 real-time, 145, 202–206
 recursive best-first (RBFS), 111–113, 126
 simulated annealing, 132–133
 stochastic beam, **133**
 systematic, **93**
 tabu, **160**, 182
 tree, 89, **193**
 uniform-cost, **95**, 95–96, 123
 uninformed, 63, 94–102, 123, 125
 weighted A*, 109
- search tree, 89, **193**
- Searle, J.R., 29, 1036, 1058, *1112*
- secure aggregation, **1043**
- Sedgewick, R., 1080, *1112*
- Sedol, L., ix, 864
- Sefidgar, Y. S., 974, 986, *1112*
- Segal, A., 1043, *1088*
- Segaran, T., 639, 738, *1112*
- segmentation (of an image), **1001**
- Seipp, J., 399, *1112*
- Sejnowski, T., 223, 839, *1098*, *1112*
- selection (in evolutionary algorithms), **134**
- selection policy (in game tree search), **207**
- selection problem, **576**
- Self, M., 799, *1090*
- self-attention, **919**
- self-occlusion, 1003
- Selfridge, O. G., 36
- Sellart, L., 873, *1110*
- Selman, B., 160, 190, 266, 267, 359, 399, *1097*, *1101*, *1112*
- Selsam, D., 668, *1105*
- semantic interpretation, 894–895, 904
- semantic network, **347**, 347–349, 355, 359
- semantics, **232**, 884, 892
 database, **283**, 315, 363, 643
 logical, 264
- Semantic Web, 357
- semi-Markov decision process, 860
- semidecidable, 300, 328
- semidynamic environment, **64**
- semisupervised learning, **723**
- semisupervised parsing, **891**
- Senges, M., 1062, *1108*
- Seni, G., 736, *1112*
- Senior, A., 830, 838, 900, 905, *1099*, *1115*
- sensitivity analysis, **542**
- sensor, 54, 61, **989**
 active, **934**
 lidar, 61, 1024, 935
 passive, **934**
 sonar, 934
 tactile, **935**
 ultrasound, 61
- sensor array, **940**
- sensor failure, 505
- sensorless planning, 383, 385–388
- sensor model, **70**, 479, 482, 492, 499, 514, 578, 939
- Sensory Graphplan (SGP), 401
- sentence
 atomic, **235**, **278**, 278, 282
 complex, **235**, 278
 in a KB, **227**, 264
 natural language, 874, 885
 as physical configuration, 234
- sentiment analysis, **877**, 914
- Seo, H., 873, *1103*
- Seo, M., 931, *1112*
- separator (in Bayes net), 420
- Seppi, K. D., 586, *1117*
- sequence-to-sequence model, **916**
- sequence form, **611**
- sequential decision problem, 552–562, 586
- sequential environment, **63**
- sequential importance sampling with resampling (SIR), 516
- serendipity, 392
- Sergot, M., 358, *1102*
- serializable subgoals, **373**
- Servant of Philon, 983
- Seshia, S. A., 971, 986, *1111*
- set (in first-order logic), **287**
- set-cover problem, **371**
- Seth, K., 1043, *1088*
- SETHEO (theorem prover), 330
- set of support, **326**
- set partitioning problem, **621**
- Settle, L., 331, *1097*
- Settlers of Catan, 197
- Seung, H. S., 986, *1114*
- Severini, S., 1069, *1093*
- Severyn, A., 904, *1085*
- SEXTANT (deep space navigation system), 47
- Seymour, P. D., 190, *1110*
- SGD (stochastic gradient descent), **697**, 816
- SGP (Sensory Graphplan), 401
- Sha, F., 928, *1090*
- Shachter, R. D., 473–475, 523, 548, 586, *1112*, *1114*
- Shadow Dexterous Hand, 937
- Shafer, G., 477, *1112*
- shaft decoder, **936**
- Shafto, P., 588, *1110*
- Shah, J., 1028, 986, *1107*
- Shahrad, H., 137, 161, *1106*
- Shaked, T., 906, *1094*
- Shaker, G., 1064, *1117*
- Shakey, 20, 61, 162, 398, 401, 983, 986
- Shalata, A., 474, *1112*
- Shalla, L., 330, *1117*
- Shamdas, M., 48, *1104*
- Shanahan, M., 341, 358, 1061, *1112*
- Shani, G., 588, *1112*
- Shankar, N., 331, *1112*
- Shannon, C. E., 36, 201, 221, 679, 733, 738, 902, *1112*
- SHAP (explainable machine learning system), 737
- shape from shading, 1030
- shaping theorem, **559**
- Shapley, L. S., 638, *1112*
- Shapley, S., 586, 638, *1112*
- Shapley value, **618**, 619, 635
- Sharan, R. V., 1027, *1112*
- shared model, **1068**
- Sharir, M., 985, *1097*
- Sharon, G., 126, *1099*
- Sharp, D. H., 836, *1091*
- Shatkay, H., 984, *1112*
- Shaw, J. C., 124, 266, *1107*
- Shawe-Taylor, J., 736, *1091*
- Shazeer, N., 736, 901, 919, 929–931, *1072*, *1100*, *1110*, *1112*, *1115*
- Shehory, O., 638, *1111*
- Shelley, M., 1052, *1112*
- Shelton, C., 516, *1108*
- Shen, Q., 799, *1092*
- Shepard, D., 549, *1117*
- Sheppard, B., 225, *1112*
- Shet, V., 820, *1097*
- Shi, E., 1060, *1107*
- Shi, J., 1001, 1028, *1112*
- Shieber, S., 1057, *1112*
- shift-reduce parsing, **889**
- Shimelevich, L. I., 516, *1117*
- Shimony, S. E., 475, 587, 1070, *1098*, *1112*
- Shin, M. C., 586, *1109*
- Shinkareva, S. V., 271, *1106*
- Shmakov, A., 124, *1085*
- Shmatikov, V., 1042, 1060, *1086*, *1107*
- Shmoys, D. B., 125, 395, 402, *1103*
- Shoar, S., 161, *1096*
- Shoham, Y., 79, 225, 330, 549, 638–640, *1085*, *1091*, *1100*, *1103*, *1112*
- short-term memory, 310
- shortcut, **121**
- Shortliffe, E. H., 477, *1089*, *1112*
- shoulder (in state space), **131**
- Shpitzer, I., 653, 666, *1108*
- SHRDLU (natural language system), 38, 41, 364, 905
- Shreve, S. E., 79, *1087*

- Shroff, G., 1041, *1105*
 Shtark, O., 474, *1112*
 Siciliano, B., 987, *1112*
 Siddiqui, N., 1023, *1093*
 sideways move (in state space), **131**
 Siebel, W. A., 1027, *1102*
 Sievers, S., 399, *1112*
 Sifre, L., 45, 48, 201, 220, 223, 224, 871, *1112*
 SIGAI, 53
 SIGART, 53
 Sigaud, O., 588, *1112*
 sigmoid, 703, **803**
 Sigmund, K., 25, *1112*
 signed distance field, **956**
 significance test, **681**
 Silberstein, M., 474, *1112*
 Silva, R., 225, *1112*
 Silver, D., 37, 45, 48, 201, 220, 222–225, 588, 835, 841, 871, 873, 986, *1104, 1106, 1112, 1115*
 Silverman, B. W., 838, *1112*
 Silverstein, C., 905, *1113*
 sim-to-real, 933, **966**, 985, 986
 Sima'an, K., 891, *1088*
 Simard, P., 44, 837, 1029, *1087, 1103*
 Simchowicz, M., 1060, *1104*
 Simeon, T., 986, *1113*
 Simmons, R., 516, 984, *1113, 1115*
 Simon's predictions, 39
 Simon, D., 79, *1113*
 Simon, H.A., 20, 28, 36, 37, 40, 79, 124, 125, 266, 327, 398, 551, *1100, 1107, 1113*
 Simon, J. C., 267, *1113*
 Simonis, H., 189, *1113*
 Simons, P., 360, *1107*
 Simonyan, K., 27, 30, 224, 830, 838, 900, 1027, *1094, 1100, 1104, 1112, 1115*
 SIMPLE-REFLEX-AGENT, **69**
 simple majority vote, **630**
 simplex algorithm, 161
 SIMULATED-ANNEALING, **133**
 simulated annealing, 132–133, 159, 160, 395, 460
 simulation, **207**
 simultaneous localization and mapping (SLAM), 512, **942**
 Sin, B.-K., 516, *1114*
 Sinclair, A., 132, 161, *1104, 1110*
 Singer, P. W., 1059, *1113*
 Singer, Y., 516, 903, *1095, 1111*
 Singh, A., 930, 931, *1116*
 Singh, M., 80, 1047, 1060, *1087, 1099*
 Singh, N., 48, *1104*
 Singh, P., 50, 334, *1106, 1113*
 Singh, R., 667, *1087*
 Singh, S., 163, 668, 587, 737, 871–873, 984, *1086, 1089, 1101, 1105, 1108, 1114*
 singly connected network, **451**
 singular extension, **205**
 singularitarianism, 1061
 singularity, **30**, 1055
 singular matrix, **1077**
 sins, seven deadly, 130
 SIPE (planning system), 401
 SIR (sequential importance sampling with resampling), 516
 SIS, *see* importance sampling, sequential
 Sisbot, E. A., 986, *1113*
 Siskind, J. M., 1067, *1113*
 Sistla, A. P., 399, *1113*
 Sittler, R. W., 666, 667, *1113*
 situated agent, 1033
 situation calculus, **370**
 Sjolander, K., 516, *1102*
 Skinner, B. F., 34
 skip-gram, **877**, 923
 Skolem, T., 296, 328, *1113*
 Skolem constant, **299**, 328
 Skolem function, **318**, 328
 skolemization, **317**
 Skolnick, M. H., 474, *1089*
 Skype, 47
 slack (in scheduling), **394**
 Slagle, J. R., 38, *1113*
 SLAM (simultaneous localization and mapping), 512, **942**
 Slate, D. J., 125, *1113*
 Slater, E., 221, *1113*
 Slattery, S., 905, *1091*
 sliding-tile puzzle, **86**, 120, 371
 sliding window, **1006**
 SLING (natural language system), 928
 Slocum, J., 124, *1113*
 Sloman, A., 50, *1106*
 Slovic, P., 550, *1100*
 small-scale learning, **688**
 Smallwood, R. D., 587, *1113*
 SMA*, 123
 Smith, A., 28, 782, *1087*
 Smith, A. F. M., 516, 799, *1097, 1115*
 Smith, B., 47, 334, 358, 401, *1100, 1113*
 Smith, D. A., 904, *1113*
 Smith, D. E., 162, 316, 329, 400, 401, *1089, 1096, 1102, 1109, 1113, 1116*
 Smith, E., 737, *1113*
 Smith, G., 126, *1110*
 Smith, J. E., 527, 549, *1113*
 Smith, J. L., 48, *1104*
 Smith, J. M., 161, 638, *1113*
 Smith, J. Q., 548, *1108, 1113*
 Smith, K., 737, *1087*
 Smith, M. K., 357, *1113*
 Smith, N. A., 928, *1097*
 Smith, R. C., 984, *1113*
 Smith, R. G., 80, 639, *1089, 1113*
 Smith, S. J. J., 224, *1113*
 Smith, T., 47, *1086*
 Smith, V., 639, *1110*
 Smith, W. D., 221, 473, *1086, 1107*
 Smith, W. E., 551, *1113*
 SMODELS (logic programming system), 360
 Smola, A. J., 736, *1112*
 Smolensky, P., 902, 1068, *1113*
 smoothing, 486–489, 514, 795, **878**, 998
 complexity, 488
 linear interpolation, **878**
 online, 493
 SMOTE (data generation system), 725, 1046
 Smullyan, R. M., 297, *1113*
 Smyth, P., 516, *1113*
 SNARC (neural network hardware), 35
 Snell, J., 428, *1097*
 Snoek, J., 690, *1113*
 Snyder, W., 330, *1086*
 SOAR (cognitive architecture), 310, 329, 400
 soccer, 225
 robotic, 192, 640
 Socher, R., 44, 923, 929, 931, 1072, *1093, 1098, 1101, 1109*
 social choice function, **629**
 social choice theory, **628**
 social law, **595**
 social outcome, **629**
 social preference order, 629
 social welfare, **599**
 social welfare function, **629**
 societal bias, **1043**
 Society for Artificial Intelligence and Simulation of Behaviour (AISB), 53
 society of mind, 636
 Socrates, 21
 Soderland, S., 357, 901, 906, *1086, 1094*
 softbot, **61**
 soft margin, **714**
 softmax, **809**, 862
 softplus, **803**
 soft threshold, 441
 software agent, **61**
 software engineering, 1053
 Sohl-Dickstein, J., 838, *1109*
 Sohn, J. H., 48, *1093*
 Soika, M., 984, *1088*
 sokoban puzzle, **85**
 solipsism, 1036
 Solla, S., 838, *1103*
 Solomonoff, R. J., 36, 734, *1113*
 solution, **82**, 83, 123, **165**

- optimal, **83**
 solution concept, **596**
 soma, 30
 sonar, **934**
 Sondik, E. J., 587, *1113*
 Sonenberg, L., 737, 1061, *1106*
 Song, Z., 837, *1085*
 Sonneveld, D., 124, *1113*
 Sontag, D., 667, *1106*
 Sophia (robot), 1051
 Sorensen, T., 637, *1096*
 Soric, R., 190, *1113*
 soundness (of inference), **234**, 240, 248, 264, 306
 Sowa, J., 361, *1113*
 Spaan, M. T. J., 588, *1113*
 space complexity, **93**, 123
 spacecraft assembly, 402
 SPACY (parser), 904
 spam detection, **877**
 Sparck Jones, K., 428, *1110*
 Sparrow, R., 1051, *1113*
 sparse model (in machine learning), **699**
 sparse reward (in reinforcement learning), **841**
 sparse system, **435**
 sparse transition model, 560
 SPASS (theorem prover), 330
 spatial reasoning, **360**
 species, 42, 334, 335, 357, 789, 1061
 speech act, **897**
 speech recognition, 20, 43, **900**, 905
 speech synthesis, 47
 speedy search, **110**
 sphex wasp, 59, 392
 SPI (Symbolic Probabilistic Inference), 474
 Spiegelhalter, D. J., 474–476, 666, 549, 798, *1091*, *1096*, *1103*, *1105*, *1113*
 SPIKE (planning system), 402
 SPIN (logical reasoning system), 327
 Spiropulu, M., 1069, *1107*
 Spirtes, P., 798, *1113*
 Spitkovsky, V. I., 891, *1113*
 Spitzer, E., 1046, *1106*
 split point, **682**
 Spronck, P., 222, *1090*
 Sproull, R. F., 80, 548, *1094*
 SQUAD (Stanford Question Answering Dataset), 43, 46, 931
 square root, 67
 Srebro, N., 1060, *1098*
 SRI, 38, 296, 398, 548, 983
 Srinivasa, S., 958, 970, 985, 986, *1093*, *1110*, *1118*
 Srinivasan, M. V., 1064, *1095*
 Srivas, M., 327, *1113*
 Srivastava, N., 838, *1113*
 Srivastava, S., 587, *1113*
 SSS*algorithm, 221
 Staab, S., 357, *1113*
 stability
 of a controller, **960**
 strict, **960**
 stack (data structure), **92**
 stacked generalization, **717**
 Stader, J., 402, *1085*
 STAGE (local search algorithm), 160
 stage game, **604**
 Stallman, R. M., 189, *1113*
 STAN (probabilistic programming language), 476, 668
 standard deviation, 219, **1079**
 standardized problem, **84**
 standardizing apart, **302**, 368
 standard model, **22**
 Stanfill, C., 735, *1113*
 Stanford Parser, 904
 Stanford University, 37, 40, 41, 45, 296, 639
 Stanhope Demonstrator, 266
 Staniland, J. R., 428, *1092*
 Stanislawska, K., 161, *1113*
 Stanley (autonomous vehicle), 979, 980, 984
 StarCraftII, 46, 48, 193, 218, 225, 873
 START (question-answering system), 901
 Star Trek, 1058
 start symbol, **1081**
 state, **362**
 repeated, **92**
 world, 84
 state-action-reward-state-action (SARSA), **853**
 state abstraction, **373**, 872
 state description, 86
 state estimation, **150**, 215, 260, 265, **483**, 938
 recursive, **150**, 484
 States, D. J., 799, *1099*
 state space, **83**
 graph, 123, **193**
 joint, **860**
 metalevel, 121
 static environment, **63**
 stationarity, **683**
 stationarity (for preferences), **556**
 stationary distribution, **462**, 486
 statistics, **26**, 1079
 Statnikov, A. R., 737, *1097*
 steepest ascent, **129**
 Stefik, M., 361, 477, *1113*
 Stein, C., 125, 1080, *1091*
 Stein, J., 473, *1107*
 Steinbach, M., 738, *1114*
 Steinberg, R., 639, *1091*
 Steiner, D. F., 48, *1113*
 Steiner, W., 984, *1089*
 Steinhardt, J., 1061, *1085*
 Steinruecken, C., 737, *1113*
 Stensrud, B., 329, *1114*
 Stentz, A., 160, *1093*
 Stepleton, T., 872, *1107*
 step size, **139**
 stereogram, random dot, 1028
 stereo vision, **934**
 Stergiou, K., 189, *1113*
 Stern, H. S., 799, *1096*
 Stickel, M. E., 266, 330, *1113*, *1118*
 stiction, **959**
 stiff neck, 417
 Stiller, L., 222, *1113*
 stimulus, 31, 988
 Stob, M., 734, *1108*
 stochastic beam search, **133**
 stochastic dominance, **531**, 547
 stochastic environment, **163**, 552
 stochastic gradient descent, **697**, 816
 stochastic gradient descent (SGD), **697**, 816
 stochastic local search, 159
 STOCKFISH (chess program), 206, 222, 223
 Stockman, G., 221, *1113*
 Stoffel, K., 357, *1113*
 Stoic school, 265
 Stokes, I., 402, *1085*
 Stolcke, A., 47, *1117*
 Stone, C. J., 734, *1089*
 Stone, M., 734, *1113*
 Stone, P., 45, 225, 639, 640, 873, 984, *1086*, *1097*, *1113*, *1114*
 stopping time, **573**
 Stork, D. G., 738, 800, *1094*
 Storvik, G., 517, *1114*
 Story, W. E., 124, *1100*
 Stoyanov, V., 927, 930, *1104*
 Strachey, C., 32, 35, 221, 223, *1114*, *1115*
 straight-line distance, **103**
 Strat, T. M., 477, *1111*
 strategic decision making, **590**
 strategy, 215, 596
 strategy-proof, **625**
 strategy profile, **596**
 Stratonovich, R. L., 515, 550, *1114*
 Straub, J., 873, *1111*
 Straw, A. D., 1064, *1095*
 strawberries, enjoy, 1033
 strictly stable, **960**
 stride, **812**, 1007
 Striebel, C. T., 515, *1110*
 string (in logic), **359**
 STRIPS (planning system), 398, 400, 401
 Strohm, G., 401, *1095*
 Strohman, T., 901, 905, *1091*
 Strohmman, T., 334, *1093*

- strong AI, **1032**, 1056, 1057
strong domination, **597**
Stross, C., 30, *1093*
structural equation, **468**
structural estimation of MDPs, 872
structured light, **935**
structured representation, **77**, 81, 408
Stuckey, P. J., 189, 330, *1100*, *1105*
STUDENT (natural language system), 38
stuff, **339**
Stuhlmüller, A., 668, 872, *1111*, *1117*
Stumpe, M. C., 48, *1097*, *1104*, *1113*
stupid backoff, 879
stupid pet tricks, 59
Sturtevant, N.R., 106, 114, 126, 163, *1085*, *1090*, *1094*, *1099*, *1114*
Stütze, J., 799, *1090*
Stutzle, T., 160, 190, *1093*, *1099*
style transfer, **1022**
Su, H., 837, *1111*
Su, Y., 125, *1093*
subcategory, **335**, **892**
subgame, **609**
subgame perfect Nash equilibrium, **609**
subgoal independence, **374**
subjective case, 892
subjectivism, **427**
subproblem, **118**
Subrahmanian, V. S., 222, *1108*
Subramanian, D., 360, 1071, *1111*, *1114*
substance, 339–340
substitutability (of lotteries), **520**
substitution (in first-order logic), **284**, 298
subsumption
 in description logic, 349
 in resolution, **326**
subsumption architecture, **976**
subsumption lattice, 303
successor-state axiom, **258**, 268
successor node, **90**
Suciu, D., 665, 668, *1092*, *1097*
Sudderth, E., 653, 667, *1085*
Sudholter, P., 638, *1109*
Sudoku, **173**
Suk, H.-I., 516, *1114*
Sulawesi, 183
SUMMATION, **1074**
Summers-Stay, D., 1017, *1097*
summing out, 414, 449
sum of squared differences (SSD), **1000**
Sun, A., 47, *1118*
Sun, J., 837, *1098*
Sun, R., 1023, *1093*
Sun, S., 334, *1093*
Sun, Y., 930, *1114*
SUNFISH (chess program), 222
Sunstein, C., 550, *1114*
Sunter, A., 666, *1094*
superadditivity, **617**
SUPERGLUE (natural language benchmark), 931
Superman, 270
supervised learning, **671**, 840, 855
support vector machine (SVM), **710**, 710–714
surely expanded nodes, **108**
Suresh, A. T., 1043, *1102*
sure thing, 525
survey propagation, **267**
survival of the fittest, 516
Sussman, G. J., 189, 398, *1113*, *1114*
Sussman anomaly, 398
Sutcliffe, G., 330, 331, *1114*
Sutherland, G. L., 40, *1089*
Sutherland, I., 188, *1114*
Sutphen, S., 223, *1111*
Sutskever, I., 44, 837, 838, 900, 909, 930, 931, 1029, *1100*, *1102*, *1106*, *1110*, *1113*, *1114*
Suttner, C., 331, *1114*
Sutton, C., 906, *1114*
Sutton, R. S., 80, 586, 588, 871–873, *1086*, *1114*
Svartvik, J., 904, *1110*
Svestka, P., 985, *1101*
Svetnik, V. B., 516, *1117*
SVM (support vector machine), **710**, 710–714
Swade, D., 33, *1114*
Swartout, W. R., 1060, *1107*
Swartz, R., 356, *1089*
Swayamdipta, S., 928, 930, *1097*, *1111*
Sweeney, L., 1042, 1060, *1114*
Swering, P., 515, *1114*
Swersky, K., 1046, *1117*
Swetter, S. M., 48, *1094*
Swift, T., 329, *1114*
switching Kalman filter, **502**
sybil attack, **648**
syllogism, 21, 24, **265**
SYMBA* (planning system), 399
Symbolic Probabilistic Inference (SPI), 474
symmetric players, **619**
symmetry breaking (in CSPs), **187**
symmetry reduction, **372**
synapse, **30**
synchronization (in multiagent systems), 592
syntactic ambiguity, **898**, 904
syntactic category, **884**
syntactic sugar, **286**
syntactic theory (of knowledge), 359
syntax, 41, **232**, 235
 of logic, 264
 of natural language, 884
 of probability, 410
synthesis (by theorem provers), **327**
 of algorithms, 327
SYNTHIA (simulated environment), 873
Syrjänen, T., 360, *1107*
systematic search, **93**
SYSTRAN (machine translation software), 931
Syverson, C., 1049, *1089*
Szafron, D., 637, 638, *1087*, *1088*, *1116*
Szathmáry, E., 161, *1113*
Szegedy, C., 327, 330, 837, 838, *1085*, *1086*, *1100*, *1104*, *1114*
Szeliski, R., 1031, *1114*
Szepesvari, C., 222, 587, 873, *1102*, *1114*
Szerlip, P., 667, *1087*
Szita, I., 222, *1090*
-
- ## T
-
- T (fluent holds), 341
t-distributed stochastic neighbor embedding (t-SNE), **727**, 737
T-SCHED (planning system), 402
t-SNE (t-distributed stochastic neighbour embedding), **727**, 737
T4 (planning system), 401
T5 (natural language system), 928, 931
TABLE-DRIVEN-AGENT, **66**
Tableau (data analysis software), 727
table lookup, **705**
tabu search, **160**, 182
tactile sensor, **935**
Tadepalli, P., 551, 871, *1094*, *1114*
Tafjord, O., 901, *1091*
tag (part of speech), 880
tagging system (for images), **1016**
Tait, P.G., 124, *1114*
Takusagawa, K. T., 668, *1109*
Talos, 982, 1057
Talukdar, P., 901, *1106*
Tamaki, H., 329, *1114*
Tambe, M., 191, *1108*
Tammelin, O., 48, 224, *1088*
Tan, P., 738, *1114*
Tang, E., 1069, *1114*
Tang, J., 873, *1089*
tanh, **804**
Tank, D.W., 29, *1108*
Tardos, E., 638, *1108*
Tarricone, R., 549, *1087*
Tarski, A., 296, 297, 904, *1114*
Tash, J. K., 587, *1114*
task-oriented domain (in multiagent systems), **633**
task announcement, **623**
Taskar, B., 668, *1096*
task environment, **60**, 78
task planning (in robotics), **938**
Tasmania, 183
Tassa, Y., 873, 986, *1098*, *1104*, *1114*

- Tate, A., 377, 398, 400–402, *1085, 1087, 1114*
- Tatman, J. A., 586, *1114*
- Tattersall, C., 206, *1114*
- Tavener, S., 222, *1089*
- taxi, 60, 61, 403
- automated, 75, 228, 403, 1070
- taxonomic hierarchy, 41, **335**, 357
- Taylor, A. D., 638, *1114*
- Taylor, C., 1030, *1092*
- Taylor, G., 329, *1114*
- Taylor, M., 357, *1113*
- Taylor, P., 900, *1114*
- Taylor, R., 986, *1104*
- Taylor, W., 190, *1090*
- Taylor expansion, **942**
- TD-GAMMON (backgammon program), 37, 224, 867
- technological unemployment, 983, **1049**
- teddy bear, 1033
- Tedrake, R., 986, *1114*
- Tegmark, M., 838, *1110*
- Teh, Y. W., 516, 837, *1099, 1108*
- telephone, 914
- telepresence robots, **978**
- Teller, A., 160, 475, *1106*
- Teller, E., 160, 475, *1106*
- Teller, S., 984, 986, *1088, 1114*
- Tellex, S., 986, *1114*
- Templeton Foundation, 1037
- temporal-difference learning, 844–848, 869
- temporal inference, 483–491
- temporal invariance, 811
- temporal logic, **273**
- temporal projection, 267
- temporal reasoning, 134–142, 255–264, 340–343, 479–517
- Tenenbaum, J. B., 225, 296, 667, 668, 550, 872, *1086, 1095, 1097, 1102, 1103, 1114*
- Tennenholtz, M., 871, *1088*
- tennis, 593
- tense, **897**
- tensor, **814**
- TensorFlow, 738
- TensorFlow (machine learning software), 1060, 1072
- tensor processing unit (TPU), 33, 45, 814
- Teplyashin, D., 873, *1087*
- term (in logic), **277**, 277–278
- ter Meulen, A., 297, *1115*
- terminal state, **193**
- terminal symbol, 1081
- terminal test, **193**
- termination condition, 964
- term rewriting, 330
- Tesauro, G., 37, 222, 224, 855, 866, 867, 871, *1114*
- Tesla, 1031, 980
- test set, **672**, 684
- Tetlock, P. E., 46, 356, *1114*
- TETRAD (machine learning software), 798
- Tetris, 562, 571
- Teukolsky, S.A., 160, *1109*
- text-to-speech, **900**
- text classification, **421**, 913
- TEXTRUNNER (information extraction system), 334, 901, 906
- texture, **999**
- texture gradient, 1028
- Teyssier, M., 798, *1114*
- Thaler, R., 549, 550, *1114*
- Thayer, J. T., 127, *1114*
- thee and thou, 886
- Theocharous, G., 516, *1114*
- theorem, **285**
- incompleteness, 27, 323, 1034
- theorem proving, 39, **240**, 316–327, 398
- thermostat, 34
- Theseus, 733
- Thiele, T., 515, *1114*
- Thielscher, M., 222, 268, 358, *1112, 1114*
- thingification, 335
- thinking humanly, 20
- thinking rationally, 21
- thinkism, **1056**
- Thirion, B., 738, *1109*
- Thitimajshima, P., 476, *1087*
- Thng, F., 48, *1113*
- Thomas, A., 476, 666, 798, *1096, 1105*
- Thomas, J., 738, *1091*
- Thomas, P. S., 872, *1114*
- Thomas, A., 986, *1085, 1114*
- Thompson, B., 588, *1117*
- Thompson, E., 474, *1089, 1112*
- Thompson, K., 222, *1091, 1114*
- Thompson, W. R., 576, 587, *1114*
- Thompson sampling, **576**
- Thorndike, E., 870, *1114*
- Thornton, C., 737, *1115*
- Thorpe, C., 46, *1101*
- thought, 21, 37, **226**
- laws of, 21–22
- thrashing, **113**
- 3-SAT, 266, 267, 308, 451
- threshold function, **701**
- Throop, T.A., 224, *1113*
- Thrun, S., 46, 48, 79, 516, 588, 737, 984–987, *1089, 1090, 1094, 1095, 1106, 1109, 1111, 1115*
- Thurstone, L. L., 667, *1115*
- Tian, H., 930, *1114*
- Tian, J., 473, *1115*
- Tiao, G. C., 798, *1088*
- Tibshirani, R., 735–738, 800, *1087, 1095, 1098, 1100*
- tic-tac-toe, 193, 221
- Tikhonov, A. N., 734, *1115*
- time, 479–517
- time (discrete), **480**
- time (in grammar), **897**
- time-of-flight camera, **935**
- time complexity, **93**, 123
- time interval, 358
- time slice (in DBNs), **480**
- time well spent, **1066**
- Timofeev, A., 48, *1104*
- Tinsley, M., 223
- Tipping, M. E., 838, *1115*
- Tirole, J., 638, *1095*
- Tishby, N., 516, *1095*
- Tit-for-Tat, **604**
- Titterington, D. M., 799, *1115*
- TMS (truth maintenance system), 206, **353**, 353–355, 360
- Tobarra, L., 268, *1085*
- Tobin, J., 986, *1085*
- Todorov, E., 985, *1104*
- Tohmé, F., 638, *1111*
- tokenization, **876**
- Tolpin, D., 587, 1070, *1098*
- Toma, P., 931, *1115*
- Tomasi, C., 1030, *1115*
- Tomlin, C. J., 872, *1085*
- Tononi, G., 1058, *1108*
- toothache, 404
- Topcu, U., 359, 1065, *1104*
- top-down inductive learning methods, 761–763
- Topol, E., 48, *1104, 1115*
- topological ordering, **434**
- topological sort, **183**, 184
- Torbica, A., 549, *1087*
- torque sensor, **936**
- Torralba, A., 399, 708, *1115*
- Torras, C., 162, 401, *1100*
- Toshev, A., 48, 930, *1115*
- total cost, 122
- touring problem, **88**
- Toutanova, K., 930, *1093*
- Tovey, C. A., 639, *1086*
- TPTP (Thousands of Problems for Theorem Provers), 331
- TPU (tensor processing unit), 33, 45, 814
- tractability of inference, **27**, 350
- tragedy of the commons, **627**, 1053
- training, 684
- training curve, **701**
- training set, **671**, 684
- weighted, **717**
- trajectory, **946**
- trajectory tracking control, **946**, 985
- Tramér, F., 1060, *1115*
- Tran, D., 667, *1115*
- Tran-Gia, P., 1068, *1099*

- transfer learning, 670, **832**, 922, 967, 1067
- transformer decoder, **922**
- transformer encoder, **922**
- transformer model, 884, **919**
- transhumanism, **1056**, 1061
- transient failure, **505**
- transient failure model, **506**
- transition kernel, **462**
- transition model, **70**, **83**, 123, **140**, **193**, 256, 479, 482, 510, 514, 553, 585, 939
- sparse, 560
- transitivity (of preferences), **520**
- translation, *see* machine translation
- transparency
- transpose, **1077**
- transposition (in a game), **201**
- transposition table, **201**
- Trappenberg, T., 839, *1115*
- traveling salesperson problem (TSP), 88, 125, 127
- Traverso, P., 399, 401, 402, *1087*, *1091*, *1096*
- treasure hunt, **541**
- TREC (Text REtrieval Conference), 901
- tree, 183
- TREE-CSP-SOLVER, 184
- tree-like search, **92**
- treebank, 890, 902
- Penn, **880**, 890, 928
- tree decomposition, **185**, 188
- tree width, **186**, 188, 190, 452
- Treichler, S., 48, *1103*
- trial (in reinforcement learning), **843**
- triangle inequality, **106**
- trichromacy, **995**
- Trick, M. A., 639, *1086*
- Triggs, B., 1029, *1092*
- Trivedi, H., 48, *1093*
- Troyanskii, P., 931
- Truby, R.L., 1064, *1102*, *1107*
- true concurrency, **592**
- true majority rule voting, **630**
- trust, 728, **1047**, 1060
- trust region policy optimization, 872
- Truskowski, P., 48, *1113*
- truth, **232**, 278
- truth-preserving inference, **234**
- truth-revealing, **625**
- truth maintenance system (TMS), 190, **353**, 353–355, 360
- assumption-based, **354**
- justification-based, **354**
- truth table, **237**, 266
- truth value, **236**
- Tsang, E., 190, 191, *1099*, *1115*
- Tse, D., 838, *1118*
- Tshitoyan, V., 923, *1115*
- Tsipras, D., 838, *1090*
- Tsitsiklis, J. N., 428, 586, 588, 856, 871–873, 1080, *1087*, *1105*, *1108*, *1115*
- TSP (traveling salesperson problem), 88, 125, 127
- Tsuruoka, Y., 1072, *1098*
- TT-CHECK-ALL, **239**
- TT-ENTAILS?, **239**
- Tuberg, D., 474, *1112*
- Tukey, J. W., 726, 737, *1115*
- Tulsiani, M., 1020, *1101*
- Tumer, K., 639, *1115*
- Tung, F., 515, *1110*
- tuple, **274**
- turbo decoding, **476**
- Turian, J., 929, *1115*
- Turing, A., 20, 27, 32, 35, 37, 51, 74, 221, 300, 328, 472, 733, 836, 870, 1032–1035, 1037, 1057, 1061, 1071, 1073, *1115*
- Turing Award, 359, 670, 839, 1080
- Turing machine, 27, 734
- Turing test, **20**, 20, 22, 874, 1035, 1057
- total, **20**
- turtle, 983
- Tversky, A., 436, 528, 550, *1095*, *1100*, *1115*
- two-finger Morra, 595
- 2001: A Space Odyssey, 472
- Tygar, J. D., 1061, *1086*, *1115*
- Type A strategy, **201**
- Type B strategy, **201**
- type signature, **644**
- typical instance, 338
- Tzemach, A., 474, *1112*
-
- U**
-
- U* (utility), 519
- u_{\top} (best prize), 523
- u_{\perp} (worst catastrophe), 523
- UAV (unmanned aerial vehicle), 934
- Uber, 1031
- UCB1 (upper confidence bound), **209**
- UCPOP (planning system), 398
- UCT (game-tree search algorithm), **209**
- Udluft, S., 872, *1098*
- UI (Universal Instantiation), **298**
- Ulam, S., 222, *1106*
- Ullman, J.D., 329, *1086*, *1115*
- Ullman, S., 1029, 1030, *1099*, *1115*
- ULMFIT (natural language software), 930
- ultimatum game, **632**
- ultraintelligent machine, **1055**
- unbalanced classes, **725**
- unbiased (estimator), **526**
- unbounded-cost search, **110**
- uncertain reasoning, 404
- uncertainty, 41, 333, 403–429
- existence, **648**
- identity, **648**
- relational, **646**
- rule-based approach to, 477
- summarizing, 404
- and time, 479–483
- unconditional probability, *see* probability,
- prior
- underfitting, **673**
- undergeneration, **886**
- undersampling, **725**
- unification, **301**, 301–302, 327, 328
- and equality, 324
- equational, **325**
- unifier, **301**
- most general (MGU), 302, 304, 324
- UNIFORM-COST-SEARCH, **95**
- uniform-cost search, **95**, 95–96, 123
- uniform convergence theory, 735
- uniform distribution, 409, **1080**
- uniform prior, 775
- UNIFY, **303**
- UNIFY-VAR, **303**
- UNIMATE (robot arm), 983
- uninformative prior, **784**
- uninformed search, 81, 94–102, 123, 125
- unintended side effect, **1053**
- unique names assumption, 282, 643
- unit (in neural networks), **802**
- unit clause, **244**, 251, 326
- United Nations, 49
- United States, 31, 32, 523, 1050
- unit preference (in resolution), **326**
- unit propagation, **251**
- unit resolution, **243**, 326
- units function, **337**
- universal approximation, 803
- Universal Dependencies (natural language data set), 890
- universal grammar, **905**
- Universal Instantiation (UI), **298**
- universal plan, 401
- universal quantifier, **279**
- unknown word, 878
- unmanned aerial vehicle (UAV), 934
- unobservability, 69
- UNPOP (planning system), 398
- unrolling, 508, **647**
- unsatisfiability, 264
- unsupervised learning, **671**, 789–791
- unsupervised parsing, **891**
- UOSAT-II (satellite), 402
- update (in temporal reasoning), 148, 150, 151, 484–486
- upper confidence bound (UCB), **575**
- upper ontology, 355
- Urban, J., 330, *1085*
- Urban Challenge, 984

- Urmson, C., 984, *1115*
urn-and-ball model, 773
Usher, J. M., 357, *1095*
Usher, N., 1069, *1093*
Uszkoreit, J., 901, 919, 931, *1115*
utilitarianism, **26**
utilitarian social welfare, 599
utility, **25**, **72**, 405
 adaptive, **551**
 axioms of, 521
 estimation, **843**
 expected, **73**, 80, 405, 518, **519**, 524
 function, **72**, **73**, 193, 519, 522–529
 independence, **534**
 of money, 524–526
 multiattribute, 530–534, 547
 multiplicative, **534**
 node, **535**
 normalized, **523**
 ordinal, **522**
 theory, 10, **405**, 519–522, 547
utility-based agent, 73
utopia, 1073
UWL (planning system), 401
-
- V**
- vacuum tube, 35
vacuum world, 55, 57
 erratic, **140**
 kindergarten, 150
 slippery, 143
VAE, *see* autoencoder, variational
vagueness, 477, 875
Valdés, V., 873, *1087*
Valiant, L., 735, *1115*
validation set, **684**
validity, **240**, 264
Vallati, M., 399, *1115*
value (of a variable), **77**
 in a CSP, 164
VALUE-ITERATION, **563**
value alignment problem, **23**, **1054**
value function, **522**
 additive, **533**
value iteration, **562**, 562–566, 585
 point-based, 588
value node, *see* utility node
value of computation, 1070
value of information, 537–543, 547, 579, 1070
value of perfect information (VPI), **538**
value symmetry, **187**
value vector (in transformers), **920**
VAMPIRE (theorem prover), 330, 331
vanBeek, P., 188–191, 358, 399, *1086*, *1102*, *1111*, *1115*
van Bentham, J., 297, *1115*
Vandenbergh, L., 161, *1088*
van Doorn, A. J., 1030, *1102*
van Harmelen, F., 361, *1115*
van Heijenoort, J., 331, *1115*
van Hove, W.-J., 189, *1115*
Vanhoucke, V., 900, 905, 985, *1088*, *1099*
vanishing gradient, 914
vanishing point, **991**
van Kleef, P., 357, *1103*
van Lambalgen, M., 358, *1115*
van Maaren, H., 267, *1087*
van Nunen, J. A. E. E., 586, *1115*
van Run, P., 191, *1086*
Vanschoren, J., 737, *1099*
Van den Broeck, G., 668, *1097*, *1101*
van den Driessche, G., 45, 48, *1112*
van den Oord, A., 47, 830, 838, 900, *1115*
van der Gaag, L., 428, *1104*
van der Maaten, L., 1060, *1097*
Van Gysel, C., 901, *1085*
Van Hentenryck, P., 189, *1115*
Van Ooyen, B., 903, *1089*
Van Roy, B., 856, 871, *1115*
Van Roy, P. L., 312, 329, *1115*
Vapnik, V. N., 44, 735, 736, 738, 837, 1029, *1088*, *1091*, *1103*, *1115*
Varaiya, P., 79, 873, *1095*, *1102*
Vardi, M. Y., 359, *1094*, *1115*
variable, **77**
 atemporal, **256**
 elimination, **448**, 448–451, 472, 474, 508
 in a CSP, 164
 in continuous state space, **138**
 indicator, **791**
 irrelevant, 451
 in logic, **279**
 ordering, 177, 450
 random, 408, 435
 Bernoulli, 408
 Boolean, 408
 continuous, 409, 440, 473
 unmodeled, **469**
Varian, H. R., 47, 639, 737, *1105*, *1110*, *1115*
variance, **673**, 688, **1079**
variational approximation, 476
variational autoencoder, 838
variational lower bound, **829**
variational parameter, 476
variational posterior, **829**
Varoquaux, G., 738, *1109*
Varshney, K. R., 1046, 1047, 1060, 1061, *1085*, *1098*
Varshney, L., 931, *1101*
Varzi, A., 358, *1090*
Vasilache, N., 1069, *1115*
Vasserman, L., 1046, *1106*
Vaswani, A., 901, 919, 931, *1115*
Vaucanson, J., 983
Vaughan, J. W., 1046, *1096*
Vazirani, U., 160, 738, *1085*, *1101*
Vazirani, V., 638, *1108*
Vazquez, D., 873, *1110*
VC dimension, **735**
Vckay, E., 873, *1100*
Veach, E., 475, *1115*
Vecchi, M. P., 160, 190, *1101*
Vecchione, B., 1046, *1096*
vector, **1076**
vector field histogram, **985**
Veeramachaneni, K., 737, *1101*
Veinott, A. F., 587, *1101*
Veit, A., 1060, *1086*
Velooso, M., 225, 986, *1085*, *1112*
Veness, J., 588, 871, 873, *1087*, *1106*, *1112*
Venkataraman, S., 587, *1097*
Venkatesh, S., 429, *1115*
Venn, J., 427
Venugopal, A., 931, *1118*
Venugopalan, S., 48, *1097*, *1104*
Vere, S. A., 401, *1115*
verification, **327**
 hardware, 294
verification and validation, **1047**
Verma, S., 1060, *1115*
Verma, T., 473, 474, 798, *1096*, *1108*
Verma, V., 516, *1115*
VERSION-SPACE-LEARNING
 algorithm, 746–747
version space method, **768**
Verweij, G., 1049, *1110*
Vetterling, W. T., 160, *1109*
Vickrey, W., 626
Vickrey-Clarke-Groves mechanism (VCG), **628**
video game, 225
 Atari, 46, 224, 835, 867
Viegas, E., 737, *1097*
Viégas, F., 737, *1116*
Vienna Circle, 25
Vig, L., 1041, *1105*
Vihma, T., 161, *1113*
Vincent, P., 929, *1087*
Vinge, V., 30, *1115*
Vinyals, O., 48, 225, 734, 830, 837, 838, 873, 900, 929–931, *1097*, *1100*, *1104*, *1114*, *1115*, *1118*
Viola, P., 1029, *1115*
Virasoro, M., 160, *1106*
Virochsiri, K., 873, *1096*
virtual count, **782**
visibility graph, **950**, **985**
vision, **20**, 30, 38, 188, 989–1026
Visser, U., 225, *1115*
Visser, W., 327, *1098*
visual programming, **975**
Vitali set, 411
Vitényi, P., 735, *1104*

- Viterbi, A. J., 515, *1115*
 Viterbi algorithm, **491**, **881**
 Vlassis, N., 588, 640, *1113*, *1116*
 Vlimant, J.-R., 1069, *1107*
 VLSI layout, 88, 125, 133
 Vogt, D. M., 1064, *1107*
 Volk, K., 799, *1096*
 von Mises, R., 427, *1116*
 von Neumann, J., 28, 34, 35, 521, 548, 637, 638, *1116*
 von Stengel, B., 611, 637, *1102*
 von Winterfeldt, D., 548, *1116*
 von Linne, C., 357
 Vorhees, E., 901, *1085*
 Voronkov, A., 297, 330, 331, *1110*
 Voronoi diagram, **951**
 Voronoi graph, **951**
 Vossen, T., 399, *1116*
 voted perceptron, 736
 voting, 630
 VPI (value of perfect information), **538**
 VQA (question answering visual), 46, **1017**
-
- W**
-
- Wadsworth, C. P., 296, *1097*
 wafer scale engine (WSE), 33
 Wagner, D., 126, *1093*
 Wagner, S. K., 48, *1104*
 Wahba, G., 734, *1097*
 Wainwright, M., 267, 476, 873, *1087*, *1105*, *1116*
 Waldinger, R., 296, 297, *1105*
 Walker, E., 47, *1091*
 Walker, G., 838, *1116*
 Walker, H., 799, *1096*
 Walker, R. J., 189, *1116*
 WALKSAT, **253**
 Wall, R., 904, *1093*
 Wallace, A. R., 136, *1116*
 Wallach, H. M., 1046, *1096*
 Walpole, R.E., 429, *1116*
 Walras, L., 28
 Walsh, M. J., 161, *1095*
 Walsh, T., 189, 191, 267, 1049, *1087*, *1111*, *1113*, *1116*
 Walsh, W., 639, *1116*
 Walter, G., 983
 Walter, M. R., 986, *1114*
 Waltz, D., 38, 188, 735, *1113*, *1116*
 WAM (Warren Abstract Machine), 329
 Wang, A., 930, 931, *1116*
 Wang, D. Z., 901, 906, *1089*
 Wang, E., 360, *1114*
 Wang, H., 930, *1114*
 Wang, J., 222, *1116*
 Wang, L., 837, *1093*
 Wang, S., 930, *1114*
 Wang, T., 33, 1069, *1117*
 Wang, Z., 872, *1117*
 Wanner, E., 271, *1116*
 Ward, T., 873, *1087*
 Warde-Farley, D., 838, *1097*
 Warmuth, M., 124, 735, *1088*, *1110*
 Warner, C., 903, *1087*
 WARPLAN (planning system), 398
 Warren, D. H. D., 312, 329, 398, *1109*, *1116*
 Warren, D. S., 329, *1114*
 Warren Abstract Machine (WAM), 329
 Washington, G., 343
 wasp, sphex, 59, 392
 Wasserman, L., 738, *1116*
 watched literal, **266**
 Watkins, C. J., 586, 871, *1116*
 Watson (question-answering system), 44
 Watson, J., 31
 Watson, J.-P., 190, *1087*
 Watson, J. D., 136, *1116*
 Watt, J., 34
 Wattenberg, M., 161, 737, *1100*, *1116*
 Watts, M., 1064, *1109*
 Waugh, K., 48, 224, 638, *1107*, *1116*
 WaveNet, 830, 838
 WaveNet (speech generation software), 900
 Way, D. H., 48, *1104*
 Waymo, 46, 1031, 979, 980
 Wayne, G., 986, *1098*
 Wayne, K., 1080, *1112*
 WBRIDGE5 (bridge program), 224
 weak AI, **1032**, 1056, 1057
 weak domination, **597**
 weakly supervised learning, **723**, 1068
 weak method, **40**
 weapon
 lethal autonomous, 1059
 weapon, lethal autonomous, 49, 1038
 Weaver, W., 679, 733, 738, 902, 931, *1112*
 Weber, J., 516, *1099*
 Webster, D. R., 48, *1104*
 Wefald, E.H., 127, 221, 1070, *1111*
 Wegbreit, B., 984, *1106*
 Weglarz, J., 402, *1088*
 Wei, J. N., 1027, *1111*
 Wei, X., 906, *1109*
 Weibull, J., 638, *1116*
 Weidenbach, C., 330, *1116*
 weight, **694**
 weight decay, **822**
 WEIGHTED-SAMPLE, **458**
 weighted A* search, **109**
 weighted linear function, **203**
 weight space, **695**
 Weinstein, S., 734, *1108*
 Weiss, D., 904, *1085*
 Weiss, G., 80, 640, *1116*
 Weiss, R., 738, 900, *1090*, *1109*
 Weiss, S., 903, *1085*
 Weiss, Y., 476, 517, 708, *1107*, *1115*–*1117*
 Weissbrod, O., 474, *1112*
 Weissman, V., 296, *1097*
 Weizenbaum, J., 1052, *1116*
 Weld, D. S., 162, 357, 360, 398–402, 905, 906, 1059, *1091*, *1094*, *1103*, *1109*, *1113*, *1116*, *1117*
 Welinder, P., 986, *1085*
 well calibrated, **1044**
 Welling, M., 838, *1101*
 Wellman, M. P., 473, 478, 516, 666, 549, 586, 638, 639, 985, *1092*, *1099*, *1116*
 Welty, C., 48, 357, *1094*, *1113*
 Wen, M., 359, 1065, *1104*
 Werbos, P., 586, 587, 836, 837, 871, *1116*
 Wermuth, N., 473, *1103*
 Werneck, R. F., 126, *1096*
 Wertheimer, M., 1028
 Wesley, M. A., 985, *1116*
 West, Col., 305
 West, D. M., 1062, *1116*
 West, M., 517, *1104*
 West, S. M., 1046, *1116*
 Westinghouse, 401
 Weston, L., 923, *1115*
 Wexler, Y., 474, *1116*
 Weymouth, T., 983, *1091*
 Wheatstone, C., 1028, *1116*
 White, C., 838, *1116*
 White, J., 738, *1091*
 White, J. L., 327, *1098*
 Whitehead, A. N., 35, 328, *1116*
 Whitehouse, D., 222, *1089*
 Whiter, A. M., 401, *1114*
 Whitney, W. F., 225, *1095*
 Whittaker, M., 1046, *1116*
 Whittaker, W., 46, 984, *1101*, *1115*
 Whittle, P., 571, *1116*
 Whorf, B., 270, 296, *1116*
 Widner, K., 48, *1097*
 Widrow, B., 39, 836, 870, *1116*
 Widrow–Hoff rule, **855**
 Wiedijk, F., 331, *1116*
 Wiegley, J., 162, *1116*
 Wiener, N., 34, 36, 51, 57, 221, 515, 836, 931, 1059, 1062, *1110*, *1116*
 Wierstra, D., 835, 838, 841, 871, 873, 986, *1104*, *1106*, *1110*
 Wiesel, T. N., 837, 1029, *1099*
 wiggly belief state, 261
 Wijmans, E., 873, *1111*
 Wikipedia, 334, 874, 876
 Wilcox, S., 327, *1086*
 Wild, P. P., 475, *1096*
 Wildes, R. P., 1064, *1101*

- Wilensky, R., 41, *1116*
 Wilfong, G. T., 983, *1091*
 Wilkins, D. E., 401, *1116*
 Wilks, Y., 1061, 1062, *1116*
 Williams, A., 931, *1116*
 Williams, B., 267, 360, 402, *1107, 1116*
 Williams, C. K. I., 799, *1110*
 Williams, J., 588, *1117*
 Williams, R. J., 586, 836, 837, 863, 871, 872, *1109, 1111, 1116*
 Williamson, J., 358, *1107*
 Williamson, M., 401, *1094*
 Willighagen, E. L., 358, *1107*
 Wilmer, E. L., 515, *1103*
 Wilson, A., 903, *1103*
 Wilson, D. H., 1052, *1116*
 Wilson, R., 188, *1116*
 Wilson, R. A., 21, 1058, *1116*
 Wilt, C. M., 126, *1117*
 Wiltschko, A. B., 1027, *1111*
 Windows (operating system), 473
 Winfield, A., 160, 1048, *1089, 1093*
 Wingate, D., 668, 586, *1117*
 Winikoff, M., 79, *1108*
 Winker, S., 331, *1117*
 Winkler, R. L., 527, 549, *1113*
 winner's curse, **549**
 Winograd, S., 38, *1117*
 Winograd, T., 38, 41, 905, *1117*
 Winograd Schema Challenge, 928
 Winston, P. H., 38, 50, *1087, 1117*
 Wintermute, S., 329, *1117*
 Winternitz, L., 47, *1117*
 Witbrock, M., 357, *1105*
 Witten, D., 738, *1100*
 Witten, I. H., 738, 871, 902, 903, *1117*
 Witten-Bell smoothing, 902
 Wittgenstein, L., 25, 234, 266, 267, 338, 357, *1117*
 Wohllhart, P., 985, *1088*
 Wojciechowski, W. S., 327, *1117*
 Wojcik, A. S., 327, *1117*
 Wolf, A., 904, *1097*
 Wolf, T., 930, *1111*
 Wolfe, J., 162, 222, 400, *1105, 1111, 1117*
 Wolpert, D., 639, 733, *1115, 1117*
 Wolsey, L. A., 551, *1107*
 Wolski, F., 986, *1085*
 Wong, C., 737, *1117*
 Wong, K. W., 1035, *1100*
 Wong, W.-K., 798, *1107*
 Wood, D. E., 126, *1103*
 Wood, F., 475, 516, 668, *1103, 1108*
 Wood, R. J., 1064, *1107*
 Woodruff, A., 1060, *1087*
 Woods, W. A., 359, 905, *1117*
 Wooldridge, M., 79, 80, 638, 640, *1090, 1091, 1110, 1117*
 Woolsey, K., 867
 word, 421, 875
 out-of-vocabulary, 878
 WORD2VEC (word embedding software), 908, 926, 929
 word embedding, 834, 879, **908**
 positional, **921**
 WordNet, **879**
 WordNet (lexical database), 357
 work, future of, 1049–1051
 workspace, **946**
 world model, in disambiguation, 899
 world state, 84
 World War II, 28, 472, 515
 worst possible catastrophe, 523
 Worswick, S., 1057
 Wos, L., 330, 331, *1117*
 Wossnig, L., 1069, *1093*
 Wray, R. E., 329, *1117*
 Wright, S., 161, 472, *1117*
 WSE (wafer scale engine), 33
 Wu, D., 48, *1097*
 Wu, E., 901, 906, *1089*
 Wu, F., 357, *1117*
 Wu, H., 930, *1114*
 Wu, I.-C., 222, *1116*
 Wu, J., 930, *1110*
 Wu, L., 47, *1117*
 Wu, S., 1046, *1106*
 Wu, Y., 47, 517, 668, 834, 837, 900, 901, 916, 929, 1046, *1090, 1094, 1100, 1117*
 wumpus world, **228**, 228–231, 238, 268, 288–289, 333, 422–426, 884
 Wundt, W., 30, 1027
 Wurman, P., 639, *1116*
-
- X**
-
- XAI (explainable AI), 737, **1048**
 XCON (expert system), 310
 Xiong, C., 931, 1072, *1098, 1101*
 Xiong, W., 47, *1117*
 XLM (multilingual language model), 930
 XLNET (natural language system), 930
 xor, 237
 Xu, B., 838, *1097*
 Xu, J., 329, *1117*
 Xu, P., 903, 931, *1088*
-
- Y**
-
- Yahtzee, 214
 Yakimovsky, Y., 548, *1094*
 Yale, 41
 Yampolskiy, R. V., 1061, *1117*
 Yan, D., 401, *1095*
 Yang, B., 901, *1106*
 Yang, G., 516, *1117*
 Yang, X.-S., 160, *1117*
 Yang, Y., 838, 930, *1104, 1117*
 Yang, Z., 930, *1117*
 Yannakakis, M., 162, 190, *1087, 1108*
 Yao, L., 47, *1118*
 Yao, X., 160, *1104*
 Yap, R. H. C., 330, *1100*
 Yarowsky, D., 44, 906, *1117*
 Yates, A., 906, *1094*
 Ye, K. E., 429, *1116*
 Ye, N., 588, *1086*
 Ye, X., 873, *1096*
 Ye, Y., 586, *1117*
 Yedidia, J., 476, *1117*
 Yeo, H.-S., 1064, *1117*
 Ying, C., 33, 1069, *1117*
 Yip, K. M.-K., 360, *1117*
 Yngve, V., 904, *1117*
 Yob, G., 268, *1117*
 Yoon, C. J. M., 1060, *1095*
 York, S., 873, *1087*
 Yoshida, Y., 837, *1106*
 Yoshikawa, T., 985, *1117*
 You, Y., 872, *1117*
 Young, C., 670, 1069, *1092, 1100*
 Young, H. P., 640, *1117*
 Young, S., 588, *1117*
 Young, T., 995
 Younger, D. H., 886, 904, *1117*
 Yu, B., 473, *1090*
 Yu, D., 839, 900, 905, *1093, 1099, 1117*
 Yu, F. X., 1043, *1102*
 Yu, H.-F., 736, *1117*
 Yu, K., 838, *1117*
 Yudkowsky, E., 51, 1061, *1117*
 Yule, G. U., 838, *1117*
 Yule-Walker equations, **830**
 Yvanovich, M., 402, *1092*
-
- Z**
-
- Z-3 (early computer), 32
 Zadeh, L. A., 477, 478, *1117*
 Zadeh, R. B., 738, *1110*
 Zahavi, U., 106, *1094*
 Zaldivar, A., 1046, *1106*
 Zapp, A., 46, 1030, 984, *1093*
 Zaremba, W., 838, 873, 986, *1085, 1089, 1100, 1114*
 Zaritskii, V. S., 516, *1117*
 Zaykov, Y., 667, *1106*
 Zecchina, R., 267, *1108*
 Zeckhauser, R., 549, *1117*
 Zeeberg, A., 833, *1117*
 Zeilinger, M. N., 872, *1085*
 Zelle, J., 905, *1117*
 Zemel, R., 1046, 1060, *1094, 1117*
 Zemelmann, B. V., 29, *1118*
 Zen, H., 830, 838, 900, *1115*
 Zeng, H., 296, *1106*
 Zermelo, E., 637, *1118*
 zero-sum game, **193**, 590, **600**

- Zettlemoyer, L., 668, 896, 905, 927, 930,
1104, 1106, 1109, 1118
- Zeuthen strategy, **634**
- Zhai, X., 837, *1093*
- Zhang, B., 46, *1097*
- Zhang, C., 734, *1118*
- Zhang, F., 1060, *1115*
- Zhang, H., 266, *1118*
- Zhang, J., 931, *1110*
- Zhang, L., 190, 266, 474, *1107, 1118*
- Zhang, M., 904, *1118*
- Zhang, N. L., 474, *1118*
- Zhang, S., 29, 900, *1118*
- Zhang, T. W., 986, *1114*
- Zhang, W., 127, 334, *1093, 1102*
- Zhang, X., 837, 903, *1098, 1118*
- Zhang, Y., 900, 901, 904, 906, 1047,
1060, 1087, 1089, 1118
- Zhang, Z., 106, *1094*
- Zhao, J., 903, *1118*
- Zhao, K., 896, 904, 905, *1096, 1118*
- Zhao, Y., 190, 266, 873, *1107, 1111*
- Zhao, Z., 1023, *1093*
- Zhou, K., 550, *1118*
- Zhou, R., 127, *1118*
- Zhou, T., 1021, *1100*
- Zhou, Y., 930, *1110*
- Zhu, B., 838, *1118*
- Zhu, C., 735, *1089*
- Zhu, D. J., 984, *1118*
- Zhu, J., 904, *1118*
- Zhu, J.-Y., 930, 1021, 1022, *1100, 1118*
- Zhu, M., 904, *1118*
- Zhu, T., 222, *1116*
- Zhu, W. L., 334, *1113*
- Ziebart, B. D., 868, 970, 986, *1118*
- Zilberstein, S., 162, 389, 401, *1098*
- Zilles, S., 114, 126, 127, *1085, 1090,*
1094, 1103
- Zimdars, A., 637, *1111*
- Zimmermann, H.-J., 477, *1118*
- Zinkevich, M., 637, 973, *1110, 1118*
- Zipf's Law, 929
- Zipf, G., 929, *1118*
- Zipser, D., 837, *1116*
- Zisserman, A., 734, 1030, 1031, *1087,*
1098, 1107
- Zlot, R., 160, *1093*
- Zlotkin, G., 639, 640, *1111*
- Zobrist, A. L., 223, *1118*
- Zollmann, A., 931, *1118*
- Zoph, B., 838, *1109, 1118*
- Zucker, M., 958, 985, *1110*
- Zuckerman, D., 132, *1104*
- Zufferey, J. C., 1064, *1095*
- Zuse, K., 32, 221, *1118*
- Zweben, M., 402, *1092*
- Zweig, G., 516, *1118*
- Zwicker, W. S., 638, *1114*
- zyzzyva, 876