

# FIRST-ORDER LOGIC

## CHAPTER 8

### Outline

- ◇ Why FOL?
- ◇ Syntax and semantics of FOL
- ◇ Fun with sentences
- ◇ Wumpus world in FOL

### Pros and cons of propositional logic

- 😊 Propositional logic is **declarative**: pieces of syntax correspond to facts
- 😊 Propositional logic allows partial/disjunctive/negated information (unlike most data structures and databases)
- 😊 Propositional logic is **compositional**: meaning of  $B_{1,1} \wedge P_{1,2}$  is derived from meaning of  $B_{1,1}$  and of  $P_{1,2}$
- 😊 Meaning in propositional logic is **context-independent** (unlike natural language, where meaning depends on context)
- 😞 Propositional logic has very limited expressive power (unlike natural language)  
E.g., cannot say "pits cause breezes in adjacent squares" except by writing one sentence for each square

### First-order logic

Whereas propositional logic assumes world contains **facts**, first-order logic (like natural language) assumes the world contains

- **Objects**: people, houses, numbers, theories, Ronald McDonald, colors, baseball games, wars, centuries ...
- **Relations**: red, round, bogus, prime, multistoried ... , brother of, bigger than, inside, part of, has color, occurred after, owns, comes between, ...
- **Functions**: father of, best friend, third inning of, one more than, end of ...

### Logics in general

Language	Ontological Commitment	Epistemological Commitment
Propositional logic	facts	true/false/unknown
First-order logic	facts, objects, relations	true/false/unknown
Temporal logic	facts, objects, relations, times	true/false/unknown
Probability theory	facts	degree of belief
Fuzzy logic	facts + degree of truth	known interval value

### Syntax of FOL: Basic elements

- Constants *KingJohn, 2, UCB, ...*
- Predicates *Brother, >, ...*
- Functions *Sqrt, LeftLegOf, ...*
- Variables *x, y, a, b, ...*
- Connectives  $\wedge \vee \neg \Rightarrow \Leftrightarrow$
- Equality  $=$
- Quantifiers  $\forall \exists$

## Atomic sentences


Atomic sentence =  $predicate(term_1, \dots, term_n)$   
or  $term_1 = term_2$

Term =  $function(term_1, \dots, term_n)$   
or *constant* or *variable*

E.g.,  $Brother(KingJohn, RichardTheLionheart)$   
 $> (Length(LeftLegOf(Richard)), Length(LeftLegOf(KingJohn)))$

Chapter 8 7

## Models for FOL: Example



Chapter 8 10

## Complex sentences

Complex sentences are made from atomic sentences using connectives

$\neg S, S_1 \wedge S_2, S_1 \vee S_2, S_1 \Rightarrow S_2, S_1 \Leftrightarrow S_2$

E.g.  $Sibling(KingJohn, Richard) \Rightarrow Sibling(Richard, KingJohn)$   
 $> (1, 2) \vee \leq (1, 2)$   
 $> (1, 2) \wedge \neg > (1, 2)$

Chapter 8 8

## Truth example

Consider the interpretation in which

*Richard* → Richard the Lionheart

*John* → the evil King John

*Brother* → the brotherhood relation

Under this interpretation,  $Brother(Richard, John)$  is true just in case Richard the Lionheart and the evil King John are in the brotherhood relation in the model

Chapter 8 11

## Truth in first-order logic

Sentences are true with respect to a **model** and an **interpretation**

Model contains  $\geq 1$  objects (**domain elements**) and relations among them

Interpretation specifies referents for

**constant symbols** → objects

**predicate symbols** → relations

**function symbols** → functional relations

An atomic sentence  $predicate(term_1, \dots, term_n)$  is true iff the objects referred to by  $term_1, \dots, term_n$  are in the relation referred to by  $predicate$

Chapter 8 9

## Models for FOL: Lots!

Entailment in propositional logic can be computed by enumerating models

We **can** enumerate the FOL models for a given KB vocabulary:

For each number of domain elements  $n$  from 1 to  $\infty$

For each  $k$ -ary predicate  $P_k$  in the vocabulary

For each possible  $k$ -ary relation on  $n$  objects

For each constant symbol  $C$  in the vocabulary

For each choice of referent for  $C$  from  $n$  objects ...

Computing entailment by enumerating FOL models is not easy!

Chapter 8 12

## Universal quantification

$\forall$  (variables) (sentence)

Everyone at Berkeley is smart:

$\forall x \text{ At}(x, \text{Berkeley}) \Rightarrow \text{Smart}(x)$

$\forall x P$  is true in a model  $m$  iff  $P$  is true with  $x$  being **each** possible object in the model

**Roughly** speaking, equivalent to the conjunction of instantiations of  $P$

$(\text{At}(\text{KingJohn}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{KingJohn}))$   
 $\wedge (\text{At}(\text{Richard}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{Richard}))$   
 $\wedge (\text{At}(\text{Berkeley}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{Berkeley}))$   
 $\wedge \dots$

Chapter 8 13

## Another common mistake to avoid

Typically,  $\wedge$  is the main connective with  $\exists$

Common mistake: using  $\Rightarrow$  as the main connective with  $\exists$ :

$\exists x \text{ At}(x, \text{Stanford}) \Rightarrow \text{Smart}(x)$

is true if there is anyone who is not at Stanford!

Chapter 8 16

## A common mistake to avoid

Typically,  $\Rightarrow$  is the main connective with  $\forall$

Common mistake: using  $\wedge$  as the main connective with  $\forall$ :

$\forall x \text{ At}(x, \text{Berkeley}) \wedge \text{Smart}(x)$

means "Everyone is at Berkeley and everyone is smart"

Chapter 8 14

## Properties of quantifiers

$\forall x \forall y$  is the same as  $\forall y \forall x$  (why??)

$\exists x \exists y$  is the same as  $\exists y \exists x$  (why??)

$\exists x \forall y$  is **not** the same as  $\forall y \exists x$

$\exists x \forall y \text{ Loves}(x, y)$

"There is a person who loves everyone in the world"

$\forall y \exists x \text{ Loves}(x, y)$

"Everyone in the world is loved by at least one person"

Quantifier duality: each can be expressed using the other

$\forall x \text{ Likes}(x, \text{IceCream}) \quad \neg \exists x \neg \text{Likes}(x, \text{IceCream})$

$\exists x \text{ Likes}(x, \text{Broccoli}) \quad \neg \forall x \neg \text{Likes}(x, \text{Broccoli})$

Chapter 8 17

## Existential quantification

$\exists$  (variables) (sentence)

Someone at Stanford is smart:

$\exists x \text{ At}(x, \text{Stanford}) \wedge \text{Smart}(x)$

$\exists x P$  is true in a model  $m$  iff  $P$  is true with  $x$  being **some** possible object in the model

**Roughly** speaking, equivalent to the disjunction of instantiations of  $P$

$(\text{At}(\text{KingJohn}, \text{Stanford}) \wedge \text{Smart}(\text{KingJohn}))$   
 $\vee (\text{At}(\text{Richard}, \text{Stanford}) \wedge \text{Smart}(\text{Richard}))$   
 $\vee (\text{At}(\text{Stanford}, \text{Stanford}) \wedge \text{Smart}(\text{Stanford}))$   
 $\vee \dots$

Chapter 8 15

## Fun with sentences

Brothers are siblings

Chapter 8 18

## Fun with sentences

Brothers are siblings

$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$

"Sibling" is symmetric

Chapter 8 19

## Fun with sentences

Brothers are siblings

$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$

"Sibling" is symmetric

$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x).$

One's mother is one's female parent

$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y)).$

A first cousin is a child of a parent's sibling

$\forall x, y \text{ FirstCousin}(x, y) \Leftrightarrow \exists p, ps \text{ Parent}(p, x) \wedge \text{Sibling}(ps, p) \wedge \text{Parent}(ps, y)$

Chapter 8 22

## Fun with sentences

Brothers are siblings

$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$

"Sibling" is symmetric

$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x).$

One's mother is one's female parent

Chapter 8 20

## Equality

$term_1 = term_2$  is true under a given interpretation if and only if  $term_1$  and  $term_2$  refer to the same object

E.g.,  $1 = 2$  and  $\forall x \times(\text{Sqrt}(x), \text{Sqrt}(x)) = x$  are satisfiable  
 $2 = 2$  is valid

E.g., definition of (full) *Sibling* in terms of *Parent*:

$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow [\neg(x = y) \wedge \exists m, f \neg(m = f) \wedge \text{Parent}(m, x) \wedge \text{Parent}(f, x) \wedge \text{Parent}(m, y) \wedge \text{Parent}(f, y)]$

Chapter 8 23

## Fun with sentences

Brothers are siblings

$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$

"Sibling" is symmetric

$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x).$

One's mother is one's female parent

$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y)).$

A first cousin is a child of a parent's sibling

Chapter 8 21

## Interacting with FOL KBs

Suppose a wumpus-world agent is using an FOL KB and perceives a smell and a breeze (but no glitter) at  $t = 5$ :

$\text{Tell}(KB, \text{Percept}([\text{Smell}, \text{Breeze}, \text{None}], 5))$   
 $\text{Ask}(KB, \exists a \text{ Action}(a, 5))$

I.e., does  $KB$  entail any particular actions at  $t = 5$ ?

Answer:  $Yes, \{a/\text{Shoot}\}$  ← substitution (binding list)

Given a sentence  $S$  and a substitution  $\sigma$ ,

$S\sigma$  denotes the result of plugging  $\sigma$  into  $S$ ; e.g.,

$S = \text{Smarter}(x, y)$

$\sigma = \{x/\text{Hillary}, y/\text{Bill}\}$

$S\sigma = \text{Smarter}(\text{Hillary}, \text{Bill})$

$\text{Ask}(KB, S)$  returns some/all  $\sigma$  such that  $KB \models S\sigma$

Chapter 8 24

## Knowledge base for the wumpus world

"Perception"

$\forall b, g, t \text{ Percept}([Smell, b, g], t) \Rightarrow Smelt(t)$

$\forall s, b, t \text{ Percept}([s, b, Glitter], t) \Rightarrow AtGold(t)$

Reflex:  $\forall t \text{ AtGold}(t) \Rightarrow Action(Grab, t)$

Reflex with internal state: do we have the gold already?

$\forall t \text{ AtGold}(t) \wedge \neg Holding(Gold, t) \Rightarrow Action(Grab, t)$

$Holding(Gold, t)$  cannot be observed

$\Rightarrow$  keeping track of change is essential

Chapter 8 25

## Describing actions I

"Effect" axiom—describe changes due to action

$\forall s \text{ AtGold}(s) \Rightarrow Holding(Gold, Result(Grab, s))$

"Frame" axiom—describe **non-changes** due to action

$\forall s \text{ HaveArrow}(s) \Rightarrow HaveArrow(Result(Grab, s))$

Frame problem: find an elegant way to handle non-change

(a) representation—avoid frame axioms

(b) inference—avoid repeated "copy-overs" to keep track of state

Qualification problem: true descriptions of real actions require endless caveats—what if gold is slippery or nailed down or ...

Ramification problem: real actions have many secondary consequences—what about the dust on the gold, wear and tear on gloves, ...

Chapter 8 28

## Deducing hidden properties

Properties of locations:

$\forall x, t \text{ At}(Agent, x, t) \wedge Smelt(t) \Rightarrow Smelly(x)$

$\forall x, t \text{ At}(Agent, x, t) \wedge Breeze(t) \Rightarrow Breezy(x)$

Squares are breezy near a pit:

Diagnostic rule—infer cause from effect

$\forall y \text{ Breezy}(y) \Rightarrow \exists x \text{ Pit}(x) \wedge Adjacent(x, y)$

Causal rule—infer effect from cause

$\forall x, y \text{ Pit}(x) \wedge Adjacent(x, y) \Rightarrow Breezy(y)$

Neither of these is complete—e.g., the causal rule doesn't say whether squares far away from pits can be breezy

Definition for the *Breezy* predicate:

$\forall y \text{ Breezy}(y) \Leftrightarrow [\exists x \text{ Pit}(x) \wedge Adjacent(x, y)]$

Chapter 8 26

## Describing actions II

Successor-state axioms solve the representational frame problem

Each axiom is "about" a **predicate** (not an action per se):

$P$  true afterwards  $\Leftrightarrow$  [an action made  $P$  true

$\vee$   $P$  true already and no action made  $P$  false]

For holding the gold:

$\forall a, s \text{ Holding}(Gold, Result(a, s)) \Leftrightarrow$

$[(a = Grab \wedge AtGold(s))$

$\vee (Holding(Gold, s) \wedge a \neq Release)]$

Chapter 8 29

## Keeping track of change

Facts hold in situations, rather than eternally

E.g.,  $Holding(Gold, Now)$  rather than just  $Holding(Gold)$


Situation calculus is one way to represent change in FOL:

Adds a situation argument to each non-eternal predicate

E.g.,  $Now$  in  $Holding(Gold, Now)$  denotes a situation

Situations are connected by the *Result* function

$Result(a, s)$  is the situation that results from doing  $a$  in  $s$



Chapter 8 27

## Making plans

Initial condition in KB:

$At(Agent, [1, 1], S_0)$

$At(Gold, [1, 2], S_0)$

Query:  $Ask(KB, \exists s \text{ Holding}(Gold, s))$

i.e., in what situation will I be holding the gold?

Answer:  $\{s / Result(Grab, Result(Forward, S_0))\}$

i.e., go forward and then grab the gold

This assumes that the agent is interested in plans starting at  $S_0$  and that  $S_0$  is the only situation described in the KB

Chapter 8 30

## Making plans: A better way

Represent plans as action sequences  $[a_1, a_2, \dots, a_n]$

$PlanResult(p, s)$  is the result of executing  $p$  in  $s$

Then the query  $Ask(KB, \exists p \text{ Holding}(Gold, PlanResult(p, S_0)))$   
has the solution  $\{p/[Forward, Grab]\}$

Definition of  $PlanResult$  in terms of  $Result$ :

$$\forall s \text{ PlanResult}([], s) = s$$

$$\forall a, p, s \text{ PlanResult}([a|p], s) = \text{PlanResult}(p, \text{Result}(a, s))$$

Planning systems are special-purpose reasoners designed to do this type of inference more efficiently than a general-purpose reasoner

## Summary

First-order logic:

- objects and relations are semantic primitives
- syntax: constants, functions, predicates, equality, quantifiers

Increased expressive power: sufficient to define wumpus world

Situation calculus:

- conventions for describing actions and change in FOL
- can formulate planning as inference on a situation calculus KB